





www.snap4city.org
www.snap4solutions.org



Environment and Waste Management Digital Twin

PRECISION SUPPORT



UNIVERSITÀ
DEGLI STUDI
FIRENZE



DINFO
DIPARTIMENTO DI
INGEGNERIA
DELL'INFORMAZIONE

DISIT
DISTRIBUTED SYSTEMS
AND INTERNET
TECHNOLOGIES LAB



Environment and Waste


- **Goals:**
 - Reduction of emissions and EC taxations
 - Cost reduction for waste collection,
 - reduction of waste collection impact on mobility
- **Environment Management producing predictions/prescriptions:**
 - Monitoring and long and short-term predictions, warning for:
 - GHG, emissions, pollutants, aerosol, chemical plants analysis
 - land slide, coastal erosion (blue economy)
 - Traffic Flow impact emissions, predictions
 - What-if analysis, optimisation tools
- **Waste Management and Optimisation:**
 - costs reduction, optimal routing production, pay as you throw,
 - avoiding out of bins, predictions of waste production on bins, alarms
- **KPI:** SDG, 15MinCityIndex, QOS, costs, Km, collecting time, EC KPI, emissions
- **Mobile App:** final users services/informing and operators
 - Info Waste for operators, participation, optimal routing, RAEE Collection, ..
- **Participatory:** problem reporting, ticketing, etc.
- **Integration of any kind:** env/weather, mobility, ticketing, presences, POI, ..



Environmental Monitoring and Control

FROM CITY
DASHBOARD TO
APPLICATIONS

DATA



DESIGNING
MANAGING GREEN
AND FLEXIBLE WEB
AND MOBILE APPS

SNAP4CITY FOR
BEGINNERS

SNAP4CITY

TWITTER
LINKEDIN
FACEBOOK
YOUTUBE

SNAP4CITY
AND KM4CITY
PROJECTS

ADOPT
COMMUNITY, AND
DMAP

SNAP4CITY THE
VIEW OF THE
ADMINISTRATORS



Key Performance Indicators, KPI



- **United Nations Sustainable Development Goals, SDGs** (for which cities can do more to achieve some of the 17 SDGs, <https://sdgs.un.org/goals>);
- **15 minutes cities** (where primary services must be accessible within 15 minutes on foot);
- **objectives of the European Commission** in terms of pollutant emissions for: NO2, PM10, PM2.5 (https://environment.ec.europa.eu/topics/air_en);
- **SUMI: mobility and transport vs env**
 - <https://www.snap4city.org/951>
- **SUMP/PUMS: mobility and transport vs env.**
- **ISO indicators:** city smartness, digitization, tech level.
- **Low Level/Real Time:** global traffic, quality of service, betweenness, centrality, queue, time to travel, etc.

Global
&
Local

Periodic
&
Realtime

Pollutant	Averaging period	Air Quality Directive		WHO guidelines	
		Objective and legal nature and concentration	Comments	Concentration	Comments
PM _{2.5}	One day			25 µg/m ³ (*)	99 th percentile (3 days/year)
PM _{2.5}	Calendar year	Target value, 25 µg/m ³	The target value has become a limit value since 1 January 2015	10 µg/m ³	
PM ₁₀	One day	Limit value, 50 µg/m ³	Not to be exceeded on more than 35 days per year.	50 µg/m ³ (*)	99 th percentile (3 days/year)
PM ₁₀	Calendar year	Limit value, 40 µg/m ³ (*)		20 µg/m ³	
O ₃	Maximum daily 8-hour mean	Target value, 120 µg/m ³	Not to be exceeded on more than 25 days per year, averaged over three years	100 µg/m ³	
NO ₂	One hour	Limit value, 200 µg/m ³ (*)	Not to be exceeded more than 18 times a calendar year	200 µg/m ³ (*)	
NO ₂	Calendar year	Limit value, 40 µg/m ³		40 µg/m ³	



• **15 Minute City Index:**

- 13 subindexes: energy, slow mobility, fast mobility, housing, economy education, culture and cults, health, entertainment, gov, food, security...



- Optimization of car sharing/pooling
- Monitoring and Prediction of energy consumption
- Stimulating: Bike sharing, e-bikes, car charge, etc.
- Sizing energy plants



- Predictive maintenance
- Decisions Support Systems
- Process optimization, control
- Industry 4.0 integrated solutions



- Reduction of emission, reduction of congestion
- Smart City infrastructure: monitoring and resilience, long terms predictions
- Effective and Low cost smart solutions
- What-if analysis, Simulations
- Origin Destination matrices computation



- Optimization of Waste Collection
- business intelligence tools for decision makers
- Reduction production costs
- Monitoring resource consumption



- Reduction of emission, reduction of congestion
- Monitoring and Predicting: NO2, NOX, CO2, Traffic flow, pollutant, landslide, waste, etc.
- Traffic flow reconstruction
- Demand vs Offer of Mobility analysis









- Shortening justice time
- Prediction of mediation proneness
- Assisting institution is taking legal decisions
- Anonymization and indexing legal docs.
- Ethical Explainable Artificial Intelligence

Data Driven Decision Support






- Decision Support system
- Assessment / Strategies
- Data Rendering,
 - visual analytics, business intel..
- Data Analytics, ML, AI
- Data aggregation, Storage, indexing
- Data Ingestion



Main Tasks

- **Controlling Status:** management, and operational
 - Monitoring via KPI
 - Computing predictions data from the field and KPI
 - Anomaly detection
 - Early warning on critical conditions
- **Making plan: tactic and strategic,** medium and long range
 - Optimisation: Prescriptions, suggestions
 - Risk assessment
 - What-if analysis on scenarios
 - Simulation and predictions
 - Resilience
- **Be ready for Unexpected Unknowns**



Public Spaces as Critical Infrastructures

- The City is a system of systems for city users
 - Cascading effects
- **Transport** networks
 - Main means for rescue teams, food, water, etc.
- **Communication**, ICT infrastructure
 - TV cam, switches, cyber,
- **Energy** networks
 - power supply for health, cyber systems, etc.
- **Hospitals** networks
- Aggregation areas



https://www.snap4city.org/download/video/DPL_SNAP4SOLU.pdf

15MinCityIndex

What would support my neighborhood to become a 15-Minute City?


Using the Open Data:

We developed a data analytic tool based on municipal and national open data to assess services adequacy for people living in each 15 minutes areas of the city.


Good public transport services: bus, new tram line, train stations, cycle paths.



Careggi/Rifredi is a relevant district in Florence because of hosting the main Florence/Tuscany hospitals Careggi and Meyer, but also university headquarters and many other workplaces.



The tool supports the becoming of a 15-Minute city evaluating the service level in various domains.



<https://www.snap4city.org/dashboardSmartCity/view/index.php?iddashboard=MjkzOA==>

15MinCityIndex on Bologna

Ciao roottooladmin!




Tue 3 May 20:14:59

15 MINUTI INDEX BOLOGNA CITTÀ METROPOLITANA - NEWGUI

- # of Inhabitants >
- Green factor >
- Civil factor >
- Industrialization factor >
- Environment Index >
- 15Min Economy Index >
- 15Min Housing Index >
- 15Min Health Index >
- 15Min Food Index >
- 15Min Education Index >
- 15Min Slow Mob Index >

THE PICKED POINT 9m

City: Argelato
Address: Via Casadio N.1
Lat,lon: 44.61882,11.35437





Digital Twin Solutions for Sustainability

OPERATION AND PLAN - CONTROL ROOMS - DECISION SUPPORT SYSTEMS - WHAT-IF ANALYSIS - OPTIMIZATION - APPLICATIONS

HORIZONTAL AI PLATFORM


MOBILITY AND TRANSPORT

SMART ENERGY AND SMART BUILDING

ENVIRONMENT AND WASTE MANAGEMENT

CITY USER'S SERVICES AND TOURISM MANAGEMENT

- DEVELOPMENT ENVIRONMENT AND METHODOLOGY
- VISUAL PROGRAMMING, ML, AI, HPC
- TRAINING COURSES
- LIVING LABS
- GUI CUSTOM STYLES
- FULL APPLICATIONS, DASHBOARDS AND VIEWS
- MOBILE APPS



VISUAL ANALYTICS - SYNOPTICS - GRAPHICAL WIDGETS - ANALYTICS - BUSINESS INTELLIGENCE - SIMULATIONS

DASHBOARDS, WIDGETS TEMPLATES

PREDICTION - ANOMALY DETECTION - CLUSTERING - ROUTING - SENTIMENT NLP - TRAFFIC FLOW - PEOPLE FLOWS - SDG
15 MIN CITY INDEX - KPI - HEATMAPS - ORIGIN DESTINATION - ETC...


API - MICROSERVICES - GIS - BPM
VIDEO - REPORTS - MAPS - 3D ...

EXPERT SYSTEM, KNOWLEDGE BASE
SEMANTIC REASONING
SMART DATA MODEL
IOT DEVICE MODELS, STORAGE

BIG DATA ANALYTICS, ARTIFICIAL INTELLIGENCE
EXPLAINABLE AI, MACHINE LEARNING, GENERATIVE AI
OPERATIVE RESEARCH, STATISTICS

VISUAL PROGRAMMING, ADAPTERS
DATA FLOWS, WORKFLOWS
PARALLEL DISTRIBUTED PROCESSING
DATA DRIVEN

FULL INTEROPERABILITY, ANY: DATA, BROKERS, NETWORKS AND VERTICALS



Powered by **FIWARE**

FREE TRIAL

PEN Test Passed

EU GDPR COMPLIANT

SNAP4 Appliances and Dockers Installations

EUROPEAN OPEN SCIENCE CLOUD


Node-RED

JS Foundation

E015 digital ecosystem

NVIDIA

Digital Twin Development Platform




Standards and Interoperability (10/2024)



Compliant with:

- **IoT:** NGSII V2/LD, LoRa, LoRaWan, MQTT, AMQP, COAP, OneM2M, TheThingsNetwork, SigFOX, Libelium, IBIMET/IBE, Enocean, Zigbee, DALI, ISEMC, Alexa, Sonoff, HUE Philips, Tplink, BACnet, TALQ, Protocol Buffer, KNX, OBD2, Proximus, ..
- **IoT model:** FIWARE Smart Data Model, Snap4City IoT Device Models
- **General:** HTTP, HTTPS, TLS, Rest Call, SNMP, TCP, UDP, SOAP, WSDL, FTP, FTPS, WebSocket, WebSocket Secure, GML, WFS, WMS, RTSP, ONVIF, AXIS TVCam, CISCO Meraki, OSM, Copernicus, The Weather Channel, Open Weather, OLAP, VMS Milestone, TIM, HERE,
- **Formats:** JSON, GeoJSON, XML, CSV, GeoTIFF, OWL, WKT, KML, SHP, db, XLS, XLSX, TXT, HTML, CSS, SVG, IFC, XPD, OSM, Enfuser FMI, Lidar, gITF, GLB, DTM, GDAL, Satellite, D3 JSON, ...
- **Database:** Open Search, MySQL, Mongo, HBASE, SOLR, SPARQL, ODBC, JDBC, Elastic Search, Phoenix, PostGres, MS Azure, ..
- **Industry:** OPC/OPC-UA, OLAP, ModBUS, RS485, RS232,..
- **Mobility:** DATEX, GTFS, Transmodel, ETSI, NeTEx, ..
- **Social:** Twitter, FaceBook, Telegram, ..
- **Events:** SMS, EMAIL, CAP, RSS Feed, ..
- **OS:** Linux, Windows, Android, Raspberry Pi, Local File System, AXIS, ESP32, etc.




<https://www.snap4city.org/65>





High Level Types








Snap4City (C), October 2024

- POI, IOT Devices, shapes, ...
 - FIWARE Smart Data Models,
 - IoT Device Models
- GIS, maps, orthomaps, WFS/WMS, GeoTiff, calibrated heatmaps, ...
- Satellite data, ...
- traffic flow, typical trends, ...
- trajectories, events, Workflow, ...
- 3D Models, BIM, Digital Twins, ...
- OD Matrices of several kinds, ...
- Dynamic icons/pins, ...
- Synoptics, animations, ...
- KPI, personal KPI, ...
- social media data, TV Stream,
- routing, multimodal, constraints, ...
- decision scenarios,
- etc.









SNAP4CITY
- Digital Twin Global - Fire
demonstrator






Different Themes



New styles/themes can be developed by specializing a few files from open source

<https://www.snap4city.org/793>




Monitoring and control short/long term predictions

Environment and
Waste Management
Digital Twin



Smart City Digital Twin City Digital Model with...



- Intuitive platform
- Any Data TYPE, any data source, any protocol
- Data storage seamless
- Data analytics → artificial intelligence, AI/XAI
- Data Ethics, AI Ethics, GDPR
- Interactive Data Representation, any kind
- Key Performance Indicators, any kind
- What-IF analysis – Simulation, prediction, 2D/3D
- Micro, Meso e macro scales
- Operation, planning tactic and strategic / optimization
- Collaborative and shared representation
- Sustainable, shared, open source 100%




Complex and heterogeneous information, interoperability

- GIS, ITS, AVM, IoT, BIM, CKAN, etc.
- Satellite services
- MaaS, last-mile delivery HUBs
- etc.


Ciao roottooladmin!

Tue 3 May 14:37:14


LUX




IRRAGGIAMENTO



UMIDITÀ



PRESSIONE



DIDA DATA 2 - NEWGUI

7 AFFORDABLE AND
CLEAN ENERGY

11 SUSTAINABLE CITIES
AND COMMUNITIES

to see BIM log as user: info@disit.org, passwd: guest

BIM SANTA VERDIANA



Last Value

Time Trend Chart: Glob - Day





<https://www.snap4city.org/dashboardSmartCity/view/index.php?idashboard=MzI4OA==>

Traffic Flow Manager on multiple cities

Sun 2 May 23:16:31

-  Traffic Sensors
-  Weather_sensor
-  AirTemperatureAverage2HourFlorence
-  PM2.5 Heatmap
-  GRAL Heatmap
-  Gral HRES
-  Accident Heatmap
-  Traffic Flow
-  TFM FIRENZE Real Time
-  TFM FIPILI Real Time
-  TFM Pisa Real Time
-  TFM Livorno Real Time
-  TFM Modena Real Time
-  TFM Santiago Real Time
-  prova hres fipili 2k
-  prova hres fipili 4k
-  prova hres fipili 8k
-  Scenario
-  What-if



Privacy Policy Cookies Policy Terms and Conditions Contact us



<https://www.snap4city.org/dashboardSmartCity/view/index.php?iddashboard=MzEyNg==>



Ciao roottooladmin!

Fri 2 Sep 19:13:07

3D MAP GLOBAL DIGITAL TWIN - NEWGUI



-
-
-
-
-
-
-
-
-

3D MAP

Enable Lights

Datetime: 02/08/2022 10:11

Enable dynamic shadows (experimental)

Free street

Fluid traffic

Heavy traffic

Very heavy

Sensor position


FirenzeFIPILITrafficRealtime

Traffic Heatmap Controls: 24H

Max Opacity: 1

< Prev 2022-09-02 18:56:00

DISIT:ORIONUNIFI:TUSC_WEATHER_SENSOR_OW_3176959 - AIRTEMPERATURE



Ciao

Fri 13 Oct 18:29:18


FLORENCE SCDT

SELECT...

- GRAL HD
- NO 2
-
-
-
-
-
- WHAT-IF
-
-

DOUBLE MAP

-
-
-
-
- 15.5
-
-



<https://www.youtube.com/watch?v=le2XNF8Ftxo>

Early Warning, Detection

Issue:

- Detection of critical condition
- Not easily detected with other means

Prepare
Absorb
Recover
Adapt




Impact:

- Early warning, faster reaction
- Increased resilience






Several metrics related to:

- Volume of retweets
- Sentiment analysis

damage



ERMIG: European Resilience Management Guide



ANTICIPATING

RESPONDING

LEARNING








- European Resilience Management Guidelines
- Game Based Training

Decision Support Tactic and Strategic Plans What-if Analysis



Environment and
Waste Management
Digital Twin









Early Warning, Detection

Prepare
Absorb
Recover
Adapt

damage



Data Analytic Artificial Intelligence, XAI, Machine and Deep Learning

Environment and
Waste Management
Digital Twin





Available AI Solutions on Snap4City

<https://www.snap4city.org/997>

More than 80 Available Solutions & 300 AI applic.

- Mobility and Transport
- Environment, Weather, Waste, Water
- City Users Behaviour and Social analysis
- Energy and Control
- Tourism and People
- Security and Safety
- High Level Decision Support Solutions
 - Asset management
 - Resilience and Risks Analysis
- Low level Techniques





https://www.snap4city.org/download/video/DPL_SNAP4SOLU.pdf

<https://www.snap4city.org/download/video/course/p4/>



Environment, waste, land, etc., domain (2024/8)

- **Goals:**
 - Reduction of emissions and EC taxations
 - Cost Reduction for waste collection, reduction of waste collection impact on mobility
- **Solutions for Operation (monitoring, managing, mobile apps, digital signages, control rooms)**
 - Monitoring emissions, weather, waste, water, etc.: sensors, traffic, flows,
 - Early detection/warning of critical conditions on *emissions, weather, waste, water, fire, animals, ...*
 - Early detection/warning of critical conditions for *landslides, water flooding, beach*
 - **Smart Waste Management:** bins/lockers, waste collection daily plan, pay as you throw, PAYT, etc.
 - Short terms prediction of emissions: CO₂, NO₂, etc.
 - Production of suggestions, nudging
 - Computing and predicting of long terms KPI indicators of the European Commission
- **Solutions for Planning (optimization and what-if analysis)**
 - Identification of main CO₂/NO₂ emissions locations in the city, total production from traffic
 - Reduction of Pollutant Emissions, via optimization: semaphore cycles, viability
- **Algorithms and computational solutions, see next slide**



Tools: Environment, waste, land, (2024/8)

- **Pollutant Predictions: short, long and very long term** European Commission KPIs
 - NOX, PM10, PM2.5 pollution on the basis of traffic flow, 48 hours (ML, AI, DL)
 - Cumulated NO2 average over year (ML, AI, DL)
- **Computation of CO2** on the basis of traffic flows (DP), computing emission factor (DA)
 - each road for each time slot of the day
- **Prediction of MicroClimate** conditions for diffusion (ML, AI)
 - NO2, PM10, PM2.5, etc.
- **Prediction of landslides**, 24 hours in advance (AI, DL)
- prediction of **waste collection, & optimisation** of schedule and paths (DP, ML)
- **Heatmaps production** dense data interpolation (DP) for
 - Weather conditions: temperature, humidity, wind, DEW
 - Pollutants and Aerosol: NO, NO2, CO2, PM10, PM2.5, etc.
- **Impact of COVID-19** on Environmental aspects (DP)
- Computing **SDG, SUMI, SUMP, ..** (mainly DP)
- Etc.



Predictions and Heatmaps in Real Time

The screenshot displays the SNAP4CITY web application interface, titled "Computing Predictions And Heatmaps". The interface is divided into several sections:

- Left Sidebar:** Contains navigation options: Scenario Editor, Air quality Sensors, Weather Sensors, Traffic Sensors, OpenWeather, and Traffic Flow.
- Map Area:** A central map of Florence showing traffic sensors (red icons) and predicted traffic flow (colored lines). A "Selector - Map" panel is visible on the left of the map, and a "Vehicle Flow" legend is on the bottom left. The legend indicates traffic levels: Free (green), Fluid (yellow), Heavy (orange), and Very heavy (red).
- Right Panel:** Contains controls for "Load Scenario" (paolo6), "Scenario version" (2024-10-11 22:46:45), and "Compute Predictions/Heatmaps" buttons. It also includes "Data Update", "Select a Scenario", "Scenario Version", "Select a color map", "Clustered" (Yes/No), "File" (Yes/No), "Model" (IDW), "From Date" (2024-10-09 12:47:00), and "To Date" (2024-10-13 16:56:00+02:00).
- Bottom Left:** A "CongestionLevel - 4 Hours" chart showing traffic volume (cars/h) over time (20:00 to 16:00).
- Bottom Right:** A "Selected Trend And Predictions" chart showing "METRO1128 - vehicleFlow" and "METRO1128 - Predicted - vehicleFlow" over time (20:00 to 20:00).

Smart Waste Management



FROM CITY DASHBOARD TO APPLICATIONS

DATA GAIN AND CITY KNOWLEDGE MANAGEMENT

SNAP4CITY AND KM4CITY PROJECTS

TO ADOPT SNAP4CITY, AND ROADMAP

SNAP4CITY THE VIEW OF THE ADMINISTRATORS

<https://www.snap4city.org/982>

100% OPEN SOURCE



Waste Manager:

- **Collects and monitors data** from bins (status, temperature, and a number of alarms, etc.) and trucks (weights collected, when possible) according to differentiated waste collection;
 - Interoperable with different waste bin sensors and lockers.
 - Monitor waste bin status including alarms of critical conditions notified from the citizens, and/or detected by sensors such as: fire, up-side-down, hurts, too filled, run out of battery, errors, etc. (some of these events can be enabled on the basis of the sensors positioned to the bin)
- **supports of policies** as Pay As You Throw, PAYT, provided that the bins are controlled with fobs, NFC, rfid, etc.
- **promoting citizen engagement/participation**, to help cities optimize their waste management practices and move towards a more sustainable future. The engagement is especially addressed to the city commercial operators which have special need in providing a large amount of waste (such as restaurants, fast food, bars, and shopping centers). <https://www.snap4city.org/1018>
- **Reduce costs:** optimize waste collection and management in urban environments
 - identify the bins that risk to become full in advance (using predictive technologies based on AI, Deep Learning).
 - Computer the optimal path for waste collection provided to map on mobiles, reduction of costs for waste collection.
 - dashboards provides statistics and forecast.
- **Custom user interface** and theme can be defined for each municipality as usual on Snap4City.

Smart Waste – Map view



☐

Smart Waste Management

Thu 5 May 11:14:28

Select the bins Kind, Fullness and Status from the dropdown below and press SUBMIT to see the results on the map.

Kind: Status:

Fullness:

Address:

Group ID:

VALUE NAME: F167898	
DETAILS	DESCRIPTION RT DATA
Last update: 2022-02-28 12:46:12.899Z	
Description	Value
dateObserved	2022-02-28T12:46:12.899Z
generic	[SURI id]
glass	[SURI id]
metal	[SURI id]
organic	[SURI id]
paper	[SURI id]
plastic	[SURI id]

Smart waste bins status

89 %	100 %	100 %	62 %	83 %	65 %

Via_Deil_Medici: ORGANIC fullness

[Privacy Policy](#) [Cookies Policy](#) [Terms and Conditions](#)

Search bins on map by filtering per:

- **Kind** (All, generic, plastic, paper, glass, metal, organic)
- **Status** (Active, Not Active)
- **Fullness** (Full, Half-full, Empty)
- **Address**
- **Group of bins** (by GroupID)

- Reduction of costs for waste collection
 - Optimization of waste collection for the next day, forecast
 - Production of rides and paths for the drivers on waste collection
- Operator:
 - Refine a search by using the filters on the left side
 - Click on a waste bin pin on the map:
 - A popup with real time data is shown
 - The fullness status of the selected group of bins is shown in the synoptic below the map
 - Specific fullness weekly trends are shown below the map
 - Click on the «Table view» button to access the other dashboard



SNAP4CITY Trajectorywaste2 Fri 17 May 18:34:15

DISIT:orionUNIFI:113043.960_485172.926-Rest

Please select a date: 02/09/2020

Please select a ride among: 3

Selector - Map

DISIT-OrionUNIFI:114985.283_488088.814-Rest - Weight

My Profile

11 SUSTAINABLE CITIES AND COMMUNITIES

3 GOOD HEALTH AND WELL-BEING



SNAP4CITY Trajectorywaste2 Fri 17 May 18:34:37

DISIT:orionUNIFI:113043.960_485172.926-Rest

Please select a date: 02/09/2020

Please select a ride among: 3

Selector - Map

DISIT-OrionUNIFI:114985.283_488088.814-Rest - Weight

7m

My Profile

Optimal Routing Collection

Waste Collection Optimization



Browser tabs: Snap4City, Dashboard Management System, iotdirectory.snap4city.org/api/d

Address bar: snap4city.org/dashboardSmartCity/view/Gea-Night.php?iddashboard=NDMwOQ==

Snap4Waste - Planning

Tue 29 Oct 13:24:27

Profile settings

statsNew3

Algorithm stopping criteria

- Max iterations 10000
- Max runtime (s)
- Iter. with no improvement

Edit trucks Trucks: 1

Bin selection settings

Minimum fill rate 39 %

Max nearby distance 150 meters

Choose bin kind:

ORGANIC %	PAPER %	METAL %
PLASTIC %	GLASS %	GENERIC %

Save profile

Optimize

Map showing waste collection routes (red lines) and bin locations (orange triangles) in the Amsterdam area. The map includes labels for various districts like Haarlem, Amsterdam, and Almere.

Select execution

Setup

72% done

Switch Mode: view

Environmental Data Condition Assessment and predictions

Environment and Waste Management Digital Twin



Environment and Quality of Life

Air Quality Predictions

Cities of: *reference*
 Firenze, Pisa, Livorno



- **Multiple Domain Data**

- Traffic Flow data, Pollutant: NOX, CO2, PM10, PM2.5, O3,
- 3D City structure, weather, ...

- **Multiple Decision Makers**

- Pollutant Predictions: NOX, NO2, ..
- City officers, energy industries
- Dashboards, What-IF analysis
- Traffic Flow Reconstruction




- **Historical and Real Time data**

- Billions of Data

- **Services Exploited on:**

- Dashboards, Mobile App


- **Since 2020**



Pollutant	Averaging period	Air Quality Directive		WHO guidelines	
		Objective and legal nature and concentration	Comments	Concentration	Comments
PM _{2.5}	One day			25 µg/m ³ (*)	99 th percentile (3 days/year)
PM _{2.5}	Calendar year	Target value, 25 µg/m ³	The target value shall be achieved by 2015	10 µg/m ³	
PM ₁₀	One day	Limit value, 50 µg/m ³	It to be exceeded on more than 35 days per year.	50 µg/m ³ (*)	99 th percentile (3 days/year)
PM ₁₀	Calendar year	Limit value, 40 µg/m ³ (*)		20 µg/m ³	
O ₃	Maximum daily 8-hour mean	Target value, 120 µg/m ³	Not to be exceeded on more than 25 days per year, averaged over three years	100 µg/m ³	
NO ₂	One hour	Limit value, 200 µg/m ³ (*)	Not to be exceeded more than 18 times a calendar year	200 µg/m ³ (*)	
NO ₂	Calendar year	Limit value, 40 µg/m ³		40 µg/m ³	

KPI of EC

EAQI Heatmap and sequence





Satellite (Copernicus) vs IOT Data


Thu 1 Apr 22:09:45

- ▲ Air Temperature Toscana
- ▲ Tuscany Altitude
- ▲ Global Vegetation Index Tuscany
- ▲ Fractional Cloud Cover Tuscany
- ▲ Humidity Tuscany
- ▲ NO2 heatmap
- ▲ O3 heatmap
- ▲ CO heatmap
- ▲ Air Temperature heatmap
- ▲ Air Humidity Heatmap
- ▲ Satellite NO2 Firenze
- ▲ Satellite O3 heatmap
- ▲ Satellite CO heatmap
- ▲ Satellite Air Temp Firenze
- ▲ Satellite Humidity Firenze
- ▲ Satellite Fractional Cloud Cover
- ▲ Satellite Firenze Altitude
- ▲ Satellite Global Vegetation Index

The picked Point (1m)

Province: FIRENZE
 City: FIRENZE
 Address: VIA DI SAN GIUSEPPE N. 12/A
 lat,lon: 43.76799,11.26408





2018-02-01T00:10:00

One day in 30 sec

Last sensors measure
2018-02-01T00:10:00

- Free street
- Fluid traffic
- Heavy traffic
- Very heavy
- Sensor position

Firenze
FiPiLi
Pisa
Livorno
Modena
Santiago

Real Time Traffic Flow Reconstruction

1-48 Hour prediction of NO_x




• Prediction

- **NOX Pollutant** diffusion on the basis of Traffic Flow (prediction), weather and 3D structure
- **NO2 progressive average** (Long term)

• Project:

- **Trafair CEF EC**
- Mixed solutions of Fluidinamics modeling and AI




Long Term Prediction of Annual Mean of NO₂ index of EC



Predicting Air Quality



- European Air Quality Directive
- Predicting critical days
 - PM10 with an accuracy of more than 90% and precision of 85%;
 - PM2.5 with an accuracy of 90% and precision greater than the 95%.
- Simulating Long terms values
 - For long terms predictions

Air Quality Directive				WHOguidelines	
Pollutant	Averaging period	Objective and legal nature and concentration	Comments	Concentration	Comments
PM _{2.5}	One day			25 µg/m ³ (*)	99 th percentile (3 days/year)
PM _{2.5}	Calendar year	Target value, 25 µg/m ³	The target value has become a limit value since 1 January 2015	10 µg/m ³	
PM ₁₀	One day	Limit value, 50 µg/m ³	Not to be exceeded on more than 35 days per year.	50 µg/m ³ (*)	99 th percentile (3 days/year)
PM ₁₀	Calendar year	Limit value, 40 µg/m ³ (*)		20 µg/m ³	
O ₃	Maximum daily 8-hour mean	Target value, 120 µg/m ³	Not to be exceeded on more than 25 days per year, averaged over three years	100 µg/m ³	
NO ₂	One hour	Limit value, 200 µg/m ³ (*)	Not to be exceeded more than 18 times a calendar year	200 µg/m ³ (*)	
NO ₂	Calendar year	Limit value, 40 µg/m ³		40 µg/m ³	




Predicting EC's KPI on NO2 months in advance

Deep Learning Long Terms Predictions of NO2 mean values, From 30 to 180 days in advance



The features used as input for the predictive models are:

- **Month**
- **dayOfTheYear**
- **NO2**
- **Tmean**
- **Humidity**
- **windMean**
- **NoxDomestic**
- **numberOfVehicles**
- **NO2cumulated**
- **NO2progesseveMean**
- **numberOfVehiclesCumulated**



Pollutant	Averaging period	Air Quality Directive		WHOguidelines	
		Objective and legal nature and concentration	Comments	Concentration	Comments
PM _{2.5}	One day			25 µg/m ³ (*)	99 th percentile (3 days/year)
PM _{2.5}	Calendar year	Target value, 25 µg/m ³	The target value has become a limit value since 1 January 2015	10 µg/m ³	
PM ₁₀	One day	Limit value, 50 µg/m ³	Not to be exceeded on more than 35 days per year.	50 µg/m ³ (*)	99 th percentile (3 days/year)
PM ₁₀	Calendar year	Limit value, 40 µg/m ³ (*)		20 µg/m ³	
O ₃	Maximum daily 8-hour mean	Target value, 120 µg/m ³	Not to be exceeded on more than 25 days per year, averaged over three years	100 µg/m ³	
NO ₂	One hour	Limit value, 200 µg/m ³ (*)	Not to be exceeded more than 18 times a calendar year	200 µg/m ³ (*)	
NO ₂	Calendar year	Limit value, 40 µg/m ³		40 µg/m ³	




Computing CO2 from traffic Data


11 SUSTAINABLE CITIES
AND COMMUNITIES




13 CLIMATE
ACTION



Estimating City Local CO2 from Traffic Flow Data



Computing Traffic Flow
into CO2 sensor area



Traffic Flow data

- Traffic Flow is one the main source of CO2 (**ton of CO2 x Km x Vehicle**)
 - **K1: Fluid Flow**
 - **K2: Stop and Go**
- **Dense estimation of CO2 into the city** is very useful to know to target EC's KPIs



Computing CO2 on the basis of
traffic flow data



CO2 estimation


S. Bilotta, P. Nesi, "Estimating CO2 Emissions from IoT Traffic Flow Sensors and Reconstruction", Sensors, MDPI, 2022. <https://www.mdpi.com/1424-8220/22/9/3382/>

Computing CO2 from Open Data

11 SUSTAINABLE CITIES
AND COMMUNITIES




13 CLIMATE
ACTION



Computing CO2 from Open Danta – Validation via Satellite



- Number of inhabitants
- Number of green areas
- Surface area of green areas
- Number of Taxpayers
- Average taxable income
- Value of the economy
- Number of shopping and services
- Number of industry and manufacturing
- Cost of house per square meter
- Number of Health services
- Number of Supermarket
- Number of food trades
- Number of Schools
- Number of bicycle paths
- Length of bicycle paths
- Number of Bike racks
- Length of Roads
- Number of Govern services
- Number of Churches
- Number of theatres
- Number of Charging station
- Number of bus stops
- Number of bus lines
- Number of Fuel stations
- etc. Etc.



CO2 emissions from satellite data



Florence

Bologna




- Number of inhabitants
- Number of green areas
- Surface area of green areas
- Number of Taxpayers
- Average taxable income
- Cost of house per square meter
- Number of Supermarket
- Number of bicycle paths
- Length of bicycle paths
- Number of Bike racks
- Length of Roads
- Number of Churches
- Number of theatres
- Number of Charging station
- Number of bus stops
- Number of bus lines
- Number of Fuel stations
- etc. Etc.

CO2 estimation from Open Data via by eXplainable AI







XGBoost, GCN



Predicting Land sliding



Predicting Land slides



Local Explainable AI - understanding the single event

- The local explanation puts in evidence the features which provided major contribution to the prediction
- For example considering Figure 10a, the value of VelMaxSIR, MaxTempSIR, Day3 and Humidity contributed significantly to the classification of the observation as a **landslide event**



FIGURE 10. Local feature relevance via SHAP, as interpretation of events in terms of feature values: (a) and (b) are events with predictions of landslide, (c) a no landslide event.

others




TheLab.City LivingLab by ICEBERG, Romania



Ciao
Wed 31 May 16:11:04

ICEBERG AIR QUALITY AND PMX



- Airquality
- Urban planning
- Parking
- Waste
- Etc.

<https://thelab.city/>

References



booklets



- Smart City



https://www.snap4city.org/download/video/DPL_SNAP4CITY.pdf

- Industry




https://www.snap4city.org/download/video/DPL_SNAP4INDUSTRY.pdf

- Artificial Intelligence



https://www.snap4city.org/download/video/DPL_SNAP4SOLU.pdf



2013 Km4City Ontology 1.1

- Tuscany, Road Graph
- Mobility
- culture, tourism
- Events
- Parking
- Services
- Linked open graph

2014

- Weather Forecast
- Real Time Wi-Fi
- Entertainment
- LOD

- Twitter Vigilance
- Social Media Analytics, Sentiment Analysis

2015 Km4City 1.4

- Resilience Decision Support
- Smart First Aid
- User Behaviour Analysis, predictions
- Risk Analysis



(2016-21) H2020 REPLICATE Km4City 1.6.4

- Smart Energy
- Sustainable Mobility
- Control Room
- Dashboard

Km4City 1.6.2

(2016-21) Sii-Mobility

SII-MOBILITY SCN

- Infomobility
- Mobile App
- Routing
- Multimodality

2016 FIWARE

- Resilience Decision Support
- Smart First Aid
- User Behaviour Analysis, predictions
- Risk Analysis

GREEN IMPACT

POR FESR 2014-2020

- Industry 4.0
- Critical Plant
- Monitoring

2017

- Smart Waste

(2018-20) MOSAic

Mobility 4.0 for Smart (I) City

- Mobility Demand / Offer
- Analytics and Strategy

2018

- User engagement
- Bike Sharing
- Data Analytics ++
- Social Predictions
- OBD2

IOT/IOE Km4City 1.6.6



(2017-19) SNAP4CITY SELECT for Cities H2020

- IOT/IOE, IOT App
- Living Lab
- Maker Support
- IOT Edge
- Smart City IOT
- GDPR,
- Privacy & Security

(2017-20) life weee

(2018-21) 5G

5G tech
Energy
Industry 4.0
Synoptics



- Traffic and Mobility Impact on Pollution
- NOX predictions

2019



LAID Smart Bed

- Smart Health

GREEN FIELD PEAS Soda4.0

Optimization and Automated Decision System 4.0

- Industry 4.0

bee smart city



SODA

Winner of Select4Cities PCP

SELECT for Cities

CERTIFICATE OF ACHIEVEMENT

1st place award to SNAP4CITY

GREEN FIELD PEAS Soda4.0

Reverberi Enetec Gruppo MPES

DISIT lab roadmap vs model and tools' usage



2020



- Smart Tourism
- 6 Pilots
- Data Analytics
- Extended platform



- Smart Mobility
- PISA, PUMS
- Living lab



Smart Ambulance (2021-22)

Enterprise (2021-22)
Industry 4.0



Contract

2021

PC4City (2020-21)
Monitoring Terrain

Winner of Open Data Challenge of
enel x

CAPELON

- Smart Light
- Sweden

Km4City 1.6.7

Almafluida Industry 4.0 (2021-22)

AMPERE (2021-22)
Industry 4.0

SYN-RG-AI
SmartCity



Industry 4.0

uni.systems

SmartCity, 2021-23



AXIS collab
SmartCity

2022



Asymmetrica Smart City, 2022-23

Contract, 2022-23



Contract, 2022-23



2022-2023



Security and Risk



Italferr, Smart City

2023

CN MOST, 2022-26



EI THE, 2022-26



G. Agile, 2021-23



2023-26



Merano, smart light

OceanRace, Genova, AWS

Cuneo, smart city

2024

Km4City 1.6.8

TOURISMO



ELLIE IA 2025-2027



Contract, 2024-25

CAI4DSA



Rhodes, smart city

eShare UNIFI TUSS


AMMIRARE



- Update: 29-10-2024
- 12 running installations in Europe
 - Snap4.city.org, Greece, Merano, Cuneo, ..
 - Toscana, Pisa, Sweden, ISPRA, Snap4.eu,
 - Altair, Italmatic, Romania, Rhodes,
- 16 projects, 12 pilots on 10 Countries
 - >40 cities/area
- **Widest MULTI-tenant deploy has**
 - 24 Organizations / tenant
 - > 8850 users on
 - > 1800 Dashboards
 - > 17 mobile Apps
 - > **2.2 Million of structured data per day**
 - > 580 IoT Applications/node-RED
 - > 750 web pages with training
 - > 75 videos, training videos

Main Organizations/areas

- [Antwerp area \(Be\)](#)
- [Bari \(I\)](#)
- [Bisevo, Croatia](#)
- [Bologna \(I\)](#)
- [Brasov \(Ro\), by ICEBERG](#)
- [Capelon \(Sweden: Västerås, Eskilstuna, Karlstad\)](#)
- [Cuneo \(I\)](#)
- [DISIT demo \(multiple\)](#)
- [Dubrovnik, Croatia](#)
- [Firenze area \(I\)](#)
- [Garda Lake area \(I\)](#)
- [Greece \(Gr\)](#)
- [Helsinki area \(Fin\)](#)
- [Limassol \(Cy\)](#)
- [Livorno area \(I\)](#)
- [Lonato del Garda \(I\)](#)
- [Malta \(Malta\)](#)
- [Merano \(I\)](#)
- [Modena \(I\)](#)
- [Mostar, Bosnia-Herzegovina](#)
- [Oslo & Padova \(Impetus\)](#)
- [Pisa area \(I\)](#)
- [Pistoia \(I\)](#)
- [Pont du Gard, Occitanie \(Fr\)](#)
- [Prato \(I\)](#)
- [Rhodes \(Gr\)](#)
- [Roma \(I\)](#)
- [Santiago de Compostela \(S\)](#)
- [Sardegna Region \(I\)](#)
- [Siena \(I\)](#)
- [SmartBed \(multiple\)](#)
- [Toscana Region \(I\), SM](#)
- [Valencia \(S\)](#)
- [Varna \(Bulgaria\)](#)
- [Venezia area \(I\)](#)
- [WestGreece area \(Gr\)](#)



• + Israel, Colombia, Brasile, Australia, India, China, etc.



Be smart in a SNAP!



CONTACT

DISIT Lab, DINFO: Department of Information Engineering
Università degli Studi di Firenze - School of Engineering

Via S. Marta, 3 - 50139 Firenze, ITALY
<https://www.disit.org>

www.snap4city.org

 **SNAP4**
Appliances and Dockers
Installations

Email: snap4city@disit.org

Office: +39-055-2758-515 / 517

Cell: +39-335-566-86-74

Fax.: +39-055-2758570



UNIVERSITÀ
DEGLI STUDI
FIRENZE

DINFO
DIPARTIMENTO DI
INGEGNERIA
DELL'INFORMAZIONE

DISIT
DISTRIBUTED SYSTEMS
AND INTERNET
TECHNOLOGIES LAB