

Environment and Waste Management Digital Twin



















Environment and Waste

- Goals:
 - Reduction of emissions and EC taxations
 - Cost reduction for waste collection,
 - reduction of waste collection impact on mobility
- Environment Management producing predictions/prescriptions:
 - Monitoring and long and short-term predictions, warning for:
 - GHG, emissions, pollutants, aerosol, chemical plants analysis
 - land slide, coastal erosion (blue economy)
 - Traffic Flow impact emissions, predictions
 - What-if analysis, optimisation tools
- Waste Management and Optimisation:
 - costs reduction, optimal routing production, pay as you throw,
 - avoiding out of bins, predictions of waste production on bins, alarms
- KPI: SDG, 15MinCityIndex, QOS, costs, Km, colleting time, EC KPI, emissions
- Mobile App: final users services/informing and operators
 - Info Waste for operators, participation, optimal routing, RAEE Collection, ...
- Participatory: problem reporting, ticketing, etc.
- Integration of any kind: env/weather, mobility, ticketing, presences, POI, ...










DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB DISTRIBUTED DATA INTELLIGENCE AND TECHNOLOGIES LAB





Key Performance Indicators, KPI





United Nations Sustainable Development Goals,
 SDGs (for which cities can do more to achieve some of the 17 SDGs, https://sdgs.un.org/goals);



• 15 minutes cities (where primary services must be accessible within 15 minutes on foot);



 objectives of the European Commission in terms of pollutant emissions for: NO2, PM10, PM2.5 (https://environment.ec.europa.eu/topics/air_en);



- SUMI: mobility and transport vs env
 - https://www.snap4city.org/951
- SUMP/PUMS: mobility and transport vs env.
- **ISO indicators:** city smartness, digitization, tech level.
- Low Level/Real Time: global traffic, quality of service, betweenness, centrality, queue, time to travel, etc.



Culture

Average

Mobility

Food

Services

Economy

Environment

15Min



Realtime



DEGLI STUDI FIRENZE



















15 Minute City Index:

13 subindexes: energy, slow mobility, fast mobility, housing, economy education, culture and cults, health, entertainment, gov, food, security...





- Monitoring and Prediction of energy consumption
- Stimulating: Bike sharing, e-bikes, car charge, etc.
- Community of Energy, planning energy plant



- Smart City infrastructure: monitoring and resilience, long terms predictions
- Effective and Low cost smart solutions
- What-if analysis, Simulations
- Origin Destination matrices computation



Monitoring and Predicting: NO2, NOX, CO2, Traffic flow, pollutant, landslide, waste, etc. Traffic flow reconstruction Demand vs Offer of Mobility analysis



- Industry 4.0 integrated solutions
- **Decisions Support Systems**
- Process optimization, control
- Predictive maintenance



- business intelligence tools for decision makers
- Reduction production costs
- Monitoring resource consumption
- **Optimization of Waste Collection**




- Shortening justice time
- Anonymization and indexing legal docs.
- Prediction of mediation proneness
- Ethical Explainable Artificial Intelligence

Data Driven Decision Support

- Decision Support system
- Assessment / Strategies
- Data Rendering,
 - visual analytics, business intel..
- Data Analytics, ML, Al
- Data aggregation, Storage, indexing
- Data Ingestion













Public Spaces as Critical Infrastructures

- The City is a system of systems for city users
 - Cascading effects
- Transport networks
 - Main means for rescue teams, food, water, etc.
- Communication, ICT infrastructure
 - TV cam, switches, cyber,
- Energy networks
 - power supply for health, cyber systems, etc.
- Hospitals networks
- Aggregation areas



https://www.snap4city.org/download/video/DPL SNAP4SOLU.pdf

15MinCityIndex

What would support my neighborhood to become a 15-Minute City?


Using the Open Data:

We developed a data analytic tool based on municipal and national open data to assess services adequacy for people living in each 15 minutes areas of the city.

Good public transport services: bus, new tram line, train stations, cycle paths.




Careggi/Rifredi is a relevant district in Florence because of hosting the main Florence/Tuscany hospitals Careggi and Meyer, but also university headquarters and many other workplaces.



The tool supports the becoming of a 15-Minute city evaluating the service level in various domains.





DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjkzOA==

Snap4City (C), August 2024












15MinCityIndex on Bologna









FREE TRIAL



















Digital Twin Solutions for Sustainability

OPERATION AND PLAN - CONTROL ROOMS - DECISION SUPPORT SYSTEMS - WHAT-IF ANALYSIS - OPTIMIZATION - APPLICATIONS







DASHBOARDS, WIDGETS TEMPLATES

EXPERT SYSTEM, KNOWLEDGE BASE

SEMANTIC REASONING

SMART DATA MODEL

IOT DEVICE MODELS, STORAGE

PREDICTION - ANOMALY DETECTION - CLUSTERING - ROUTING - SENTIMENT NLP - TRAFFIC FLOW - PEOPLE FLOWS - SDG 15 MIN CITY INDEX - KPI - HEATMAPS - ORIGIN DESTINATION - ETC...







DATA FLOWS, WORKFLOWS PARALLEL DISTRIBUTED PROCESSING **DATA DRIVEN**

VIDEO - REPORTS - MAPS - 3D ...



- VISUAL PROGRAMMING, ML, AI, HPC
- TRAINING COURSES
- LIVING LABS
- GUI CUSTOM STYLES
- FULL APPLICATIONS, DASHBOARDS AND VIEWS
- MOBILE APPS




















Digital Twin Development Platform



Standards and Interoperability (6/2023)

SNAP4CITY

Compliant with:

- IoT: NGSI V2/LD, LoRa, LoRaWan, MQTT, AMQP, COAP, OneM2M, TheThingsNetwork, SigFOX, Libelium, IBIMET/IBE, Enocean, Zigbee, DALI, ISEMC, Alexa, Sonoff, HUE Philips, Tplink, BACnet, TALQ, Protocol Buffer, KNX, OBD2, Proximus, ..
- **IoT model:** FIWARE Smart Data Model, Snap4City IoT Device Models
- **General**: HTTP, HTTPS, TLS, Rest Call, SMTP, TCP, UDP, SOAP, WSDL, FTP, FTPS, WebSocket, WebSocket Secure, GML, WFS, WMS, RTSP, ONVIF, AXIS TVCam, CISCO Meraki, OSM, Copernicus, The Weather Channel, Open Weather, OLAP, VMS,
- Formats: JSON, GeoJSON, XML, CSV, GeoTIFF, OWL, WKT, KML, SHP, db, XLS, XLSX, TXT, HTML, CSS, SVG, IFC, XPDL, OSM, Enfuser FMI, Lidar, glTF, GLB, DTM, GDAL, Satellite, D3 JSON, ...
- Database: Open Search, MySQL, Mongo, HBASE, SOLR, SPARQL, ODBC, JDBC, Elastic Search, Phoenix, PostGres, MS Azure, ...
- Industry: OPC/OPC-UA, OLAP, ModBUS, RS485, RS232,...
- Mobility: DATEX, GTFS, Transmodel, ETSI, NeTEx, ...
- Social:Twitter, FaceBook, Telegram, ...
- Events: SMS, EMAIL, CAP, RSS Feed, ...
- OS: Linux, Windows, Android, Raspberry Pi, Local File System, AXIS, ESP32, etc.

























https://www.snap4city.org/65







High Level Types

Snap4City (C), August 2024


- POI, IOT Devices, shapes,...
 - FIWARE Smart Data Models,
 - IoT Device Models
- GIS, maps, orthomaps, WFS/WMS, GeoTiff, calibrated heatmaps, ..
- Satellite data, ...
- traffic flow, typical trends, ...
- trajectories, events, Workflow, ...
- 3D Models, BIM, Digital Twins, ...
- OD Matrices of several kinds, ...
- Dynamic icons/pins, ..
- Synoptics, animations, ..
- KPI, personal KPI,...
- social media data, TV Stream,
- routing, multimodal, constraints,
- decision scenarios,








































Snap4City (C), August 2024













SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES





Traffic Flow Manager on multiple cities

Sun 2 May 23:16:31



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzEyNg==










Smart City Digital Twin



City Digital Model with...

- Intuitive platform
- Any Data TYPE, any data source, any protocol
- Data storage seamless
- Data analytics → artificial intelligence, AI/XAI
- Data Ethics, AI Ethics, GDPR
- Interactive Data Representation, any kind
- Key Performance Indicators, any kind
- What-IF analysis Simulation, prediction, 2D/3D
- Micro, Meso e macro scales
- Operation, planning tactic and strategic / optimization
- Collaborative and shared representation
- Sustainable, shared, open source 100%

Complex and heterogeneous information, interoperability

- o GIS, ITS, AVM, IoT, BIM, CKAN, etc.
- Satellite services
- o MaaS, last-mile delivery HUBs
- o etc.






















SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES


























Early Warning, Detection



SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES







Available AI Solutions on Snap4City

SNAP4city

https://www.snap4city.org/997

More than 80 Available Solutions & 300 Al applic.

- Mobility and Transport
- Environment, Weather, Waste, Water
- City Users Behaviour and Social analysis
- Energy and Control
- Tourism and People
- Security and Safety
- High Level Decision Support Solutions
 - Asset management
 - Resilience and Risks Analysis
- Low level Techniques

https://www.snap4city.org/download/video/course/p4/





https://www.snap4city.o rg/download/video/DPL SNAP4SOLU.pdf





Environment, waste, land, etc., domain (2024/8)

- Goals:
 - Reduction of emissions and EC taxations
 - Cost reduction for waste collection, reduction of waste collection impact on mobility
- Solutions for Operation (monitoring, managing, mobile apps, digital signages, control rooms)
 - Monitoring emissions, weather, waste, water, etc.: sensors, traffic, flows,
 - Early detection/warning of critical conditions on emissions, weather, waste, water, fire, animals, ...
 - Early detection/warning of critical conditions for landslides, water flooding, beach
 - Smart Waste Management: bins/lockers, waste collection daily plan, pay as you throw, PAYT, etc.
 - Short terms prediction of emissions: CO2, NO2, etc.
 - Production of suggestions, nudging
 - Computing and predicting of long terms KPI indicators of the European Commission
- Solutions for Planning (optimization and what-if analysis)
 - Identification of main CO2/NO2 emissions locations in the city, total production from traffic
 - Reduction of Pollutant Emissions, via optimization: semaphore cycles, viability
- Algorithms and computational solutions, see next slide





Tools: Environment, waste, land, (2024/8)

- Pollutant Predictions: short, long and very long term European Commission KPIs
 - NOX, PM10, PM2.5 pollution on the basis of traffic flow, 48 hours (ML, AI, DL)
 - Cumulated NO2 average over year (ML, AI, DL)
- Computation of CO2 on the basis of traffic flows (DP), computing emission factor (DA)
 - each road for each time slot of the day
- Prediction of MicroClimate conditions for diffusion (ML, AI)
 - NO2, PM10, PM2.5, etc.
- Prediction of landslides, 24 hours in advance (AI, DL)
- prediction of waste collection, & optimisation of schedule and paths (DP, ML)
- Heatmaps production dense data interpolation (DP) for
 - Weather conditions: temperature, humidity, wind, DEW
 - Pollutants and Aerosol: NO, NO2, CO2, PM10, PM2.5, etc.
- Impact of COVID-19 on Environmental aspects (DP)
- Computing SDG, SUMI, SUMP, .. (mainly DP)
- Etc.













Smart Waste



Waste Manager:

- Collects and monitors data from bins (status, temperature, and a number of alarms, etc.) and trucks (weights collected, when possible) according to differentiated waste collection;
 - Interoperable with different waste bin sensors and lockers.
 - Monitor waste bin status including alarms of critical conditions notified from the citizens, and/or detected by sensors such as: fire, up-side-down, hurts, too filled, run out of battery, errors, etc. (some of these events can be enabled on the basis of the sensors positioned to the bin)
- **supports of policies** as Pay As You Throw, PAYT, provided that the bins are controlled with fobs, NFC, rfid, etc.
- **promoting citizen engagement/participation**, to help cities optimize their waste management practices and move towards a more sustainable future. The engagement is especially addressed to the city commercial operators which have special need in providing a large amount of waste (such as restaurants, fast food, bars, and shopping centers). https://www.snap4city.org/1018
- Reduce costs: optimize waste collection and management in urban environments
 - identify the bins that risk to become full in advance (using predictive technologies based on AI, Deep Learning).
 - Computer the optimal path for waste collection provided to map on mobiles, reduction of costs for waste collection.
 - dashboards provides statistics and forecast.
- Custom user interface and theme can be defined for each municipality as usual on Snap4City.

Smart Waste – Map view



- Reduction of costs for waste collection
 - Optimization of waste collection for the next day, forecast
 - Production of rides and paths for the drivers on waste collection
- Operator:
 - · Refine a search by using the filters on the left side
 - Click on a waste bin pin on the map:
 - A popup with real time data is shown
 - The fullness status of the selected group of bins is shown in the synoptic below the map
 - Specific fullness weekly trends are shown below the map
 - Chick on the «Table view» button to access the other dashboard





Search bins on map by filtering per:

- Kind (All, generic, plastic, paper, glass, metal, organic)
- Status (Active, Not Active)
- Fullness (Full, Half-full, Empty)
- Address
- **Group of bins** (by GroupID)






















Trajectorywaste2

Fri 17 May 18:30:58






Please select a date:

gg/mm/aaaa 🗖

Please select a ride among:

~






Snapacity (C), August 2024

SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES





Environment and Quality of Life

Air Quality Predictions

Multiple Domain Data

- Traffic Flow data, Pollutant: NOX, CO2, PM10, PM2.5, O3,
- 3D City structure, weather, ...

Multiple Decision Makers


- Pollutant Predictions: NOX, NO2, ...
- City officers, energy industries
- Dashboards, What-IF analysis
- Traffic Flow Reconstruction

Historical and Real Time data

- Billions of Data
- Services Exploited on:
 - Dashboards, Mobile App
- Since 2020














EAQI Heatmap and sequence





















1-48 Hour prediction of NOx












Prediction

- NOX Pollutant diffusion on the basis of Traffic Flow (prediction), weather and 3D structure
- NO2 progressive average (Long term)

Project:

- Trafair CEF EC
- Mixed solutions of Fluidinamics modeling and Al



Impact of COVID-19

Multiple Domains Data

 Traffic, environment, People, parking, stock options, Twitter, tc.

Decision Makers Multiple Locations

- NO2 long term predictions
- Twitter analysis

Historical and Real Time data

Services Exploited on:

- Dashboards
- Social media,
- Sentiment Analysis
- Since 2019, 2020


Cities: Firenze, Pisa, Livorno, Toscana











	HeritData	- Activities Ca	1° phase
METR 201 JAN FG3 MAA ARR 150 JAN FG3 MAA ARR 150 JAN	7763 vehildef low Volume 🧓 🍳	ASSISTED ASSISTANCE OF THE PROPERTY OF THE PRO	QA_FF-GRAMSCLSV N02 Volume @ 0
	CQ vehicleFlow (day mean)		QV-1+GRANGCLSVCO Volume @ 0
2021 MM FGB MM APR	err an al al DP OT NO DE	220 AA (20 wh AA)	WY AN AL AND RP OF NO OS
	neBinarkoti Busy Siots2 Volume em 9		oneFirenzeS.M.N. Busy Slots Volume @ 9
2021 201 FIS MARI APR Tor Tor Tor Tor Tor Tor Tor To	err an al ag 57 oct boy 55	2017 AAA TEB SUM AAN Sum Sum Sum Sum Sum Sum Sum Sum Sum Sum	W 48 A 48 W 97 W 95
2022 Men		Ton You You The The The The The The The Th	

metric	model30	model60	model90	model120	model150	model180
MAE	1.21	1.31	1.52	2.04	2.31	2.37
RMSE	2.16	2.61	4.18	6.77	7.83	7.93
MAPE	1.99	2.20	2.65	3.57	4.07	4.18
R2	0.91	0.83	0.80	0.54	0.45	0.14
Table 4	Assessn	nent of th	e predict	ive model	s with resp	pect to the
actual v	alues of t	he 2019.				

Snap4City (C), August 2024









Computing CO2 from traffic Data












Estimating City Local CO2 from Traffic Flow Data



 Traffic Flow is one the main source of CO2 (ton of CO2 x Km x Vehicle)





K1: Fluid Flow

K2: Stop and Go

 Dense estimation of CO2 into the city is very useful to know to target EC's KPIs

Computing CO2 on the basis of traffic flow data



Traffic Flow data

S. Bilotta, P. Nesi, "Estimating CO2 Emissions from IoT Traffic Flow Sensors and Reconstruction", Sensors, MDPI, 2022. https://www.mdpi.com/1424-8220/22/9/3382/









Long Term Prediction of Annual Mean of NO2 index of EC












Predicting Air Quality

- European Air Quality Directive
- Predicting critical days
 - PM10 with an accuracy of more than 90% and precision of 85%;
 - PM2.5 with an accuracy of 90% and precision greater than the 95%.
- Simulating Long terms values
 - For long terms predictions

Air Quality Directive					WHOguidelines	
Pollutant	Averaging period	Objective and legal nature a concentration	and Comments	Concentration	Comments	
PM _{2.5}	One day			25 μg/m³ (*)	99 th percentile (3 days/year)	
PM _{2.5}	Calendar year	Target value 25 ug/m³	The target value has become a imit value since 1 January 2015	10 μg/m³		
PM ₁₀	One day	Limit value, 50 μg/m³	Not to be exceeded on more than 35 days per year.	50 μg/m³ (*)	99 th percentile (3 days/year)	
PM ₁₀	Calendar year	Limit value, 40 μg/m³ (*)		20 μg/m³		
O ₃	Maximum daily 8–hour mean	Target value, 120 μg/m³ th	Not to be exceeded on more han 25 days per year, averaged over three years	100 μg/m³		
NO ₂	One hour	Limit value, 200 μg/m³ (*)	Not to be exceeded more than 18 times a calendar year	200 μg/m³ (*)	_	
NO ₂	Calendar year	Limit value, 40 μg/m³		40 μg/m³		












Predicting EC's KPI on NO2 months in advance


Deep Learning Long Terms Predictions of NO2 mean values, From 30 to 180 days in advance

- The features used as input for the predictive models are:
- Month
- dayOfTheYear
- NO2
- Tmean
- Humidity
- windMean ^{نځت}
- **NoxDomestic**
- numberOfVehicles
- NO2cumulated
- NO2progresseveMean
- numberOfVehiclesCumulated









Air Quality Directive					WHOguidelines	
Pollutant	Averaging period	Objective and legal nature a concentration	ond Comments	Concentration	Comments	
PM _{2.5}	One day			25 μg/m³ (*)	99 th percentile (3 days/year)	
PM _{2.5}	Calendar year	Target value 25 ug/m³	he target value has become a mit value since 1 January 2015	10 μg/m³		
PM ₁₀	One day	Limit value, 50 μg/m³	Not to be exceeded on more than 35 days per year.	50 μg/m³ (*)	99 th percentile (3 days/year)	
PM ₁₀	Calendar year	Limit value, 40 µg/m³ (*)		20 μg/m³		
O ₃	Maximum daily 8–hour mean		Not to be exceeded on more nan 25 days per year, averaged over three years	100 µg/m³		
NO ₂	One hour	Limit value, 200 µg/m³ (*)	Not to be exceeded more than 18 times a calendar year	200 µg/m³ (*)		
NO ₂	Calendar year	Limit value, 40 μg/m³		40 μg/m³		

ГОР

Predicting Land sliding



















Predicting Land slides





Dashboards and

Mobile Apps

E. Collini, L. A. I. Palesi, P. Nesi, G. Pantaleo, N. Nocentini and A. Rosi, "Predicting and Understanding Landslide Events with Explainable AI," in IEEE Access, doi: 10.1109/ACCESS.2022.3158328.





Local Explainable AI - understanding the single event

- The local explanation puts in evidence the features which provided major contribution to the prediction
- For example considering
 Figure 10a, the value of
 VelMaxSIR, MaxTempSIR, Day3
 and Humidity contributed
 significantly to the classification of
 the observation as a landslide
 event




FIGURE 10. Local feature relevance via SHAP, as interpretation of events in terms of feature values: (a) and (b) are events with predictions of landslide, (c) a no landslide event.










others


















- **Environmental data**
- Power meter Data
- Smart Light data are coming (in collaboration with a multinational company)



Snap4City (C), August 2024

TheLab.City LivingLab by ICEBERG, Romania






- Airquality
- Urban planning
- Parking
- Waste
- Etc.

https://thelab.city/

Snap4City (C), August 2024

SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES





2023 booklets

Smart City





https://www.snap4city.org /download/video/DPL_SN AP4CITY.pdf Industry






https://www.snap4city.org/download/video/DPL SNAP4INDUSTRY.pdf


Artificial Intelligence





https://www.snap4city.o rg/download/video/DPL SNAP4SOLU.pdf





Ambulance (2021-22)

Enterprise (2021-22)Industry 4.0



INC EUROPEAN COMMISSION

Contract, 2022-23

MD51 CN MOST, 2022-26 Italiadomani



EI THE, 2022-26

G. Agile, 2021-23

EDIM

dall'Unione europea

Italia**domani**

TUSCANY 🗷

OceanRace,

Genova, AWS

2023-26





Contract, 2024-25

CAI4DSA

Italiadomani

OPTIFaaS

SASUAM

Rhodes,

1 Italiadomani

Artificial

Research

Intelligence

2020



JRC Contract EUROPEAN COMMISSION



- **Smart Tourism**
- 6 Pilots
- **Data Analytics**
- Extended platform



- Smart Mobility
- PISA, PUMS Living lab

smartGARDAlake













CAPELON

- Smart Light



AMPERE (2021-22) Industry 4.0



Almafluida

Industry 4.0 (2021-22)







SmartCity, 2021-23



AXIS collab SmartCity







2022-2023






Security and Risk

Smartea




2024



Merano, smart light









- Sweden

Km4City

1.6.7



Asymmetrica Smart City, 2022-23



Italferr, Smart City








https://www.Snap4City.org


- 11 running installations in Europe
 - Snap4.city.org, Greece, Merano, Cuneo, ...
 - Toscana, Pisa, Sweden, ISPRA, Snap4.eu,
 - Altair, Italmatic, Romania,
- 16 projects, 12 pilots on 10 Countries
 - >40 cities/area
- Widest MULTI-tenant deploy has
 - 24 Organizations / tenant
 - > 8850 users on
 - > 1800 Dashboards
 - > 17 mobile Apps
 - > 2.2 Million of structured data per day
 - > 580 IoT Applications/node-RED
 - > 750 web pages with training
 - > 75 videos, training videos



- Antwerp area (Be)
- Bari (I)
- Bisevo, Croatia
- Bologna (I)
- Brasov (Ro)
- Capelon (Sweden: Västerås, Eskilstuna, Karlsta

100% OPEN

- Cuneo (I)
- DISIT demo (multiple)
- Dubrovnik, Croatia
- Firenze area (I)
- Garda Lake area (I)
- Greece (Gr)
- Helsinki area (Fin)
- Limassol (Cy)
- Livorno area (I)
- Lonato del Garda (I)
- Malta (Malta)
- Merano (I)
- Modena (I)
- Mostar, Bosnia-Herzegovina
- Oslo & Padova (Impetus)
- Pisa area (I)
- Pistoia (I)
- Pont du Gard, Occitanie (Fr)
- Prato(I)
- Rhodes (Gr)
- Roma (I)
- Santiago de Compostela (S)
- Sardegna Region (I)
- SmartBed (multiple)
- Toscana Region (I), SM
- Valencia (S)
- Venezia area (I)
- WestGreece area (Gr)



PEN Test







Be smart in a SNAP!





CONTACT

DISIT Lab, DINFO: Department of Information Engineering Università degli Studi di Firenze - School of Engineering

Via S. Marta, 3 - 50139 Firenze, ITALY https://www.disit.org

www.snap4city.org

Email: snap4city@disit.org

Office: +39-055-2758-515 / 517

