



[www.snap4city.org](http://www.snap4city.org)

[www.snap4solutions.org](http://www.snap4solutions.org)



UNIVERSITÀ  
DEGLI STUDI  
FIRENZE

**DINFO**  
DIPARTIMENTO DI  
INGEGNERIA  
DELL'INFORMAZIONE

**DISIT**  
DISTRIBUTED SYSTEMS  
AND INTERNET  
TECHNOLOGIES LAB

# Overview for Researchers & Developers






[www.km4city.org](http://www.km4city.org)

*AI Digital Twin Platform  
to set-up Sustainable  
Decision Support Systems  
& Business Intelligence*

#snap4city  
#km4city  
#disitlab  
@snap4city



# Snap4City






TOP

# Objectives and Tasks Architecture and Digital Twin



# Main Tasks

- **Controlling Status:** management, and operational
  - Monitoring via KPI
  - Computing predictions data from the field and KPI
  - Anomaly detection
  - Early warning on critical conditions
- **Making plan: tactic and strategic, medium and long range**
  - Optimisation: Prescriptions, suggestions
  - Risk assessment
  - What-if analysis on scenarios
    - Simulation and predictions
  - Resilience
- **Be ready for Unexpected Unknowns**




- **Controlling Status: management, and operational**

- Monitoring via KPI
- Predictions vs KPI
- Anomaly detection
- Neuro-Symbolic analysis
- Risk assessment
- Early warning on critical conditions



- **Making plan: tactic and strategic, medium and long range, micro/macro**

- Simulation & optimization
- Generative AI Prescriptions, scenarios
- Resilience to Unexpected unknowns
- What-if analysis wrt scenarios






Monitoring



Digital Twin  
Models &  
Data


Predictions,  
Anomaly Detection,  
Analysis, Assessment  
Warning





Decision  
Support System

Scenarios

Simulations,  
TFR, Crossroad,  
Public Transport,  
Routing, ..







What-If Analysis,  
Optimization



# Digital Twin

## Digital Twin

- **Connected** with real systems
  - **Modelling** aspects: structural, visual, informative, real time data sensors (context), POI, functional, resources, etc.
  - **Analytics:** AI/XAI techniques, simulations, users' needs, etc.
- **Easier to understand the context, review from multiple points of view**
- **Useful to perform**
    - Discussion with city users
    - Support decision makers
    - By Case Experiments for analysing
      - New solutions, impact of disaster (natural and provoked)
      - Reduction of costs in the analysis, in reduction of mistakes





# Snap4City





# Digital Twin Solutions for Sustainability

OPERATION AND PLAN - CONTROL ROOMS - DECISION SUPPORT SYSTEMS - WHAT-IF ANALYSIS - OPTIMIZATION - APPLICATIONS

### HORIZONTAL AI PLATFORM

### MOBILITY AND TRANSPORT

### SMART ENERGY AND SMART BUILDING

### ENVIRONMENT AND WASTE MANAGEMENT

### CITY USER'S SERVICES AND TOURISM MANAGEMENT

- DEVELOPMENT ENVIRONMENT AND METHODOLOGY
- VISUAL PROGRAMMING, ML, AI, HPC
- TRAINING COURSES
- LIVING LABS
- GUI CUSTOM STYLES
- FULL APPLICATIONS, DASHBOARDS AND VIEWS
- MOBILE APPS



## VISUAL ANALYTICS - SYNOPTICS - GRAPHICAL WIDGETS - ANALYTICS - BUSINESS INTELLIGENCE - SIMULATIONS

### DASHBOARDS, WIDGETS TEMPLATES

### PREDICTION - ANOMALY DETECTION - CLUSTERING - ROUTING - SENTIMENT NLP - TRAFFIC FLOW - PEOPLE FLOWS - SDG

15 MIN CITY INDEX - KPI - HEATMAPS - ORIGIN DESTINATION - ETC...

### API - MICROSERVICES - GIS - BPM


VIDEO - REPORTS - MAPS - 3D ...

### EXPERT SYSTEM, KNOWLEDGE BASE SEMANTIC REASONING SMART DATA MODEL IOT DEVICE MODELS, STORAGE

### BIG DATA ANALYTICS, ARTIFICIAL INTELLIGENCE EXPLAINABLE AI, MACHINE LEARNING, GENERATIVE AI OPERATIVE RESEARCH, STATISTICS

### VISUAL PROGRAMMING, ADAPTERS DATA FLOWS, WORKFLOWS PARALLEL DISTRIBUTED PROCESSING DATA DRIVEN

FULL INTEROPERABILITY, ANY: DATA, BROKERS, NETWORKS AND VERTICALS



Powered by FIWARE

FREE TRIAL

PEN Test Passed

EU GDPR COMPLIANT

SNAP4 Appliances and Dockers Installations

EUROPEAN OPEN SCIENCE CLOUD


Node-RED

JS Foundation

E015 digital ecosystem

NVIDIA

# Digital Twin Development Platform





PEN Test  
Passed



EU GDPR  
COMPLIANT



- 11 running installations in Europe
  - Snap4.city.org, Greece, Merano, Cuneo, ...
  - Toscana, Pisa, Sweden, ISPRA, Snap4.eu,
  - Altair, Italmatic, Romania, ....


- 16 projects, 12 pilots on 10 Countries
  - >40 cities/area

## • Widest MULTI-tenant deploy has

- 24 Organizations / tenant
- > 8850 users on
- > 1800 Dashboards
- > 17 mobile Apps
- > **2.2 Million of structured data per day**
- > 580 IoT Applications/node-RED
- > 750 web pages with training
- > 75 videos, training videos


### Main Organizations/areas

- [Antwerp area \(Be\)](#)
- [Bari \(I\)](#)
- [Bisevo, Croatia](#)
- [Bologna \(I\)](#)
- [Brasov \(Ro\)](#), by ICEBERG
- [Capelon \(Sweden: Västerås, Eskilstuna, Karlstad\)](#)
- [Cuneo \(I\)](#)
- [DISIT demo \(multiple\)](#)
- [Dubrovnik, Croatia](#)
- [Firenze area \(I\)](#)
- [Garda Lake area \(I\)](#)
- [Greece \(Gr\)](#)
- [Helsinki area \(Fin\)](#)
- [Limassol \(Cy\)](#)
- [Livorno area \(I\)](#)
- [Lonato del Garda \(I\)](#)
- [Malta \(Malta\)](#)
- [Merano \(I\)](#)
- [Modena \(I\)](#)
- [Mostar, Bosnia-Herzegovina](#)
- [Oslo & Padova \(Impetus\)](#)
- [Pisa area \(I\)](#)
- [Pistoia \(I\)](#)
- [Pont du Gard, Occitanie \(Fr\)](#)
- [Prato \(I\)](#)
- [Rhodes \(Gr\)](#)
- [Roma \(I\)](#)
- [Santiago de Compostela \(S\)](#)
- [Sardegna Region \(I\)](#)
- [Siena \(I\)](#)
- SmartBed (multiple)
- [Toscana Region \(I\), SM](#)
- [Valencia \(S\)](#)
- [Venezia area \(I\)](#)
- [WestGreece area \(Gr\)](#)



- + Israel, Colombia, Brasile, Australia, India, China, etc.




# Technical Architecture







# High Level Types

Snap4City (C), October 2024

- POI, IOT Devices, shapes, ...
  - FIWARE Smart Data Models,
  - IoT Device Models
- GIS, maps, orthomaps, WFS/WMS, GeoTiff, calibrated heatmaps, ..
- Satellite data, any kind..
- traffic flow, typical trends, ..
- trajectories, events, Workflow, ..
- 3D Models, BIM, Digital Twins, ..
- OD Matrices of several kinds, ..
- Dynamic icons/pins, ..
- Synoptics, animations, ..
- KPI, personal KPI, ..
- social media data, TV Stream,
- routing, multimodal, constraints, ..
- decision scenarios, ....
- etc.



**SNAP4CITY**  
- Digital Twin Global - Fire  
demonstrator




# Standards and Interoperability (10/2024)



## Compliant with:

- **IoT:** NGSi V2/LD, LoRa, LoRaWan, MQTT, AMQP, COAP, OneM2M, TheThingsNetwork, SigFOX, Libelium, IBIMET/IBE, Enocean, Zigbee, DALI, ISEMC, Alexa, Sonoff, HUE Philips, Tplink, BACnet, TALQ, Protocol Buffer, KNX, OBD2, Proximus, ..
- **IoT model:** FIWARE Smart Data Model, Snap4City IoT Device Models
- **General:** HTTP, HTTPS, TLS, Rest Call, SNMP, TCP, UDP, SOAP, WSDL, FTP, FTPS, WebSocket, WebSocket Secure, GML, WFS, WMS, RTSP, ONVIF, AXIS TVCam, CISCO Meraki, OSM, Copernicus, The Weather Channel, Open Weather, OLAP, VMS Milestone, TIM, HERE, ....
- **Formats:** JSON, GeoJSON, XML, CSV, GeoTIFF, OWL, WKT, KML, SHP, db, XLS, XLSX, TXT, HTML, CSS, SVG, IFC, XPD, OSM, Enfuser FMI, Lidar, gITF, GLB, DTM, GDAL, Satellite, D3 JSON, ...
- **Database:** Open Search, MySQL, Mongo, HBASE, SOLR, SPARQL, ODBC, JDBC, Elastic Search, Phoenix, PostGres, MS Azure, ..
- **Industry:** OPC/OPC-UA, OLAP, ModBUS, RS485, RS232,..
- **Mobility:** DATEX, GTFS, Transmodel, ETSI, NeTEx, ..
- **Social:** Twitter, FaceBook, Telegram, ..
- **Events:** SMS, EMAIL, CAP, RSS Feed, ..
- **OS:** Linux, Windows, Android, Raspberry Pi, Local File System, AXIS, ESP32, etc.

<https://www.snap4city.org/65>




# Ingestion, aggreg. → exploitation




## • IoT App Visual Programming, no coding

- Data transformation
- Integration, Interoperab.
- Scripting Data Analytics
- Data ingestion
- Business logic Server Side



## • Edge and Cloud

- **MicroServices** data event driven develop via visual language Node-RED



<https://flows.nodered.org/search?term=snap4city>



AND: From Resource Manager

We suggest also to install:

- NSI: NSI Emul, NSI Dataset, NSI Update, NSI Util
- social: email, twitter
- subflows: InpilesToVrtab
- location: utm, workmap, workmap pt, tracks, connex hull

Snap4City (C), May 2021






Data Adaption  
 Data Transformation, Conversion  
 Data Integration, Interoperability  
 Business Logic vs Dashboards

Editing IOT Applications

Data Analytics control

Everywhere: Cloud, on IoT Edge Devices

## Areas



# Expert System *semantic queries*




UNIVERSITÀ  
DEGLI STUDI  
FIRENZE

DINFO  
DIPARTIMENTO DI  
INGEGNERIA  
DELL'INFORMAZIONE

DISIT  
DISTRIBUTED SYSTEMS  
AND INTERNET  
TECHNOLOGIES LAB



- **via:**
- **Smart City API** for Apps and third party
- **MicroServices** data driven develop via visual language Node-RED



License Free  
1.6.8, 2024


*Linked Open Data*



<https://www.snap4city.org/19>



# Federation of Smart City Services



- **Km4City Semantic Reasoner**
- **ServiceMap interoperability**
- **Seamless for multiple Mobile Apps**
- **Smart City API**
- **Super:**
  - distributed access and sharing services
  - Each city control its own data
  - Final user can pass from one city / area to another in seamless manner: without changing the mobile Apps



# Solutions: reliable, secure and fast to realize








- Via Snap4City tools

- Dashboard Wizard
- Dashboard Builder
- Data/Visual Analytic







- Smart Solutions results to be

- Real time data drive
- Secure end-to-end
- GDPR compliant
- Reliable, interoperable
- Auditable, marketable






# Different Themes



New styles/themes can be developed by specializing a few files from open source

<https://www.snap4city.org/793>

# Smart City Digital Twin City Digital Model with...



## City Digital Model with...

- Intuitive platform
- Any Data TYPE, any data source, any protocol
- Data storage seamless
- Data analytics → artificial intelligence, AI/XAI
- Data Ethics, AI Ethics, GDPR
- Interactive Data Representation, any kind
- Key Performance Indicators, any kind
- What-IF analysis – Simulation, prediction, 2D/3D
- Micro, Meso e macro scales
- Operation, planning tactic and strategic / optimization
- Collaborative and shared representation
- Sustainable, shared, open source 100%



## Complex and heterogeneous information, interoperability

- GIS, ITS, AVM, IoT, BIM, CKAN, etc.
- Satellite services
- MaaS, last-mile delivery HUBs
- etc.





Ciao roottooladmin!

Fri 2 Sep 19:13:07

## 3D MAP GLOBAL DIGITAL TWIN - NEWGUI




3D MAP

**Settings:**  
Enable Lights   
Datetime: 02/08/2022 10:11  
Enable dynamic shadows (experimental)



**Traffic Heatmap Controls:**  
FirenzeFIPILITrafficRealtime  
Traffic Heatmap Controls: 24H  
Max Opacity: 1  
< Prev 2022-09-02 18:56:00

**Legend:**  
Free street  
Fluid traffic  
Heavy traffic  
Very heavy  
Sensor position

DISIT:ORIONUNIFI:TUSC\_WEATHER\_SENSOR\_OW\_3176959 - AIRTEMPERATURE



# Layers VS Fusion Layers



Ciao

Fri 13 Oct 18:29:18

# FLORENCE SCDT




SELECT...

- GRAL HD
- NO 2
- Mobile
- Bar chart
- Highway
- Highway
- Bus
- WHAT-IF
- Car
- Person
- Bicycle

DOUBLE MAP

Map controls: Home, Rotate, Zoom in, Zoom out, 15.5, Fullscreen, Refresh



<https://www.youtube.com/watch?v=le2XNF8Ftxo>

TOP

# Monitoring and Control

FORGING & MANAGING OPEN AND SCALABLE INTER-ANALYTIC APPLICATIONS

IoT APPLICATIONS VS IoT EDGE DEVICES

SNAP4CITY BEGINNINGS

SNAP4CITY ARCHITECTURE D ECOMONITORS. OPEN TO DEVELOPERS AND STAKEHOLDERS

TWITTER VIGILANCE: SOCIAL MEDIA ANALYSIS


SNAP4CITY AND KM4CITY PROJECTS

FROM CITY DASHBOARD TO APPLICATIONS

DATA GATHERING AND CITY DATA KNOWLEDGE MANAGEMENT

HOW TO ADOPT SNAP4CITY, AND OUR ROADMAP

SNAP4CITY THE VIEW OF THE ADMINISTRATORS





# Control Horizontal Platform

- **Goals:**
  - Increasing quality of Life, quality of services,
  - Decongestion, Decarbonization, Sustainability
  - increase efficiency and production optimization
  - Improve accessibility to services: citizens, Tourists, commuters, etc.
  - Improve security/Safety of city users, risk reduction
  - Costs reduction of services, energy consumption reduction
  - Reduction of emissions and EC taxations
- **Horizontal homogeneous platform Uniform Technology for**
  - **Any Vertical operation/plan:** mobility, energy, environment, security, tourism, infrastructure and assets control, buildings, etc.
  - **AI Solutions:** early warning, predictions, simulations, what-if, optimization; Deep Learning, ML, BERT, LLM, XAI (Shap/Lime),
  - **Development Environment for any vertical, Digital Twin:** City Global and Local, IoT, VR, Visual Programming, business intelligence, CSBL, SSBL, etc.
  - **Interoperability:** any format, any protocol, any video management system, any sensor, any device, etc.
- **KPI:** multidomain KPI, general management, early warning, early detection of critical conditions, 15 Min City Index, SDG
- **Mobile App:** modular applications, operators' modules, multiple cities, etc.
- **Participatory:** problem reporting, ticketing, etc.
- **Integration of any kind**



- **Controlling Status:** management, and operational
  - Monitoring via KPI
  - Computing predictions and KPI
  - Anomaly detection, Early warning
  - Control Rooms, situation rooms
- **Reacting: Computing in real time**
  - Changing semaphore maps
  - Changing Dynamic signage
  - Real time Info Mobility
  - User engagement via Mobile Apps
  - What-if analysis, **optimization**
  - etc.,




- **Controlling Status: management, and operational**

- Monitoring via KPI
- Predictions vs KPI
- Anomaly detection
- Neuro-Symbolic analysis
- Risk assessment
- Early warning on critical conditions

- **Making plan: tactic and strategic, medium and long range, micro/macro**

- Simulation & optimization
- Generative AI Prescriptions, scenarios
- Resilience to Unexpected unknowns
- What-if analysis wrt scenarios



# Key Performance Indicators, KPI



- **United Nations Sustainable Development Goals, SDGs** (for which cities can do more to achieve some of the 17 SDGs, <https://sdgs.un.org/goals>);
- **15 minutes cities** (where primary services must be accessible within 15 minutes on foot);
- **objectives of the European Commission** in terms of pollutant emissions for: NO2, PM10, PM2.5 ([https://environment.ec.europa.eu/topics/air\\_en](https://environment.ec.europa.eu/topics/air_en));
- **SUMI: mobility and transport vs env**
  - <https://www.snap4city.org/951>
- **SUMP/PUMS: mobility and transport vs env.**
- **ISO indicators:** city smartness, digitization, tech level.
- **Low Level/Real Time:** global traffic, quality of service, betweenness, centrality, queue, time to travel, etc.

Global  
&  
Local  
  
Periodic  
&  
Realtime

Air Quality Directive				WHO guidelines	
Pollutant	Averaging period	Objective and legal nature and concentration	Comments	Concentration	Comments
PM <sub>2.5</sub>	One day			25 µg/m <sup>3</sup> (*)	99 <sup>th</sup> percentile (3 days/year)
PM <sub>2.5</sub>	Calendar year	Target value, 25 µg/m <sup>3</sup>	The target value has become a limit value since 1 January 2015	10 µg/m <sup>3</sup>	
PM <sub>10</sub>	One day	Limit value, 50 µg/m <sup>3</sup>	Not to be exceeded on more than 35 days per year.	50 µg/m <sup>3</sup> (*)	99 <sup>th</sup> percentile (3 days/year)
PM <sub>10</sub>	Calendar year	Limit value, 40 µg/m <sup>3</sup> (*)		20 µg/m <sup>3</sup>	
O <sub>3</sub>	Maximum daily 8-hour mean	Target value, 120 µg/m <sup>3</sup>	Not to be exceeded on more than 25 days per year, averaged over three years	100 µg/m <sup>3</sup>	
NO <sub>2</sub>	One hour	Limit value, 200 µg/m <sup>3</sup> (*)	Not to be exceeded more than 18 times a calendar year	200 µg/m <sup>3</sup> (*)	
NO <sub>2</sub>	Calendar year	Limit value, 40 µg/m <sup>3</sup>		40 µg/m <sup>3</sup>	



# 15MinCityIndex

**What would support my neighborhood to become a 15-Minute City?**


## Using the Open Data:

We developed a data analytic tool based on municipal and national open data to assess services adequacy for people living in each 15 minutes areas of the city.


Good public transport services: bus, new tram line, train stations, cycle paths.



Careggi/Rifredi is a relevant district in Florence because of hosting the main Florence/Tuscany hospitals Careggi and Meyer, but also university headquarters and many other workplaces.



The tool supports the becoming of a 15-Minute city evaluating the service level in various domains.



<https://www.snap4city.org/dashboardSmartCity/view/index.php?iddashboard=MjkzOA==>

# 15MinCityIndex on Bologna



Ciao roottooladmin!

Tue 3 May 20:14:59

## 15 MINUTI INDEX BOLOGNA CITTÀ METROPOLITANA - NEWGUI






- # of Inhabitants >
- Green factor >
- Civil factor >
- Industrialization factor >
- Environment Index >
- 15Min Economy Index >
- 15Min Housing Index >
- 15Min Health Index >
- 15Min Food Index >
- 15Min Education Index >
- 15Min Slow Mob Index >

### THE PICKED POINT

9m

City: Argelato  
Address: Via Casadio N. 1  
Lat,lon: 44.61882,11.35437



**1 NO POVERTY**

**2 ZERO HUNGER**

**3 GOOD HEALTH AND WELL-BEING**

**4 QUALITY EDUCATION**

**7 AFFORDABLE AND CLEAN ENERGY**

**9 INDUSTRY, INNOVATION AND INFRASTRUCTURE**

**11 SUSTAINABLE CITIES AND COMMUNITIES**

**12 RESPONSIBLE CONSUMPTION AND PRODUCTION**

**13 CLIMATE ACTION**

**15 LIFE ON LAND**

# IoT App....

**Snap4City**

User: roottooladmin1, Org: DISIT  
Role: RootAdmin, Level: 7

[Logout](#)

- My Snap4City.org
- Dashboards
- My Dashboards in All Org.
- Dashboards of My Organization
- My Dashboards in My Organization
- Extra Dashboard Widgets
- Notifier
- Data, my Data, OpenData
- Knowledge and Maps
- IOT Applications
  - IOT Applications
  - MicroServices for IOT Applications
  - MicroServices from DataAnalytic
  - IOT MicroServices for Final Users
  - IOT MicroServices for Developers
  - Doc: IOT Applications
  - How to Develop IOT Applications
  - Create A MicroService from RestCall
- IOT Directory and Devices
- Resource Manager
- Development Tools
- Management
- Decision Support Systems
- Settings
- User Management and Auditing
- Help and Contacts

**Node-RED**

filter nodes

subflows

- InjectedTimes

input

- inject
- catch
- status
- link
- mqtt
- http
- websocket
- top
- udp
- amqp2
- stomp

output

- debug
- link
- mqtt
- http response
- websocket
- tcp

15MinIndex

GPS to COMUNE | GPS to COUNT | GPS to HeatmapVal | GPS to Florence Qu | GPS to ZCS | GPS and Values to

**Node-RED**

# Smart City Control Room

## Florence Metropolitan City



reference



### • Multiple Domain Data

- Thousands of Open/Private data, POI, IOT, etc.
- **mobility and transport**: accidents, public transport, parking, traffic flow, Traffic Reconstruction, KPI, ...
- **AND**: environment, civil protection, gov KPI, covid-19, social & social media, people flow, tourism, energy, culture, ...

### • Multiple dash/tool Levels & Decision Makers

- Real Time monitoring, Alerting, quality assess.
- Predictions, KPI, DSS, what-if analysis


### • Historical and Real Time data

- Billions of Data

### • Services Exploited on:

- Multiple Levels, Mobile Apps, API

### • Since 2017




<https://www.snap4city.org/747>





# Smart Decision Support, system thinking

- **Smart Decision Support System** based on System Thinking plus
- Actions to city reaction, resilience, smartness, ...
- Enforcing Mathematical model for propagation of decision confidence..
- Collaborative work, ...
- Processes connected to city data: DB, RDF Store, Twitter, etc.
- Production of alerts/alarms
- Data analytics process
- Twitter Processes
- reuse, copy past, ...






# Mobility Monitoring and Control

FROM CITY  
DASHBOARD TO  
APPLICATIONS

DATA C  
AND C  
KNOW  
MANA



SNAP4CITY FOR  
BEGINNERS

SNAP4CITY


SNAP4CITY  
AND KM4CITY  
PROJECTS

HOW TO ADOPT  
SNAP4CITY, AND  
OUR ROADMAP

SNAP4CITY THE  
VIEW OF THE  
ADMINISTRATORS







11 SUSTAINABLE CITIES  
AND COMMUNITIES



Snap4City (C), October 2024

## Monitoring Cross Road Venaria - (AXIS Camera)

Wed 10 Nov 18:50:53





<https://www.snap4city.org/dashboardSmartCity/view/index.php?iddashboard=MzI5Ng==>



# Traffic Flow Tools

Spire and Virtual Spires (cameras), Bluetooth, ...  
Specifically located: along, around, on gates, on x...





# Firenze - Trafair - AirQuality Heatmaps



This dashboard contains data derived from actual sensors and predictive values under validation

Mon 6 Apr 15:12:27

- Air Quality Sensors
- Weather Sensors
- PM10 Heatmap
- PM2.5 Heatmap
- CO Heatmap
- CO2 Heatmap
- O3 Heatmap
- NO2 Heatmap
- Europ. AQI Heatmap
- Air Humidity Heatmap
- Air Temp. Heatmap
- Wind Speed Heatmap
- Gral Pred. HM NOX (3m)
- Gral Pred. HM NOX (6m)
- Traffic Sensors
- Traffic Flow
- Cycling Paths
- Accident Heatmap
- Accident Heatmap 2
- Only HRes Anym. Gral
- Green Areas
- Schools



Air quality trends



# Traffic Flow Monitoring - Firenze - Cloned2


Wed 11 Nov 15:01:32

# IN FLOW 9m

Firenze IN Traffic Flow (number of vehicles)

9m

10549 #ofvehicles




Inc Daily Inp... 9m

Daily Inputs (monthly) (last value is incremental, real time)

9m

97137 #ofvehicles




# OUT FLOW 9m

Firenze OUT Traffic Flow (number of vehicles)

9m

13720 #ofvehicles




Inc Daily Out... 9m

Daily Outputs (monthly) (last value is incremental real time)

9m

97457 #ofvehicles




ZTL in 9m

ZTL in Traffic Flow daily trend, entering in ZTL


9m

2468 #ofvehicles



QoS as perc. of measures taken


QoS as perc. of measures in ZTL



11/11/2020  
15:01:33


inflow total of the day, yearly

9m




outflow total over the day Yearly

9m




in ZTL yearly compare

9m



COVID-19  
1° phase

# Short-Term Prediction of City Traffic Flow via Convolutional Deep Learning




Urban data:

- Date-time
- Traffic
- Temporal
- Seasonality
- Pollution
- Weather




- RF
- XGBOOST
- DNN
- LSTM
- BI-LSTM
- Autoencoder BI-LSTM
- Attention CONV-LSTM
- CONV-BI-LSTM

CONV-BI-LSTM



# Dense Traffic Flow Reconstruction ?



- Making decision on mobility and transport solutions → what if analysis
- Controlling pollution
- Dynamic Routing for Firebrigade, Ambulances, general public
- Planning Public Transportation routing



# Qualità Trasporto Pubblico - Cloned

Firenze - 6 linee

Sat 22 Jun 07:45:48





Accidents and elements blocking Points and Shapes taken into account for:

- Routing
- Traffic Flow reconstruction
- Evacuation paths
- Rescue team paths


Assessment on the basis of changes:

- Mobility demand assessment
- Mobility Offer assessment




# Constrained Dynamic Routing: Traffic Flow

## Fastest taking into account traffic




## Fastest taking into account traffic and blocked areas








# Deep Learning AI to surely Park!






Parking data



Traffic sensors data





Weather Features





# Deep Learning for Short-Term Prediction of Available Bikes on Bike-Sharing Stations




E. Collini, P. Nesi and G. Pantaleo, "Deep Learning for Short-Term Prediction of Available Bikes on Bike-Sharing Stations," in *IEEE Access*, vol. 9, pp. 124337-124347, 2021, doi: 10.1109/ACCESS.2021.3110794.  
<https://ieeexplore.ieee.org/abstract/document/9530580>



Selector


- Parterre
- Piazza Alberti
- Palazzo di Giustizia
- Porta al Prato
- S. Ambrogio
- Stazione Firenze S.M.N.
- Stazione Fortezza Fiera
- Piazza Beccaria

Selector - Map




Parcheggi: Numero Posti Liberi

4m



Stazione Firenze S.M.N. - Free Parking Lots

9m




Andamento Posti Occupati

4m



My Profile

# Snap4ISPRA Parking: ISPRA JRC



# Smart City / Smart Parking + Environment

## Reverberi, Lonato del Garda



Reverberi  
Enetec



citelum  
GROUPE EDF

reference

- **Multiple Domain Data**

- Smart Parking, Environment, Wi-Fi

- **Multiple Decision Makers**

- City Officer, operators
- Data monitoring, alerting
- analytics



- **Historical and Real Time data**

- Dashboards

- **Services Exploited on:**

- Dashboards, API

- **Since 2019**






# Environmental Monitoring and Control

FROM CITY  
DASHBOARD TO  
APPLICATIONS

DATA



ORGANIZATION  
AND FLEXIBLE WEB  
AND MOBILE APPS

SNAP4CITY FOR  
BEGINNERS

SNAP4CITY

TWITTER  
ANALYTICS  
DIAGNOSTICS

SNAP4CITY  
AND KM4CITY  
PROJECTS



ADOPT  
AND  
MAP

SNAP4CITY THE  
VIEW OF THE  
ADMINISTRATORS




# Environment and Waste


- **Goals:**
  - Reduction of emissions and EC taxations
  - Cost reduction for waste collection,
  - reduction of waste collection impact on mobility
- **Environment Management producing prescriptions:**
  - Monitoring and long and short-term predictions, warning for:
    - GHG, emissions, pollutants, aerosol, chemical plants analysis
    - land slide, coastal erosion (blue economy)
  - Traffic Flow impact emissions, predictions
- **Waste Management and Optimisation:**
  - costs reduction, optimal routing production, pay as you throw,
  - avoiding out of bins, predictions of waste production on bins, alarms
- **KPI:** SDG, 15MinCityIndex, QOS, costs, Km, collecting time, EC KPI, emissions
- **Mobile App:** final users services/informing and operators
  - Info Waste for operators, participation, informing, optimal routing, RAEE Collection, ..
- **Participatory:** problem reporting, ticketing, etc.
- **Integration of any kind:** env/weather, mobility, ticketing, presences, POI, ..








# EAQI Heatmap and sequence







# Predicting Land slides



# Comparing Predictive Model/architectures

Model	XGBoost	RF	CNN	Auto encoder	SIGMA
MAE	0.000173	0.000334	0.000600	0.009218	0.004169
MSE	0.000173	0.000334	0.000259	0.009218	0.004169
RMSE	0.0131	0.0182	0.0160	0.0960	0.064572
Accuracy	0.99	0.99	0.99	0.99	0.99
Sensitivity	0.79	0.36	0.24	0.19	0.06
Specificity	0.99	0.99	0.99	0.99	0.99
TSS	0.78	0.35	0.23	0.18	0.05
PfA	0.01%	0.02%	0.01%	0.11%	0.39%
Precision	0.63	0.35	0.33	0.64	0.003
F1 score	0.70	0.36	0.27	0.29	0.007
MCC	0.70	0.36	0.28	0.35	0.01
OA	2.40	1.72	1.55	1.64	1.02
Kappa	0.70	0.36	0.27	0.29	0.01
AUC	0.89	0.68	0.99	0.92	0.53



Global Explainable AI  
- Feature relevance

- Red: positive, blue: negative;  
- vs intensity and impact

# Local Explainable AI - understanding the single event

- The local explanation puts in evidence the features which provided major contribution to the prediction
- For example considering Figure 10a, the value of VelMaxSIR, MaxTempSIR, Day3 and Humidity contributed significantly to the classification of the observation as a **landslide event**



**FIGURE 10. Local feature relevance via SHAP, as interpretation of events in terms of feature values: (a) and (b) are events with predictions of landslide, (c) a no landslide event.**

# Smart Waste – Map view



☐

## Smart Waste Management

Thu 5 May 11:14:28

Select the bins Kind, Fullness and Status from the dropdown below and press SUBMIT to see the results on the map.

Kind:  Status:

Fullness:

Address:

Group ID:

VALUE NAME: F167898

DETAILS DESCRIPTION RT DATA

Last update: 2022-02-28 12:46:12.899Z

Description	Value	Buttons
dateObserved	2022-02-28T12:46:12.899Z	Last value 4 hours Last 24 hour Last 7 days Last 30 days Last 6 month Last 1 year
generic	[SURI id]	Last value 4 hours Last 24 hour Last 7 days Last 30 days Last 6 month Last 1 year
glass	[SURI id]	Last value 4 hours Last 24 hour Last 7 days Last 30 days Last 6 month Last 1 year
metal	[SURI id]	Last value 4 hours Last 24 hour Last 7 days Last 30 days Last 6 month Last 1 year
organic	[SURI id]	Last value 4 hours Last 24 hour Last 7 days Last 30 days Last 6 month Last 1 year
paper	[SURI id]	Last value 4 hours Last 24 hour Last 7 days Last 30 days Last 6 month Last 1 year
plastic	[SURI id]	Last value 4 hours Last 24 hour Last 7 days Last 30 days Last 6 month Last 1 year

Smart waste bins status

ORGANIC  
89 %

PAPER  
100 %

METAL  
100 %

PLASTIC  
62 %

GLASS  
83 %

GENERIC  
65 %

Via\_Deil\_Medici: ORGANIC fullness

Privacy Policy Cookies Policy Terms and Conditions

Search bins on map by filtering per:

- **Kind** (All, generic, plastic, paper, glass, metal, organic)
- **Status** (Active, Not Active)
- **Fullness** (Full, Half-full, Empty)
- **Address**
- **Group of bins** (by GroupID)

- Reduction of costs for waste collection
  - Optimization of waste collection for the next day, forecast
  - Production of rides and paths for the drivers on waste collection
- Operator:
  - Refine a search by using the filters on the left side
  - Click on a waste bin pin on the map:
  - A popup with real time data is shown
  - The fullness status of the selected group of bins is shown in the synoptic below the map
  - Specific fullness weekly trends are shown below the map
  - Click on the «Table view» button to access the other dashboard

111

Snap4City (C), October 2024



**Trajectorywaste2** Fri 17 May 18:34:15

Selector - Map

DISIT:orionUNIFI:113043.960\_485172.926-Rest

Please select a date: 02/09/2020

Please select a ride among: 3

DISIT-OrionUNIFI:114985.283\_488088.814-Rest - Weight 8m

**Trajectorywaste2** Fri 17 May 18:34:37

Selector - Map

DISIT:orionUNIFI:113043.960\_485172.926-Rest

Please select a date: 02/09/2020

Please select a ride among: 3

DISIT-OrionUNIFI:114985.283\_488088.814-Rest - Weight 7m

AMSTERDAM CITY MUNICIPALITY | DIMPO | DISIT | SNAP4CITY

**Trajectorywaste2** Fri 17 May 18:30:58

Selector - Map

DISIT:orionUNIFI:113043.960\_485172.926-Rest

Please select a date: gg/mm/yyyy

Please select a ride among: 3

116977.080\_488279.962-REST

VALUE NAME: 116977.080\_488279.962-REST

DETAILS DESCRIPTION RT DATA

Last update: 2021-12-04 10:10:34.000+01:00

Description	Value	Buttons
dateObserved	2021-12-04T09:10:34.000Z	Last 4h 24h 7d 30d 6m 1y 2y 10y
weight	215	Last 4h 24h 7d 30d 6m 1y 2y 10y

Keep data on target widget(s) after popup close:

Weight - 10 Year 9m



# Human Behaviour Monitoring/engagement

FOUNDING  
MANAGING OFFICE  
AND FLEXIBLE WEB  
AND MOBILE APPS

SNAP4CITY FOR  
BEGINNERS

SNAP4CITY  
ARCHITECTURE AND  
PROJECTS

SNAP4CITY  
AND KM4CITY  
PROJECTS

FROM CITY  
DASHBOARD TO  
APPLICATIONS



SNAP4CITY THE  
VIEW OF THE  
ADMINISTRATORS





# City User Behaviour/services, Tourism and Safety

- **Goals:**
  - Improve Quality of Life and quality of services,
  - Over tourism mitigation, sustainability
  - Costs reduction of services
  - Improve accessibility to services: citizens, Tourists, commuters, etc.
  - Improve Security/Safety of city users
- **People Flow Analysis / Management:** in/out-door, retail, attractions
  - Counting, tracking, Flows, ODM, sentiment, etc.,
  - multiple sources: thermal & TV cameras, radar sensors, PAX sniffers, mobile data, ...
  - Data and/or OD matrices from: Wi-Fi, traffic data, mobile phone data
  - **Suggestions:** info Tourism, digital signages, engagement, ..
- **Tourists Flows & Retail Management:** predictions of presences, services' reputations, suggestions on second offer, over-tourism, notifications, early warning,
- **KPI:** 15 MinCityIndex, energy vs people, over-tourism, accepted suggestions, precision
- **Mobile App:** final users services/informing and operators
  - Info Tourism, people flows, info mobility, sharing, ...
  - Participation, engagement, ..
- **Participatory:** problem reporting, ticketing, etc.
- **Integration of any kind:** env/weather, mobility, ticketing, presences, POI, ..



# City User Behaviour/services, Tourism and Safety (2024/8)

- **Goals:**
  - Quality of Life, quality of services, over tourism mitigation, sustainability
  - Costs reduction of services
  - Accessibility to services: citizens, Tourists, commuters, etc.
  - Security/Safety of city users
- **Solutions for Operation (monitoring, managing, mobile apps, digital signages, control rooms)**
  - Monitoring services: tickets, reputation, usages, areas, etc.
  - Monitoring user behaviour (counting, trajectories): indoor/outdoor, hot places/services, ports, beaches,
  - Computing: origin destination, trajectories, travel means, etc.
  - Early detection/warning of critical conditions, connection with Video Management Systems
  - Managing entrances in city areas: restricted areas, touristic busses, etc.
  - Production of info-tourism, recommendations, nudging to city users and operators, second offer promotion
  - Providing Virtual Assistants for City Services, Tourist Offices, etc.
  - Monitoring reputation of services via: social media, blogs, etc.
  - Collecting complains, requests, participations from City users via mobile apps
  - Computing predictions of any kind
- **Solutions for Planning (optimization and what-if analysis)**
  - Reduction of Pollutant Emissions, via optimization
  - Optimization plan to distribution of workload on multiple touristic offers/services, area cleaning, etc.
  - Predicting reputation of services, touristic and operative
- **Algorithms and computational solutions, see next slide**





# City Users Behaviour, Safety, Security and Social Analysis (2024/8)

- **People detection and classification:** persona, strollers, bikes, etc. (ML, DL)
- **people counting and tracking,** head counting, people trajectories (via thermal cameras, ML, DL)
- **People flows prediction** and reconstruction, (ML, DL)
  - Wi-Fi data, mobile apps data, Mobile Data, etc.
- **User's behaviour analysis, People flow analysis** from PAX Counters and heterogenous data sources (ML, AI)
  - origin destination matrices, hot places, time schedule,
  - Recency and frequency, permanence, typical trajectory, etc.
- **Computing User engagement and suggestions** for sustainable mobility (Rule Based, ML)
- **Social media analysis** on specific channel, specific keywords: see Twitter Vigilance,
  - Reputation, service assessment: MultiLingual NLP and Sentiment Analysis, SA
  - Tweet proneness, retweet-ability of tweets, impact guessing
  - Audience predictions on TV channels and physical events, locations
  - Prediction of attendance of events and on attractions
- **Virtual Assistant construction, LLM, NLP, Sentiment Analysis (DL, NLP)**
- **Video management System integration for security**
- **15 Minute City Index**, etc. (modeling and computability)
- Computing **SDG**, etc., (DP)
- Etc



- Prediction of people flows on the basis of Wi-Fi data
- Anomaly detection
- Resolute H2020
- Classification of city areas











# Characterizing City Areas

DISIT Firenze Wi-Fi: Access Points Clusters Coverage Map  
DISIT - Distributed Systems and Internet Technologies Lab

Firenze - Saturday November 12 2016 19:16:33

Wi-Fi based

Predicting City Areas Crowd level characterizing Users' Behaviors






# A view and data from the Thermal Camera



## Detection BOX Snap4Thermal PV Firenze Tue 15 Mar 13:30:41



# People Counting and Tracking





**11** SUSTAINABLE CITIES  
AND COMMUNITIES

**3X**



# Monitoring Passages AXIS Q1952

- Genova: Ocean Race, 2023



11 SUSTAINABLE CITIES  
AND COMMUNITIES





# Valencia, FSMLR

- **Tourism Domain**

- Counting People
- Environmental data
- Social Media

- **Dashboards**


- Monitoring and real time control
- People flow
- Twitter Vigilance

- **Historical and Real Time data**

- **Services Exploited on:**

- Dashboard

- **Since 2020**



<https://www.snap4city.org/dashboardSmartCity/view/index.php?iddashboard=MzE1MA==>




Severity  
Low (White) ▾

Status  
Waiting ▾

Reset Reset Map Filter

- Cameras >
- Hospital >
- Traffic Flow >
- Weather >



### Insert Alarm Data

Name

Kind

Severity

People Involved

Impact

### Description

Road accident in Piazza Donatello involving 2 cars.

### Creating Event

Name: Accident in P.zza Donatello  
 Kind: Road Accident  
 Severity: Yellow  
 #people: 10  
 Impact: Traffic Jam  
 Description: Road accident in Piazza Donatello involving 2 cars.  
 GPS: 43.77808930410576,11.267997622489931  
 City: FIRENZE  
 Address: PIAZZALE DONATELLO

Clear Register Event Refresh

### Show Search:

5  First << Prev 1 2 3 ... Next >> Last

device	Severity	dateObserved	status	Actions
Telecamera2_22620240916T142852693Z	Yellow	2024-09-16T14:28:52.693Z	init	
Telecamera2_22620240916T142613303Z	Yellow	2024-09-16T14:26:13.303Z	init	
evento1609_120240916T142419313Z	Orange	2024-09-16T14:24:19.313Z	init	
Evento160920240916T142139572Z	White	2024-09-16T14:21:39.572Z	init	
Telecamera1_22520240916T13252553Z	Yellow	2024-09-16T13:25:25.53Z	init	

My Profile

# Video Event Management




The screenshot shows the SNAP4CITY Event Registration web application. The interface is dark-themed and includes a top navigation bar with various utility links. The main content area is divided into several sections:

- Left Sidebar:** Contains filters for Severity and Status, a list of camera categories (Cameras, Hospital, Traffic Flow, Weather), and an EventWebCam button.
- Map:** A central map of Florence, Italy, showing the Arno river and various streets. A red location pin is placed on the map.
- Event Registration Form:** A form titled "Insert Alarm Data" with fields for Name, Kind, Severity, People Involved, Impact, and Description. A "Creating Event" section contains "Clear", "Register Event", and "Refresh" buttons.
- Event List:** A table displaying a list of registered events with columns for device ID, severity, date observed, status, and actions.

device	Severity	dateObserved	status	Actions
fireonplazgardon20231031T221304273Z	Yellow	2023-10-31T22:13:04.273Z	init	[Location Pin] [Camera Icon]
Telecamera4_22320231031T14213584Z	Yellow	2023-10-31T14:21:35.84Z	init	[Location Pin] [Camera Icon]
CarCrash20231031T134436250Z	Orange	2023-10-31T13:44:36.250Z	init	[Location Pin] [Camera Icon]
CriticalTrafficJam20231031T132718888Z	Red	2023-10-31T13:27:18.888Z	init	[Location Pin] [Camera Icon]
FloodedRoad20231031T132309212Z	White	2023-10-31T13:23:09.212Z	init	[Location Pin] [Camera Icon]

At the bottom of the page, there is a footer with "My Profile" button, "Privacy Policy", "Cookies Policy", "Terms and Conditions", and "Contact us" links, along with logos for the University of Florence, DINFO, DISIT, and SNAP4CITY.

# VMS vs Snap4City: sending and getting events, AI solutions



Node-RED



# Engaging via Mobile Apps

FROM CITY  
DASHBOARD TO  
APPLICATIONS

DATA  
AND  
KNOW  
MAN











SNAP4CITY  
AND KM4CITY  
PROJECTS

TO ADOPT  
SNAP4CITY, AND  
ROADMAP

SNAP4CITY THE  
VIEW OF THE  
ADMINISTRATORS







# Citizen Engagement/Participation via Mobile Apps


- GPS Positions
- Selections on menus
- Views of POI
- Access to Dashboards
- searched information
- Routing
- Ranks, votes
- Comments
- Images
- Subscriptions to notifications
- ....

## Produced information

- Viewed ?
- Accepted ?
- Performed ?
- ...

Users

Snap4City (C), October 2024



## Derived information

- Trajectories
- Hot Places by click and by move
- Origin destination matrices
- Most interested topics
- Most interested POI
- Delegation and relationships
- Accesses to Dashboards
- **Cumulated Scores from Actions**
- Requested information
- Routing performed
- ....










## Produced information

- Suggestions
- Engagements
- Notifications
- ...


System

# User Behavior Analyser for Collective Profiling





# To propose suggestions and Engage city user we need to know how they are moving



By Car





Walk



By BUS




Run



Artificial Intelligence  
Classification

Suggestions



# Decision Support System:

TOP

FROM CITY DASHBOARD TO APPLICATIONS

FORGING & MANAGING OPEN AND LIBRARY 3D ARCHITECTURE

TWITTER VIGILANCE SOCIAL MEDIA ANALYSIS

SNAP4CITY FOR MEMBERS

SNAP4CITY ARCHITECTURE AND

SNAP4CITY AND KM4CITY PROJECTS

# Immediate response and Tactical and Strategic Plans, via What-if Analysis, Optimization



NAP4CITY THE VIEW OF THE ADMINISTRATORS




- **Controlling Status: management, and operational**

- Monitoring via KPI
- Predictions vs KPI
- Anomaly detection
- Neuro-Symbolic analysis
- Risk assessment
- Early warning on critical conditions

- **Making plan: tactic and strategic, medium and long range, micro/macro**

- Simulation & optimization
- Generative AI Prescriptions, scenarios
- Resilience to Unexpected unknowns
- What-if analysis wrt scenarios



# Key Performance Indicators, KPI



- **United Nations Sustainable Development Goals, SDGs** (for which cities can do more to achieve some of the 17 SDGs, <https://sdgs.un.org/goals>);
- **15 minutes cities** (where primary services must be accessible within 15 minutes on foot);
- **objectives of the European Commission** in terms of pollutant emissions for: NO2, PM10, PM2.5 ([https://environment.ec.europa.eu/topics/air\\_en](https://environment.ec.europa.eu/topics/air_en));
- **SUMI: mobility and transport vs env**
  - <https://www.snap4city.org/951>
- **SUMP/PUMS: mobility and transport vs env.**
- **ISO indicators:** city smartness, digitization, tech level.
- **Low Level/Real Time:** global traffic, quality of service, betweenness, centrality, queue, time to travel, etc.

Global  
&  
Local  
  
Periodic  
&  
Realtime

Air Quality Directive				WHO guidelines	
Pollutant	Averaging period	Objective and legal nature and concentration	Comments	Concentration	Comments
PM <sub>2.5</sub>	One day			25 µg/m <sup>3</sup> (*)	99 <sup>th</sup> percentile (3 days/year)
PM <sub>2.5</sub>	Calendar year	Target value, 25 µg/m <sup>3</sup>	The target value has become a limit value since 1 January 2015	10 µg/m <sup>3</sup>	
PM <sub>10</sub>	One day	Limit value, 50 µg/m <sup>3</sup>	Not to be exceeded on more than 35 days per year.	50 µg/m <sup>3</sup> (*)	99 <sup>th</sup> percentile (3 days/year)
PM <sub>10</sub>	Calendar year	Limit value, 40 µg/m <sup>3</sup> (*)		20 µg/m <sup>3</sup>	
O <sub>3</sub>	Maximum daily 8-hour mean	Target value, 120 µg/m <sup>3</sup>	Not to be exceeded on more than 25 days per year, averaged over three years	100 µg/m <sup>3</sup>	
NO <sub>2</sub>	One hour	Limit value, 200 µg/m <sup>3</sup> (*)	Not to be exceeded more than 18 times a calendar year	200 µg/m <sup>3</sup> (*)	
NO <sub>2</sub>	Calendar year	Limit value, 40 µg/m <sup>3</sup>		40 µg/m <sup>3</sup>	



- **15 Minute City Index:**
  - 13 subindexes: energy, slow mobility, fast mobility, housing, economy education, culture and cults, health, entertainment, gov, food, security...



- Optimization of car sharing/pooling
- Monitoring and Prediction of energy consumption
- Stimulating: Bike sharing, e-bikes, car charge, etc.
- Sizing energy plants



- Predictive maintenance
- Decisions Support Systems
- Process optimization, control
- Industry 4.0 integrated solutions



- Reduction of emission, reduction of congestion
- Smart City infrastructure: monitoring and resilience, long terms predictions
- Effective and Low cost smart solutions
- What-if analysis, Simulations
- Origin Destination matrices computation



- Optimization of Waste Collection
- business intelligence tools for decision makers
- Reduction production costs
- Monitoring resource consumption



- Reduction of emission, reduction of congestion
- Monitoring and Predicting: NO2, NOX, CO2, Traffic flow, pollutant, landslide, waste, etc.
- Traffic flow reconstruction
- Demand vs Offer of Mobility analysis



- Shortening justice time
- Prediction of mediation proneness
- Assisting institution is taking legal decisions
- Anonymization and indexing legal docs.
- Ethical Explainable Artificial Intelligence

# Data Analytic Artificial Intelligence, XAI, Machine and Deep Learning

FORGING &  
MANAGING OPEN  
AND FLEXIBLE WEB  
AND MOBILE APPS

FROM CITY  
DASHBOARD TO  
APPLICATIONS

SNAP4CITY FOR  
BEGINNERS

SNAP4CITY  
ARCHITECTURE AND  
ECOSYSTEM, GUIDED  
TO DEVELOPERS  
AND STAKEHOLDERS

TWITTER  
VIGILANCE: SOCIAL  
MEDIA ANALYSIS

SNAP4CITY  
AND KM4CITY  
PROJECTS

IOT/IIOT DEVICES  
AND NETWORKS

DATA ANALYTICS,  
BUSINESS  
INTELLIGENCE  
WHAT-IF  
SCENARIO TO



HOW TO ADOPT  
SNAP4CITY AND  
FOR ADIOP

DECISION SUPPORT  
SYSTEMS AND CITY  
RESILIENCE

SNAP4CITY THE  
VIEW OF THE  
ADMINISTRATORS

ADVANCED  
SMART CITY API,  
MICROSERVICES,  
SNAP4CITY API

IOT APPLICATIONS,  
THE LOGIC AND





# Available AI Solutions on Snap4City

<https://www.snap4city.org/997>

**More than 80 Available Solutions & 300 AI applic.**

- **Mobility and Transport**
- **Environment, Weather, Waste, Water**
- **City Users Behaviour and Social analysis**
- **Energy and Control**
- **Tourism and People**
- **Security and Safety**
- **High Level Decision Support Solutions**
  - **Asset management**
  - **Resilience and Risks Analysis**
- **Low level Techniques**




[https://www.snap4city.org/download/video/DPL\\_SNAP4SOLU.pdf](https://www.snap4city.org/download/video/DPL_SNAP4SOLU.pdf)

<https://www.snap4city.org/download/video/course/p4/>


# Correcting road graphs from OSM



OSM data with non clear double bidirection lane on Viale Redi, Florence.  
Editing OSM data and present Tiles




After Corretion of OSM data defining a clear double bidirection lane on Viale Redi, Florence.  
Regeneration of the TILES for the maps







OSM data with non correct viability in Piazza Dalmazia, Firenze




**Incorrect**



After Correction of OSM data defining a correct viability of Piazza Dalmazia, Florence. Regeneration of the TILES for the maps



**Correct**



Select map

Zoom

The interface shows a map with various road segments. A settings panel on the right allows editing a road segment with the following fields:

- Scenario name: Scenario name
- Location: Location
- Scenario description: Scenario description
- ReferenceKB: Reference KB
- Save Road Graph: Yes
- Save traffic Sensors: Yes
- Save other Sensors: Yes
- From: gg/mm/aaaa --:--
- To: gg/mm/aaaa --:--
- Buttons: Save, Show Summary, Cancel

A 'Category Street' panel shows:

- Category Street: primary
- Nr.Lanes: 3
- Speed Limit (km/h):
- Direction: Positive direction
- Restrictions: Select or create restriction
- Button: Update

A 'Road Types' panel lists various types with checkboxes:

- Select All
- Unselect All
- abandoned
- corridor
- emergency\_access\_point
- motorway
- primary
- residential
- services
- traffic\_island
- secondary
- brideway
- crossing
- emergency\_bay
- motorway\_link
- primary\_link
- rest\_area
- steps
- tram
- yes
- bus\_guideway
- bus\_stop
- disused
- island
- path
- raceway
- secondary\_link
- service
- tertiary
- road
- trunk\_link
- pedestrian
- no
- private
- road
- tertiary
- via\_ferrata
- bus\_guideway
- ohm.military.Trench
- construction
- elevator
- living\_street
- platform
- razed
- track

At the bottom right, a list of properties for road elements is shown:

- identifier
- composition
- elemLocation
- elementClass
- elementType
- length
- operatingStatus
- speedLimit
- trafficDir
- width
- highwayType
- route

Edit Road Segment

New Scenario

Editing

Drag & drop

Split & Join

Delete

Do and Undo

# What-if on TFR

## Traffic Flow Analysis By Scenario

Mon 23 Sep 12:53:12

- ▶ Scenario Editor
- ▶ Some Points of Interest
- ▶ Traffic Sensors
- ▶ Air Quality Sensors
- ▶ Weather Sensors (OW)
- ▶ Bus Stops
- ▶ Tram Stops

INIT to ACC
Compute TFRS
Compute KPI
Show TFR

enrico909 2024-09-23 12:06:03 (tfr)

2024-09-23T15:00:00+02:00


KPI	Value
Total CO2 emissions [ug/m^3]	13,979.071
Total fuel consumed [l]	0.249
Traffic state objective function [#]	3.935
number of vehicles [#]	51.394
total kilometers [km]	3.886
total travel time [s]	314.575

**DISIT:OrionUNIFI:METRO1098 - VehicleFlow**
8m

**Time Series**
3m

My Profile

# Micro Simulation



# ODM, Traffic Flow

## ODM Origin Destination Matrices

**Selectornew**

- Admin Areas
- Areas or grids
- Traffic Sensors
- Traffic Flow
- Traffic Flow Manager New

**Map**

**Flow**

0-2%
2-3%
3-4%
4-5%
5-6%
6-7%
7-8%
8-9%
9-10%
10-100%

**Origin-Destination Map Controls:**


- Show all polygons: ON
- Time period: week
- Precision: municipality
- Flow: outflow
- Max Opacity: 0.6
- 2022-07-07 00:00:00

**Traffic Heatmap Controls:**

- 24H
- Max Opacity: 1
- 2023-11-01 03:00:00


<https://www.snap4city.org/dashboardSmartCity/view/Gea-Night.php?iddashboard=Mzk3Nw==>

# Origin Destination Matrix based on Mobile App data




# Mobility

- **Goals:**
  - Decongestion, Decarbonization, costs reductions
  - Improve Accessibility to services
  - Improve Security/Safety of city users
- **Operation and Plan:**
  - Traffic monitoring, prediction, reconstruction, identification of critical conditions (early warning), fleet management, dynamic routing, multimodal routing, city user behaviour analysis
- **Optimization and what-if analysis traffic light, infrastructure**
  - **Reduction:** travel time, waiting time, stops, CO2 emissions, consume fuel, travel time for tramways
- **Public Transport:** analysis of Mobility Demand vs Offer of Transportation
- **Parking Management:** monitoring, prediction, any payments, on/off-road
- **Sharing / Pooling Management:** eShare and mobile app, bikesharing, smart bike, fleet management
- **KPI:** SUMI/SUMP, travel time, emissions, traffic status, accessibility, ..
- **Mobile App:** final users and operators
  - Info Mobility, traffic reconstruction, charging, participation,
  - Parking, payments, overparking, fine reporting, ..
- **Participatory:** problem reporting, ticketing, etc.
- **Data Integration of any kind:** env, weather. Tickets, presences, POI, sat, etc.



# Mobility and Transport Domain (2024/8)


- **Goals:**
  - Decongestion
  - Decarbonization
  - Accessibility to services
  - Security/Safety of city users
- **Solutions for Operation (monitoring, managing, mobile apps, digital signages, control rooms)**
  - Monitoring traffic, parking, people flow, services, boats, ports, beaches, etc.
  - Early detection/warning of critical conditions: traffic, congestion, security/safety
  - Managing Smart Parking, transportation services, fines, etc.
  - Managing fleets: personal, sharing, waste collection, maintenance, etc.
  - Managing E-sharing, pooling services, MaaS, etc.
  - Managing entrances in city areas: restricted areas, touristic busses, etc.
  - Production of suggestions, recommendations, nudging
  - Computing predictions of any kind
- **Solutions for Planning (optimization and what-if analysis)**
  - Reduction of traffic congestion, via optimization: traffic light plans, viability, routing
  - Reduction of Pollutant Emissions, via optimization: traffic light plans, viability
  - Optimization of transportation offers wrt multimodal mobility demand
- **Algorithms and computational solutions, see next slide**





# Tools for Mobility and Transport (2024/8)

- Optimisation of viability of an area for reducing congestion, waiting time, stops
- Optimisation of Traffic Light Plans, synchronization, in an area for reducing congestion, waiting time, stops
- Predictions for: traffic flow, smart parking, smart bike sharing, people flows, etc. (ML, DL)
- What if analysis: routing, traffic flow, demand vs offer, pollutant, etc. (Simulation + ML)
- Traffic flow reconstruction from sensors and other sources (simulation + ML)
- Public Transportation: Ingestion and modelling of GTFS, Transmodel, NeTEx, etc. (DP)
  - Analysis of the **demand mobility vs offer transport** of according to public transportation and multiple data sources (Simulation)
  - Assessing **quality of public transportation** (analysis)
- Accidents heatmaps, anomaly detection (analysis, ML)
- Road light controlled by traffic conditions
- Tracking fleets, people, via devices: OBU, OBD2, mobile apps, etc. (DP)
- Routing and multimodal routing (multistop travel planning), constrained routing, dynamic routing (DA)
- Computing **Origin Destination Matrices** from different kind of data (analysis, DP, DP)
- Computing **typical trajectories** on the basis of tracks (analysis, ML)
- Fleet management, monitoring, booking, allocation, maintenance
- Computing Messages for Connected drive (DP)
- Slow and Fast Mobility **15 Minute City Indexes** (analysis, DP, ...ML)
- Computing and comparing traffic flow on devices and at the city border (analysis)
- **Typical time trends** for traffic flow and IoT Time series. (analysis, ML)
- **Impact of COVID-19** on mobility and transport
- Computing SUMI, PUMS, etc. (mainly DP)
- **Definition of Scenarios:** traffic, road graph, conditions, etc.
- Etc.




# Predictions and Heatmaps in Real Time

The screenshot displays the SNAP4CITY web application interface, titled "Computing Predictions And Heatmaps". The interface is divided into several sections:

- Left Sidebar:** A navigation menu with icons for Scenario Editor, Air quality Sensors, Weather Sensors, Traffic Sensors, OpenWeather, and Traffic Flow.
- Map Area:** A central map of Florence showing traffic sensors (red icons) and predicted traffic flow (colored lines). A "Selector - Map" panel is visible above the map, and a "Vehicle Flow" legend is on the left. The legend indicates four levels of traffic flow: Free (green), Fluid (yellow), Heavy (orange), and Very heavy (red).
- Right Panel:** A control panel with buttons for "Compute Predictions", "Compute Heatmaps", and "Show Heatmaps". It includes a "Data Update" button, a "Select a Scenario" dropdown (currently showing "paolo6"), a "Scenario Version" dropdown (showing "2024-10-11 22:46:45"), and a "Select a color map" dropdown. There are also radio buttons for "Clustered" (Yes/No) and "File" (Yes/No), and a "Model" dropdown (showing "IDW"). Date pickers for "From Date" and "To Date" are present. A "Generate Heatmap" button is at the bottom.
- Bottom Left:** A line graph titled "CongestionLevel - 4 Hours" showing traffic volume over time. The y-axis is labeled "car/h" and ranges from 0 to 1000. The x-axis shows dates from 20:00 on 13 Oct to 16:00. The graph shows a peak in traffic volume around 08:00 on 14 Oct.
- Bottom Right:** A line graph titled "Selected Trend And Predictions" showing traffic volume over time. The y-axis ranges from 0 to 800. The x-axis shows dates from 20:00 on 13 Oct to 20:00. The graph compares "METRO1128 - vehicleFlow" (blue line) and "METRO1128 - Predicted - vehicleFlow" (grey line).

# Why Dense Traffic Flow Reconstruction ?

- Making decision on mobility and transport solutions → what if analysis
- Controlling pollution
- Dynamic Routing for Firebrigade, Ambulances, general public
- Planning Public Transportation routing



<https://www.snap4city.org/dashboardSmartCity/view/index.php?iddashboard=MTc5NQ==>

# Decision Support Systems, What-if

## ○ Event planning, via what-if analysis


- Change in the graph structure of the city
- Impact on the flow of people and vehicles
- Adaptation: public transport, traffic, pedestrian management, etc.

## ○ Immediate reaction to natural events or not

- Everything is ready and updated in real time
- Each view is contextualized in terms of data: descriptive and prescriptive

## ○ Digital Twin

- More detail in the context integrated data
- Greater realism in deductions and representations
- Less fragmentation and non-uniformity in the views to support decisions





LongTerm



ShortTerm

# What-if

	analysis results of $SC_{i,T}$	Actual Traffic Flow results of $R_{T1}$
09:00		
15:00		




# What-if Analysis on Pub Transport



- Simulation / analysis of Demand and Offer of transportation
- Definition of scenarious impact on
  - Traffic, Pollutant, parking, public transport, private flows, etc.
  - KPI analysis

## Public Services



Welcome to DORAM powered by SNAP4CITY. Services: 36 on 36 available. The public transportation system has been analyzed in the City, considering the service offer vs. mobility demand. The top-thirty most crowded stops are presented on the right panel and on the map. Please, select your desired scenarios or a stop on the map to perform other analysis.

Type the stop name... Search

Stop panel

Scenario Selector

Choose a scenario: Actual scenario Load

Actual scenario: Describes the current status of the public transportation network. (More Info)

Daily Individual Trips > 52000

Stops > 1900

Residential Buildings > 31000

Service Providers > 32000

Mobility Operators > 10

Transport Modes = 3

The Most Crowded Stops

Select a time slot: 05:00 to 01:59 Search

Indipendenza Xxvii Aprile  
P.Za Indipendenza

Daily Pick-ups: 377  
Daily Drop-offs: 407  
Daily Vehicle Trips: 979

Stazione Nazionale

Daily Pick-ups: 321  
Daily Drop-offs: 358  
Daily Vehicle Trips: [unlabeled]

Welcome to DORAM powered by Services: 36 on 36 available

The public transportation system has been analyzed in the City, considering the service offer vs. mobility demand. The top-thirty most crowded stops are presented on the right panel and on the map. Please, select your desired scenarios or a stop on the map to perform other

Stop(s): *Indipendenza Xxvii Aprile, P.Za Indipendenza*

Vehicle Trips

05:00 06:00 07:00 08:00 09:00 10:00 11:00 12:00 13:00 14:00 15:00 16:00 17:00 18:00

66 87 84 64 64 60 57 56 57 62 59 61 58

48 31 21

**The Most Crowded Stops** Select a time slot: 05:00 to 01:59 Search

**Indipendenza Xxvii Aprile**

**P.Za Indipendenza**

Daily Pick-ups: 377

Daily Drop-offs: 407

People

05:00 06:00 07:00 08:00 09:00 10:00 11:00 12:00 13:00 14:00 15:00 16:00 17:00 18:00 19:00 20:00 21:00 22:00 23:00 00:00 01:00

Pick-ups

Drop-offs

Vehicle Arrival

Pick-ups/Vehicle Arrival

Drop-offs/Vehicle Arrival

● Pick-ups

● Drop-offs

Scenario Selector

Choose a scenario: Actual scenario Load

Actual scenario: Describes the current status of the public transportation network. (More Info)

Daily Individual Trips > 52000

Stops > 1900


Residential Buildings > 31000

Service Providers > 32000

<https://www.snap4city.org/odanalyzer/#b>

# Traffic Light Plan Optimization

FROM CITY  
DASHBOARD TO  
APPLICATIONS



**11** SUSTAINABLE CITIES  
AND COMMUNITIES



**MOST**  
CENTRO NAZIONALE PER LA MOBILITÀ SOSTENIBILE

<https://www.snap4city.org/1015>



# Traffic Light Plan Optimisation, Digital Twin


- **Match Multiple Objectives and Synchronization:**

- public and private traffic, tramway priority
- Micro and Macro Scales
- **AI: Genetic Algorithms, Reinforced Learning**
  - Fixed and Actuated Cycles
  - Adjusted on Demand

- **Validation/integ.** with *SUMO* simulation

- Travel Time, waiting time, waiting count
- Specific travel time on directions
- CO2 emissions, etc.

- **Reductions from 5% to 15%**



# Optimization of Traffic Light Plan

**Traffic Flow Simulation** Mon 14 Oct 19:49:48

Current Scenario: alessandrosцен...  
CANCEL PAUSE HELP  
slow fast  
Delay: 91.0 ms

**Stats**  
time: 626.000 s  
payload: 0.7 KB  
simulate: 0.43 ms  
snapshot: 0.25 ms



**Vehicle Summary**  
car(s): 8  
tram(s): 2

**Click Summary**  
Quick Find  
X,Y (float, float)  
SEARCH  
CAR BIKE TRAIN

**Widget1**  
Data Update  
AlessandroScenario29 2024-09-23 11:16:43 (acc)  
Create Microsimulation  
alessandrosценario29-20240923091643  
Run Simulation

The screenshot shows a web browser window displaying the Snap4City Traffic Flow Simulation interface. The browser tabs include 'Snap4City' and 'Dashboard Management System'. The address bar shows the URL: `snap4city.org/dashboardSmartCity/view/Gea-Night.php?iddashboard=NDI4Mg==`. The page title is 'Traffic Flow Simulation' and the date/time is 'Mon 14 Oct 19:47:07'. The interface features a central 3D simulation of a road network with several cars. On the left, there is a control panel with a 'Current Scenario' dropdown set to 'alessandroscen...', buttons for 'CANCEL', 'PAUSE', and 'HELP', a speed slider from 'slow' to 'fast' with a 'Delay: 30.0 ms' indicator, and a 'Stats' section showing simulation metrics. Below the stats is a 'Vehicle Summary' (43 cars) and a 'Click Summary' (N/A). At the bottom left, there is a 'Quick Find' search bar and vehicle type filters for 'CAR', 'BIKE', and 'TRAIN'. On the right, a 'Widget1' panel contains a 'Data Update' button, a scenario dropdown menu, a 'Create Microsimulation' button, another scenario dropdown menu, and a 'Run Simulation' button. A 'Close Controls' menu is visible over the simulation area.

# Example, main paths



# Mean Travel Time

	Traffic Load	MTTall	MTT dir_N	MTT dir_M	MTT dir_A	MTT TW Careggi	MTT TW Costanza
<b>4TW-NTNS-MWD-P</b>	1.5	3542.50	198.90	<b>242.14</b>	197.64	<b>436.00</b>	<b>427.00</b>
<b>4TW-NTNS-MWD-A</b>	1.5	<b>3242.71</b>	<b>178.33</b>	<b>243.28</b>	<b>195.79</b>	<b>436.00</b>	<b>427.00</b>
<b>4TW-NTNS-MWD-P-A</b>	1.5	<b>3242.71</b>	<b>178.33</b>	<b>243.28</b>	<b>195.79</b>	<b>436.00</b>	<b>427.00</b>
<b>2TW-NTNS-MWD-P</b>	1.5	4538.02	207.40	456.14	615.00	<b>436.00</b>	<b>427.00</b>
<b>2TW-NTNS-MWD-A</b>	1.5	3940.07	<b>179.30</b>	428.67	481.53	<b>436.00</b>	429.75
<b>2TW-NTNS-MWD-P-A</b>	1.5	4380.63	182.05	456.59	654.21	<b>436.00</b>	<b>427.00</b>
<b>SUMO Actuated</b>	1.5	3409.13	280.09	515.34	200.66	497.54	499.81
<b>Webster</b>	1.5	6474.95	465.45	441.93	210.50	1379.25	493.87
<b>WebsterAdjusted</b>	1.5	4035.08	195.82	441.09	205.66	463.87	447.06

**-5%**

**-8%**

**-45%**


**-3%**

**-6%**

**-4.5%**

**Reductions of Travel time of 3-45% and elimination of the #stops for the tramways**

**4TWD-NTNS-MWD-P-A: optimization by prioritizing traffic directions, the normalized number of vehicles stops, NTNS, the mean waiting delay MWD, for all traffic lights, and post synchronization, with Penalty and Adjust dynamically performed**



# Traffic Infrastructure Optimization

FROM CITY  
DASHBOARD TO  
APPLICATIONS

DATA GAIN  
AND CITY  
KNOWLEDGE  
MANAGEMENT

11 SUSTAINABLE CITIES  
AND COMMUNITIES



# MOST

CENTRO NAZIONALE PER LA MOBILITÀ SOSTENIBILE

TO ADOPT  
CITY, AND  
ROADMAP


• SNAP4CITY THE  
VIEW OF THE  
ADMINISTRATORS

<https://www.snap4city.org/1014>



# Traffic Infrastructure Optimisation, Digital Twin

- **Identification of Scenario**  
(Scenario Editor), any changes
  - Definition of traffic loads by flows
- **What-if or Automated Optimisation**
- **Automated Optimisation:**
  - Stochastic Relaxation, Simulated Annealing, Traffic Flow Reconstruction
  - Multiple objectives targeting
    - Travel time, emissions, fuel consumption, traffic status
  - Limiting the number of changes





# Traffic Infrastructure Optimization

☰ SNAP4CITY
Traffic Infrastructure Optimization
Mon 14 Oct 19:45:10

- ▶ Scenario Editor
- ▶ Some Points of Interest
- ▶ Traffic Sensors
- ▶ Air Quality Sensors
- ▶ Weather Sensors (OW)

Load Scenario: Init  Acc   
 Scenarios waiting to be processed: AlessandroScenario30  
 Scenario version: 2024-09-26 11:52:20  
Load Scenario Clear

Road Types:
 

<input checked="" type="checkbox"/> abandoned	<input type="checkbox"/> Select All	<input type="checkbox"/> Unselect All
<input checked="" type="checkbox"/> corridor	<input checked="" type="checkbox"/> bridleway	<input checked="" type="checkbox"/> bus_guideway
<input checked="" type="checkbox"/> emergency_access_point	<input checked="" type="checkbox"/> crossing	<input checked="" type="checkbox"/> bus_stop
<input checked="" type="checkbox"/> motorway	<input checked="" type="checkbox"/> emergency_bay	<input checked="" type="checkbox"/> disused
<input checked="" type="checkbox"/> primary	<input type="checkbox"/> highway	<input checked="" type="checkbox"/> island
<input checked="" type="checkbox"/> residential	<input checked="" type="checkbox"/> motorway_link	<input type="checkbox"/> path
<input checked="" type="checkbox"/> services	<input checked="" type="checkbox"/> primary_link	<input checked="" type="checkbox"/> raceway
<input checked="" type="checkbox"/> traffic_island	<input checked="" type="checkbox"/> rest_area	<input checked="" type="checkbox"/> secondary_link
<input checked="" type="checkbox"/> secondary	<input checked="" type="checkbox"/> road	<input checked="" type="checkbox"/> service
	<input checked="" type="checkbox"/> yes	<input checked="" type="checkbox"/> tertiary
	<input checked="" type="checkbox"/> tram	<input checked="" type="checkbox"/> tertiary_link
	<input type="checkbox"/> no	<input checked="" type="checkbox"/> unclassified
	<input type="checkbox"/> no	<input checked="" type="checkbox"/> via_ferrata
	<input type="checkbox"/> no	<input checked="" type="checkbox"/> bus_guideway
	<input type="checkbox"/> no	<input checked="" type="checkbox"/> ohm.military.Trench

INIT to ACC
Optimize Scenario
Optimization results

Data Update

deviceNameAlessandroScenario30\_2024-09-26 09:56:51

v1

Fetch Data


Optimization completed!

Objective	Before	After
Traffic State	5.28	5.1610000000000005
Fuel	0.6710494492002909	0.3491240463440088
CO2	17002.113327545154	13283.979223768334



**Before**

**After**

# Traffic Infrastructure Optimisation



# Optimization Results





Case max 4 changes	KPI estimation on the best solution		
Optimization Target	Traffic State	Fuel	CO2
Optim 4 Traffic State	<b>91.341 -21%</b>	17.964	128536
Optim 5 Fuel	91.514	<b>16.633 -35%</b>	128227
Optim 6 CO2	92.859	19.192	<b>127876 -23%</b>
Original	115.475	25.680	165822

Travel Time [s]	Path A	Path B	Path C	Path D	Total Time
Original Scenario	183.2	59.6	80.9	132.5	456.4
Optim 4 Traffic State	93.2	60.0	63.7	<b>96.0</b>	313.1
Optim 5 Fuel	89.6	<b>51.2</b>	59.7	96.4	<b>296.9</b>
Optim 6 CO2	<b>89.5</b>	53.2	<b>58.4</b>	100.1	301.3

**-51%**   **-14%**   **-28%**   **-28%**



# Environment and Waste

- **Goals:**
  - Reduction of emissions and EC taxations
  - Cost reduction for waste collection,
  - reduction of waste collection impact on mobility
- **Environment Management producing prescriptions:**
  - Monitoring and long and short-term predictions, warning for:
    - GHG, emissions, pollutants, aerosol, chemical plants analysis
    - land slide, coastal erosion (blue economy)
  - Traffic Flow impact emissions, predictions
  - What-if analysis, optimisation tools
- **Waste Management and Optimisation:**
  - costs reduction, optimal routing production, pay as you throw,
  - avoiding out of bins, predictions of waste production on bins, alarms
- **KPI:** SDG, 15MinCityIndex, QOS, costs, Km, collecting time, EC KPI, emissions
- **Mobile App:** final users services/informing and operators
  - Info Waste for operators, participation, optimal routing, RAEE Collection, ..
- **Participatory:** problem reporting, ticketing, etc.
- **Integration of any kind:** env/weather, mobility, ticketing, presences, POI, ..





# Environment, waste, land, etc., domain (2024/8)

- **Goals:**
  - Reduction of emissions and EC taxations
  - Cost Reduction for waste collection, reduction of waste collection impact on mobility
- **Solutions for Operation (monitoring, managing, mobile apps, digital signages, control rooms)**
  - Monitoring emissions, weather, waste, water, etc.: sensors, traffic, flows, ....
  - Early detection/warning of critical conditions on *emissions, weather, waste, water, fire, animals, ...*
  - Early detection/warning of critical conditions for *landslides, water flooding, beach*
  - **Smart Waste Management:** bins/lockers, waste collection daily plan, pay as you throw, PAYT, etc.
  - Short terms prediction of emissions: CO<sub>2</sub>, NO<sub>2</sub>, etc.
  - Production of suggestions, nudging
  - Computing and predicting of long terms KPI indicators of the European Commission
- **Solutions for Planning (optimization and what-if analysis)**
  - Identification of main CO<sub>2</sub>/NO<sub>2</sub> emissions locations in the city, total production from traffic
  - Reduction of Pollutant Emissions, via optimization: semaphore cycles, viability
- **Algorithms and computational solutions, see next slide**



# Tools: Environment, waste, land, (2024/8)

- **Pollutant Predictions:** short, long and very long term European Commission KPIs
  - NOX, PM10, PM2.5 pollution on the basis of traffic flow, 48 hours (ML, AI, DL)
  - Cumulated NO2 average over year (ML, AI, DL)
- **Computation of CO2** on the basis of traffic flows (DP), computing emission factor (DA)
  - each road for each time slot of the day
- **Prediction of MicroClimate** conditions for diffusion (ML, AI)
  - NO2, PM10, PM2.5, etc.
- **Prediction of landslides**, 24 hours in advance (AI, DL)
- prediction of **waste collection, & optimisation** of schedule and paths (DP, ML)
- **Heatmaps production** dense data interpolation (DP) for
  - Weather conditions: temperature, humidity, wind, DEW
  - Pollutants and Aerosol: NO, NO2, CO2, PM10, PM2.5, etc.
- **Impact of COVID-19** on Environmental aspects (DP)
- Computing **SDG, SUMI, SUMP, ..** (mainly DP)
- Etc.






# Environment and Quality of Life

## Air Quality Predictions

Cities of:  
Firenze, Pisa, Livorno



- **Multiple Domain Data**
  - Traffic Flow data, Pollutant: NOX, CO2, PM10, PM2.5, O3, ....
  - 3D City structure, weather, ...
- **Multiple Decision Makers**
  - Pollutant Predictions: NOX, NO2, ..
  - City officers, energy industries
  - Dashboards, What-IF analysis
  - Traffic Flow Reconstruction
- **Historical and Real Time data**
  - Billions of Data
- **Services Exploited on:**
  - Dashboards, Mobile App
- **Since 2020**



Pollutant	Averaging period	Air Quality Directive		WHO guidelines	
		Objective and legal nature and concentration	Comments	Concentration	Comments
PM <sub>2.5</sub>	One day			25 µg/m <sup>3</sup> (*)	99 <sup>th</sup> percentile (3 days/year)
PM <sub>2.5</sub>	Calendar year	Target value, 25 µg/m <sup>3</sup>	The target value should become a limit value from January 1, 2015	10 µg/m <sup>3</sup>	
PM <sub>10</sub>	One day	Limit value, 50 µg/m <sup>3</sup>	Not to be exceeded on more than 35 days per year.	50 µg/m <sup>3</sup> (*)	99 <sup>th</sup> percentile (3 days/year)
PM <sub>10</sub>	Calendar year	Limit value, 40 µg/m <sup>3</sup> (*)		20 µg/m <sup>3</sup>	
O <sub>3</sub>	Maximum daily 8-hour mean	Target value, 120 µg/m <sup>3</sup>	Not to be exceeded on more than 25 days per year, averaged over three years	100 µg/m <sup>3</sup>	
NO <sub>2</sub>	One hour	Limit value, 200 µg/m <sup>3</sup> (*)	Not to be exceeded more than 18 times a calendar year	200 µg/m <sup>3</sup> (*)	
NO <sub>2</sub>	Calendar year	Limit value, 40 µg/m <sup>3</sup>		40 µg/m <sup>3</sup>	


KPI of EC

## • Prediction

- **NOX** Pollutant diffusion on the basis of Traffic Flow (prediction), weather and 3D structure
- **NO2** progressive average (Long term)


## • Project:

- Trafair CEF EC
- Mixed solutions of Fluidinamics modeling and AI






# Estimating City Local CO2 from Traffic Flow Data



Computing Traffic Flow  
into CO2 sensor area



Traffic Flow data

- Traffic Flow is one the main source of CO2 (**ton of CO2 x Km x Vehicle**)
  - **K1: Fluid Flow**
  - **K2: Stop and Go**
- **Dense estimation of CO2 into the city** is very useful to know to target EC's KPIs

Computing CO2 on the basis of  
traffic flow data



CO2 estimation




S. Bilotta, P. Nesi, "Estimating CO2 Emissions from IoT Traffic Flow Sensors and Reconstruction", Sensors, MDPI, 2022. <https://www.mdpi.com/1424-8220/22/9/3382/>

# Predicting Air Quality



- European Air Quality Directive
- Predicting critical days
  - PM10 with an accuracy of more than 90% and precision of 85%;
  - PM2.5 with an accuracy of 90% and precision greater than the 95%.
- Simulating Long terms values
  - For long terms predictions

Air Quality Directive				WHOguidelines	
Pollutant	Averaging period	Objective and legal nature and concentration	Comments	Concentration	Comments
PM <sub>2.5</sub>	One day			25 µg/m <sup>3</sup> (*)	99 <sup>th</sup> percentile (3 days/year)
PM <sub>2.5</sub>	Calendar year	Target value, 25 µg/m <sup>3</sup>	The target value has become a limit value since 1 January 2015	10 µg/m <sup>3</sup>	
PM <sub>10</sub>	One day	Limit value, 50 µg/m <sup>3</sup>	Not to be exceeded on more than 35 days per year.	50 µg/m <sup>3</sup> (*)	99 <sup>th</sup> percentile (3 days/year)
PM <sub>10</sub>	Calendar year	Limit value, 40 µg/m <sup>3</sup> (*)		20 µg/m <sup>3</sup>	
O <sub>3</sub>	Maximum daily 8-hour mean	Target value, 120 µg/m <sup>3</sup>	Not to be exceeded on more than 25 days per year, averaged over three years	100 µg/m <sup>3</sup>	
NO <sub>2</sub>	One hour	Limit value, 200 µg/m <sup>3</sup> (*)	Not to be exceeded more than 18 times a calendar year	200 µg/m <sup>3</sup> (*)	
NO <sub>2</sub>	Calendar year	Limit value, 40 µg/m <sup>3</sup>		40 µg/m <sup>3</sup>	




# Predicting EC's KPI on NO2 months in advance

Deep Learning Long Terms Predictions of NO2 mean values, From 30 to 180 days in advance



The features used as input for the predictive models are:

- **Month**
- **dayOfTheYear**
- **NO2**
- **Tmean**
- **Humidity**
- **windMean**
- **NoxDomestic**
- **numberOfVehicles**
- **NO2cumulated**
- **NO2progesseveMean**
- **numberOfVehiclesCumulated**



Pollutant	Averaging period	Air Quality Directive		WHOguidelines	
		Objective and legal nature and concentration	Comments	Concentration	Comments
PM <sub>2.5</sub>	One day			25 µg/m <sup>3</sup> (*)	99 <sup>th</sup> percentile (3 days/year)
PM <sub>2.5</sub>	Calendar year	Target value, 25 µg/m <sup>3</sup>	The target value has become a limit value since 1 January 2015	10 µg/m <sup>3</sup>	
PM <sub>10</sub>	One day	Limit value, 50 µg/m <sup>3</sup>	Not to be exceeded on more than 35 days per year.	50 µg/m <sup>3</sup> (*)	99 <sup>th</sup> percentile (3 days/year)
PM <sub>10</sub>	Calendar year	Limit value, 40 µg/m <sup>3</sup> (*)		20 µg/m <sup>3</sup>	
O <sub>3</sub>	Maximum daily 8-hour mean	Target value, 120 µg/m <sup>3</sup>	Not to be exceeded on more than 25 days per year, averaged over three years	100 µg/m <sup>3</sup>	
NO <sub>2</sub>	One hour	Limit value, 200 µg/m <sup>3</sup> (*)	Not to be exceeded more than 18 times a calendar year	200 µg/m <sup>3</sup> (*)	
NO <sub>2</sub>	Calendar year	Limit value, 40 µg/m <sup>3</sup>		40 µg/m <sup>3</sup>	

## Waste Manager:

- **Collects and monitors data** from bins (status, temperature, and a number of alarms, etc.) and trucks (weights collected, when possible) according to differentiated waste collection;
  - Interoperable with different waste bin sensors and lockers.
  - Monitor waste bin status including alarms of critical conditions notified from the citizens, and/or detected by sensors such as: fire, up-side-down, hurts, too filled, run out of battery, errors, etc. (some of these events can be enabled on the basis of the sensors positioned to the bin)
- **supports of policies** as Pay As You Throw, PAYT, provided that the bins are controlled with fobs, NFC, rfid, etc.
- **promoting citizen engagement/participation**, to help cities optimize their waste management practices and move towards a more sustainable future. The engagement is especially addressed to the city commercial operators which have special need in providing a large amount of waste (such as restaurants, fast food, bars, and shopping centers). <https://www.snap4city.org/1018>
- **Reduce costs:** optimize waste collection and management in urban environments
  - identify the bins that risk to become full in advance (using predictive technologies based on AI, Deep Learning).
  - Computer the optimal path for waste collection provided to map on mobiles, reduction of costs for waste collection.
  - dashboards provides statistics and forecast.
- **Custom user interface** and theme can be defined for each municipality as usual on Snap4City.

# Smart Waste – Map view



☐

## Smart Waste Management

Thu 5 May 11:14:28

Select the bins Kind, Fullness and Status from the dropdown below and press SUBMIT to see the results on the map.

Kind:  Status:

Fullness:

Address:

Group ID:

VALUE NAME: F167898									
DETAILS		DESCRIPTION		RT DATA					
Last update: 2022-02-28 12:46:12.899Z									
Description	Value	Buttons							
dateObserved	2022-02-28T12:46:12.899Z	Last value	Last 4 hours	Last 24 hour	Last 7 days	Last 30 days	Last 6 month	Last 1 year	
generic	[SURI id]	Last value	Last 4 hours	Last 24 hour	Last 7 days	Last 30 days	Last 6 month	Last 1 year	
glass	[SURI id]	Last value	Last 4 hours	Last 24 hour	Last 7 days	Last 30 days	Last 6 month	Last 1 year	
metal	[SURI id]	Last value	Last 4 hours	Last 24 hour	Last 7 days	Last 30 days	Last 6 month	Last 1 year	
organic	[SURI id]	Last value	Last 4 hours	Last 24 hour	Last 7 days	Last 30 days	Last 6 month	Last 1 year	
paper	[SURI id]	Last value	Last 4 hours	Last 24 hour	Last 7 days	Last 30 days	Last 6 month	Last 1 year	
plastic	[SURI id]	Last value	Last 4 hours	Last 24 hour	Last 7 days	Last 30 days	Last 6 month	Last 1 year	

Smart waste bins status

ORGANIC	PAPER	METAL	PLASTIC	GLASS	GENERIC
89 %	100 %	100 %	62 %	83 %	65 %

Via\_Del\_Medici: ORGANIC fullness

[Privacy Policy](#) [Cookies Policy](#) [Terms and Conditions](#)

Search bins on map by filtering per:

- **Kind** (All, generic, plastic, paper, glass, metal, organic)
- **Status** (Active, Not Active)
- **Fullness** (Full, Half-full, Empty)
- **Address**
- **Group of bins** (by GroupID)

- Reduction of costs for waste collection
  - Optimization of waste collection for the next day, forecast
  - Production of rides and paths for the drivers on waste collection
- Operator:
  - Refine a search by using the filters on the left side
  - Click on a waste bin pin on the map:
  - A popup with real time data is shown
  - The fullness status of the selected group of bins is shown in the synoptic below the map
  - Specific fullness weekly trends are shown below the map
  - Click on the «Table view» button to access the other dashboard





**Trajectorywaste2** Fri 17 May 18:34:15

Selector - Map

DISIT:orionUNIFI:113043.960\_485172.926-Rest

Please select a date: 02/09/2020

Please select a ride among: 3

DISIT-OrionUNIFI:114985.283\_488088.814-Rest - Weight 8m

**Trajectorywaste2** Fri 17 May 18:34:37

Selector - Map

DISIT:orionUNIFI:113043.960\_485172.926-Rest

Please select a date: 02/09/2020

Please select a ride among: 3

DISIT-OrionUNIFI:114985.283\_488088.814-Rest - Weight 7m

**Trajectorywaste2** Fri 17 May 18:30:58

Selector - Map

DISIT:orionUNIFI:113043.960\_485172.926-Rest

Please select a date: gg/mm/yyyy

Please select a ride among: 3

**116977.080\_488279.962-REST**  
 VALUE NAME: 116977.080\_488279.962-REST

DETAILS DESCRIPTION RT DATA

Last update: 2021-12-04 10:10:34.000+01:00

Description	Value	Buttons
dateObserved	2021-12-04T09:10:34.000Z	Last 4h 24h 7d 30d 6m 1y 2y 10y
weight	215	Last 4h 24h 7d 30d 6m 1y 2y 10y




Keep data on target widget(s) after popup close:

Weight - 10 Year 9m





# City Energy and Buildings

- **Goals:**
  - Energy consumption reduction, increment of efficiency,
  - Areas and building sustainability
  - Improve accessibility to services, security and safety
- **Energy Monitoring:** Building, floors, rooms, recharging poles, cabinets, Community of Energy, Data centers, Energy for Hot / cold, air condition, energy vs temperature and usage, etc.
- **Energy Management:** Predictions, early warning, identification of critical conditions
- **Smart Light Management:** LED/mixt, cabinets, lights vs traffic, lights vs security, energy saving, luminaries profiling, group management.
- **Smart Building Management:** consumption, number of people, etc.
  - Communities of Energy, Photovoltaic plants, sustainability
  - What-if analysis, optimisation tools
- **KPI: Energy consumption, efficiency, pros/cons**
  - Light profiling and adaptation
  - Autoclave industrial plants simulation, Photovoltaic plant simulation
  - consumption / usage, energy vs temperature
- **Mobile App:** monitoring, info-recharge, eSharing, booking, ..
- **Participatory:** problem reporting, ticketing, etc.
- **Integration of any kind**



# Snap4Building Domain (2024/8)



- **Goals:**
  - increase efficiency, cost reduction, sustainability
  - Accessibility to services, Security/Safety
- **Solutions for Operation (monitoring, managing, mobile apps, digital signages, control rooms)**
  - Monitoring: usage, energy, environmental conditions, people flows, services, etc.
  - Early detection/warning, alarm, of critical conditions, notifications, decision support
  - Production of suggestions/prescriptions, nudging
  - Managing smart services: cabinets, dispenser, lockers, etc.
  - Global and local 3D/2D representations of area and buildings
  - Integration with Video Management Systems
  - Computing predictions of any kind
- **Solutions for Planning (optimization and what-if analysis)**
  - Reduction of energy costs via optimization
- Algorithms and computational solutions, see next slide









# Smart Buildings, Snap4Building (2024/8)

- **Digital Twin for monitor, control and manage distributed infrastructures**
  - 2D/3D representations of the whole set of buildings, BIM modeling
  - Entities (building, floors, rooms, parking, charging stations, gates, etc.) with their shapes and descriptors, and data monitoring the allocation to office, meeting, cafeteria, storage, stairs, elevator, etc.
- **Monitoring and computing KPIs on real time for**
  - **energy** consumed or produced (hot/cold), **parking**, **logistic**, **presences**, **cleaning**, **air quality**, **departments**, **subareas**, **maintenance**, etc.
  - **allocation/designation**, **dispositions**, **heating**, **cooling**, **temperature**, **equipment**, etc.
  - **grouped in Zones**



Ciao roottooladmin!

Tue 3 May 14:37:14




## DIDA DATA 2 - NEWGUI

**7** AFFORDABLE AND  
CLEAN ENERGY

**11** SUSTAINABLE CITIES  
AND COMMUNITIES

to see BIM log as user: info@disit.org, passwd: guest

### BIM SANTA VERDIANA



<https://www.snap4city.org/dashboardSmartCity/view/index.php?iddashboard=MzI4OA==>

Building / Floor / Parking:

Building

All / Single Building:

All

Variable:

occupancy

Popup on Shape Click

Add To Map



ISPRA Site



- Date Observed: 10/23/2023, 12:30:01 PM
- Capacity: 2936 #
- Allocation: 1995 #
- Occupancy: 883 #
  - DAC: -941 #
  - DOA: -1112 #
  - DOC: -2053 #
  - PAC: 67.95 %
  - POA: 44.26 %
  - POC: 30.07 %
- Energy Hot: 4473978 kWh
- Energy Cold: 916361 kWh
- Power Hot: 36 kW
- Power Cold: 0 kW

Ispra - Occupancy 8m

883

Ispra - Occupancy

8m



person My Profile

# Floor Details

## ISPRA JRC Site

### Ispra Floor, Zone And Room Details

Fri 6 Oct 18:41:54

**Allocation Number**

- >50
- 25-50
- 13-25
- 5-13
- 0-5

Floor PT of Building 58A

- Date Observed: 10/6/2023, 6:30:02 PM
- Capacity: 37
- Allocation: 31
- Occupancy: 1
  - DAC: -6 #
  - DOA: -30 #
  - DOC: -36 #
  - PAC: 83.78 %
  - POA: 3.23 %
  - POC: 2.7 %

See Trends  
Select a Zone metric: Allocation

### Building 58A PT Trends

Mon 9 Oct 13:51:30

**Actual** 4m

**Capacity - Allocation - Occupancy** 4m

**Organization: Orion-1: Floor2\_58A\_PT - Occupancy** 9m

Temp. 9m

21.7



°C

**Percentage Per Zones - Monthly Time Trend Comparison** 4m

**Occupancy Per Zones - Monthly Time Trend Comparison Stacked** 4m


# Energy Domain (2024/8)

- **Goals:**
  - Energy consumption reduction, increment of efficiency, sustainability
  - accessibility to services
- **Solutions for Operation (monitoring, managing, mobile apps, digital signages, control rooms)**
  - Monitoring energy consumption (heating, cooling, prod,...), conditions, charging stations, etc.
  - **Managing Smart Light** for city: dimering, programming, traffic control, controllers, legacy, etc.
  - Early detection/warning, alarm, of critical conditions
  - Managing smart services: cabinets, lockers, etc.
  - Production of suggestions, nudging
  - Global and local 3D/2D representations of area and buildings
  - Managing Communities of Energy, certification via Blockchain
  - Computing predictions of any kind
- **Solutions for Planning (optimization and what-if analysis)**
  - Reduction of energy costs, via optimization
  - Identification of roofs with better orientation
  - Optimization of battery storage size for PV plants
  - Community of Energy planning and viability
- **Algorithms and computational solutions, see next slide**



# Tools: Energy Domain (2024/8)

- Monitoring Energy Consumption in single building, area and per zone
- Smart Light management, unicast and multi cast management, smart light controlled by traffic flow data
- Monitoring Energy provisioning on recharging station
- Matching Energy consumption with respect to the actual usage
- Computing Roof orientation for Photovoltaic installations
- Optimisation of Photovoltaic installations to identify the best parameters of size and storage
- Collecting and managing Communities of Energy
- Computing KPI
- Etc.





# Cabinets On Stockholm By Capelon

Tue 31 Oct 22:53:17



Capelon Cabinet (iot-search)

Ac...9m ActualState0Count - St... 9m

12

Radars Series 4m

● CCabinet\_9ee9e983-e4fb-33c9-9562-2d99cb48a4fa




My Profile

Privacy Policy Cookies Policy Terms and Conditions Contact us

Tin Maps Google Gmail YouTube Nuova scheda


ASM Merano Stadtwerke Merano

Elenco lampade Visualizzazione dati Log eventi Grafici Impostazioni



N. Punto Luce	11307
DevEui	7083D58F100085D7
Via	RomStraÙe
Regolazione	
Ore di servizio	
Conta energia	
Potenza attuale	
Stato	Inattivo
Nome errore	null
RSSI	
SNR	
Data	01/11/2023 12:01:18

Regolazione




# Smart Light Management

# Smart Light in Merano



## Merano - tutti i servizi


Wed 13 Dec 15:34:57



© OpenStreetMap contributors



- **Field-tested energy community: the self-consumer condominium**
- The Self User project creates in the pilot condominium, through the collection and analysis of data, a model for calculating and enhancing the impact of an energy community on a community of people, with a view to actions to combat energy poverty



BI-CSBL

<https://www.selfuser.it>

<https://www.snap4city.org/dashboardSmartCity/view/Baloon.php?iddashboard=MzczNg==>

Ciao roottooladmin!

Sat 11 Nov 17:26:28


## ONLINE PHOTOVOLTAIC SYSTEM SIMULATOR

User Manual

Italian Version


### TOTAL COSTS OVER THE INVESTMENT YEARS

599m




### TOTAL COSTS OVER YEARS DECOMPOSED IN COSTS AND INCOMES

599m



### BREAK EVEN TREND FOR THE DIFFERENT KIND OF PLANTS

599m



### PARAMETERS OF YOUR PV PLANT

We suggest you PV plus battery of 2.4 kWh

Annual Consumption

Price of energy sold (€/kWh)

Price of Energy Acquired (€/kWh)

Years of Investment

Months for typical trends

Compute


7 AFFORDABLE AND  
CLEAN ENERGY



## Green and Data Driven District @ MIND

Aggregated KPI JuicePark SmartPole CityAnalytics

POI - OD POI - PRESENZE POI - PRESENZE (TS) ACE - PRESENZE ACE - PRESENZE (TS)



Privacy Policy Cookies Policy Terms and Conditions

## Green and Data Driven District

Aggregated KPI JuicePark SmartPole CityAnalytics

### Enel X Smart Pole

#### Detailed KPIs

<b>Videoanalysis</b>	
People counted daily:	0
People counted to date:	0
People aggregation daily:	0
People aggregation to date:	0
Vehicle counted daily:	0
Vehicle counted to date:	21

<b>Power meter</b>	
Daily energy consumed:	9.024 kWh
Energy consumed to date:	27.341 kWh
Daily energy produced:	1.405 kWh
Energy produced to date:	4.252 kWh

<b>WiFi</b>	
Max number of connected devices in the last day:	0
Hourly average connected devices:	####

<b>eBike</b>	
Daily number of sessions:	0
Number of sessions to date:	0
Total Energy consumed:	0
Average energy consumed:	0
Last charger session:	17/06/2022 11:25

<b>Emergency</b>	
SOS requests to date:	0
SOS request daily:	0
AED requests to date:	0
AED requests to daily:	0

Privacy Policy Cookies Policy Terms and Conditions



## Green and Data Driven District

Aggregated KPI JuicePark SmartPole CityAnalytics

#### Detailed KPIs

<b>Videoanalysis</b>	
Vehicle parked daily:	8
Vehicle parked to date:	87
Vehicle count daily:	24
Vehicle count to date:	520

<b>Power meter</b>	
Energy consumed daily:	0 kWh
Energy consumed to date:	0 kWh
Energy produced daily:	0 kWh
Energy produced to date:	0 kWh

<b>WiFi</b>	
Max number of connected devices in the last day:	0
Hourly average connected devices:	####

<b>Emergency</b>	
SOS Requests to date:	0
SOS request daily:	0

<b>EV charged</b>	
Number of sessions daily:	0
Number of sessions to date:	0
Total Energy consumed:	0
Average energy consumed:	0
Last charger session:	0

Privacy Policy Cookies Policy Terms and Conditions



7 AFFORDABLE AND CLEAN ENERGY





11 SUSTAINABLE CITIES AND COMMUNITIES



# Assets Control Domain (2024/8)

- Goals:
  - Costs reduction, increase service availability, risk reduction
  - Quality Level
- Solutions for Operation (monitoring, managing, mobile apps, digital signages, control rooms)
  - Monitoring :
    - Assets:** switches, Wi-Fi, servers, UPS, sensors, building, TV Cams, etc.
    - Energy:** consumption, operative conditions, UPS continuity, etc.
    - Production:** continuous serviceability analysis
    - Etc.
  - Early detection/warning, alarm, of critical conditions
    - Multichannel** Event reporting, notifications: email, Telegram, mobile apps, SMS, etc.
  - Managing maintenance operation, predictive maintenance
  - Computing predictions of any kind
- Solutions for Planning (optimization and what-if analysis)
  - Reduction maintenance costs, reduction of critical SLA conditions, improve service level
- Algorithms and computational solutions, see next slide






# Monitoraggio Generale

Fri 2 Feb 17:08:24

- CameraModelP1448-LE
- UpsModelRiello
- UpsModelSeltec
- SwitchModelMicrosense
- SwitchModelNetonix




**Legenda**

Valore	Significato	Simbolo
0	Buono stato	●
1	Non raggiungibile	●
2	Raggiungibile, dati non disponibili	●
3	Identificata anomalia	●




## Telecamere Cuneo

Thu 28 Mar 11:18:02





## Conteggi Telecamere



Powered by SNAP4Tech

# Data Center monitoring




# GeNotiLab Architecture for ALTAIR



**Analytical Data from the product quality Lab(LIMS/SAM)**

Sample ID	Parameter	Value	Unit	Status
ALTAIR-001	Moisture	12.5	%	OK
ALTAIR-002	Moisture	15.2	%	Warning
ALTAIR-003	Moisture	18.7	%	Alert
ALTAIR-004	Moisture	20.1	%	Alert
ALTAIR-005	Moisture	22.3	%	Alert
ALTAIR-006	Moisture	25.8	%	Alert
ALTAIR-007	Moisture	28.4	%	Alert
ALTAIR-008	Moisture	30.9	%	Alert
ALTAIR-009	Moisture	32.1	%	Alert
ALTAIR-010	Moisture	35.6	%	Alert



Users  
Analysis  
Notifications



IOT App Analytics

Dashboards



IOT App Management

- Tools:
- List of Chemical Analyses
  - List of Notifications
  - Define notifications
  - Program, send notifications
  - see notification status



IOT App Vs Telegram



Telegram Bot



TOP

# Industry Domain predictive maintenance





# Industry production Domain (2024/8)

- Goals:
  - Cost reduction, increase control on production
  - Production optimisation
  - Quality Level
- Solutions for Operation (monitoring, managing, mobile apps, digital signages, control rooms)
  - Monitoring KPI: administration, production, commercial, faults, etc.
  - Early detection/warning, alarm, of critical conditions
    - **Multichannel** Event reporting: email, Telegram, mobile apps, SMS, etc.
  - Managing maintenance operation
  - Computing predictions on KPI
  - Computing predictive maintenance
- Solutions for Planning (optimization and what-if analysis)
  - Generative AI and predictive AI for production plan optimisation
  - Reduction maintenance costs, reduction of critical SLA conditions, improving quality level
- Algorithms and computational solutions, see next slide

**Closing the loop** SNAP4CITY

Map and 3D BIM modelling to:  
-- represent the details  
-- associate physical elements with data

Historical and Real Time Data  
Synoptics for real time monitoring

Business Intelligence Maintenance

Explainable AI to map critical values of devices and detection to physical elements in the plant

<https://www.snap4city.org/dashboardSmartCity/view/index.php?idashboard=MzA1NA==>

Snap4City (C), August 2024

**Sinottico Impianto Presse - Autoclave**

Stato Presse: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20

Stato autoclave: USCITA\_PRESSIONE, INGRESSO\_VALVOIE, TEMP\_MOTORE\_VALVOIE


Tempo Vulcanizzazione Presse, Temperatura Sottile Presse, Pressione Presse, Temperatura Plant Presse

NOME RICETTA: Cassia macinata senza latte


Mon 4 Oct 15:34:59

© 2024 DINFO, DISIT, SNAP4CITY

# Workflow for Ticket management




Consumptions/productions





Events/actions

Business Intelligence  
Maintenance

Dashboards and actions





OpenMaint: BPM Workflow management, team assignment, material control, ...



IOT App, Data event firing, event detection and firing  
Critical event management



# Closing the loop




Map and 3D BIM modelling to:  
-- represent the details  
-- associate physical elements with data

## Historical and Real Time Data

## Synoptics for real time monitoring




Explainable AI to map critical values of devices and detection to physical elements in the plant



<https://www.snap4city.org/dashboardSmartCity/view/index.php?iddashboard=MzA1NA==>

TOP

# Autoclave Cycle Energy Optimisation









# PINN: Physically Informed Neural Networks Models

- **Solving Navier-Stokes PDE** (partial differential equations) equation, **via PINN** approach
  - Reduction of computing costs for simulating load effect into the autoclaves curing process
  - Validation wrt Open Foam
  - Precision on steady and transitory cases
  - Definition of Transfer Learning techniques
- Videos on <https://www.snap4city.org/1010>



# Comparison of PINN vs OpenFoam and error



## Sinottico Impianto Presse - Autoclave

**Stato Presse**

**Select Pressa**  
PRESSA 6

Press to update the list

**Status**  
NO STATUS

**Tempo Vulcanizzazione Pressa**

Organization:iotobsf:Pressa\_6 - tempoVulc

**Tempo Preriscaldamento Pressa**

Organization:iotobsf:Pressa\_6 - tempoPresic

**Temperatura Settore Pressa**

Organization:iotobsf:Pressa\_6 - settTemp

**Pressione Pressa**

Organization:iotobsf:Pressa\_6 - actPress

**Temperatura Piani Pressa**

**Stato autoclave**

USCITA\_PRESSIONE: 100 %  
INGRESSO\_VAPORE: 0 %

TEMP\_MOTORE\_VENT: 27.1 °C

Internal pressure: 0.027999997 BAR

Air Temp.: 28.666666 °C  
SP Air Temp.: 0 °C

Hitc Temp.: 27 °C  
Lotc Temp.: 27 °C

Motor: 0 A, 0 rpm, 0 kW

TEMP\_RAFFREDDAMENTO: 27.7 °C

NOME RICETTA: Cilindri ebanite aria calda

- Main Dashboard
- Autoclave db - Weekly
- Autoclave KPI - Weekly
- Impianto Presse - Weekly
- OpCuaValues - Weekly
- OpCuaValues and rison




<http://dashboard/dashboardSmartCity/view/index.php?iddashboard=MTk=>

<https://www.snap4city.org/944>

# Developing on Snap4City

1st part	2nd part	3rd part	4th part	5th part	6th part	7th part	8th
Overview	Dashboards	IOT App, IOT Network	Data Analytics	Data Ingestion processes	System and Deploy Install	Smart City API: Web & Mob. App	Design and Develop Smart Solutions

FROM CITY DASHBOARD TO APPLICATIONS

DATA AND KNOWLEDGE MANAGEMENT

FORGING & SHAPING SMART CITIES AND IOT APPS

IOT APPLICATIONS VS IOT EDGE DEVICES

TWITTER VIGILANCE: SOCIAL MEDIA ANALYSIS

SMART CITY ARCHITECTURE AND ECOSYSTEM, OPENED TO DEVELOPERS AND STAKEHOLDERS

SNAP4CITY AND KM4CITY PROJECTS

OPT AND API

SNAP4CITY THE VIEW OF THE ADMINISTRATORS



# Snap4City Developers ? Who they are?

- **Operators of the City on:** mobility and transport, environment, energy, tourism, safety, etc. Typically they work on
  - **Operation:** load data, monitor conditions via dashboards, receive multimodal early warning, act on ticketing systems, etc.
  - **Planning:** solving they problems via optimization tools provided
- **Integrators and Researchers.** Typically they:
  - **exploit tools and AI/XAI of Snap4City** for implementing advanced solutions, which remain of their Property Right
  - **develop new:** AI/XAI solutions, applications and tools which remain of their Property Right
- **Living Lab support and Development Support**

<https://www.snap4city.org/944>

*On Line Training Material (free of charge)*



1st part	2nd part	3rd part	4th part	5th part	6th part	7th part	8th
Overview	Dashboards	IOT App, IOT Network	Data Analytics	Data Ingestion processes	System and Deploy Install	Smart City API: Web & Mob. App	Design and Develop Smart Solutions


# Snap4City Training vs Targets/goals

- **Estimate Indicators: P1, P2, P3, P4, P5**
  - IoT App/Proc.Logic JavaScript, Data Analytics, Dashboards to see data and results
- **Load additional data: P1, P2, P3, P5**
  - IoT App/Proc.Logic JavaScript, IoT Directory, ServiceMap, advanced interoperability, Dashboards to see them
- **Performing AI/XAI on accessible data: P1, P2, P3, P4, P5 (P8)**
  - IoT App/Proc.Logic JavaScript, ServiceMap, ASCAPI, Python, Dashboards to see data/results
- **Developing Business intelligence: P1, P2, P3, P7, P8**
  - IoT App/Proc.Logic JavaScript, Dashboards to see them, ASCAPI, CSBL for making them intelligent, JavaScript
- **Developing Web and Mobile Apps: P1, P2, P3, P7, P8**
  - ServiceMap, ASCAPI, Dashboards
- **Deploy, install, test and management: P1, P2, P3, P6**
  - IoT App/Proc.Logic JavaScript, ServiceMap, Dashboards to see them

# Development

<https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle.pdf>



## Development Life-Cycle

<https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle-v1-1.pdf>


### From Snap4City:

- We suggest you to read the **TECHNICAL OVERVIEW**:
  - <https://www.snap4city.org/download/video/Snap4City-PlatformOverview.pdf>
- <https://www.snap4city.org>
- <https://www.snap4solutions.org>
- <https://www.snap4industry.org>
- <https://twitter.com/snap4city>
- <https://www.facebook.com/snap4city>
- <https://www.youtube.com/channel/UC3tAO09EbNba8f2-u4vandg>

**Coordinator:** Paolo Nesi, [Paolo.nesi@unifi.it](mailto:Paolo.nesi@unifi.it)

DISIT Lab, <https://www.disit.org>  
DINFO dept of University of Florence,  
Via S. Marta 3, 50139, Firenze, Italy  
Phone: +39-335-5668674

# Technical Architecture



# Visual Development Tools



My IOT Sensors and Actuators

Add My New Device

Entities/Devices Management

ID	NAME	TYPE	STATUS	LOCATION
...	...	...	...	...

Service Map (Toscana)

Data Inspector

My Dashboards in My Organization

3D MAP GLOBAL DIGITAL TWIN - NEWGUI

Client-Side Business Logic - Test

FIRENZE - TRAFFAIR - AIRQUALITY HEATMAPS - NEWGUI

Proc.Logic / IoT App

My Data Dashboard Dev Kibana

Jupyter2-(775) Hub - Python

Custom Widgets / Synoptics

ISMinindex

Inspector managers

Service M


Third parties solutions

A&A, SSO, Blockchain, Resource Managers and Sharing: IoT App, Data Analytics




# Agile Development Life Cycle by sprint

## Smart Solutions



# Development Life Cycle Smart Solutions






# Snap4City Tools

vs

# Development Life Cycle



Ciao roottooladmin!


Wed 14 Feb 22:40:02

## FIRENZE - TRAFAIR - AIRQUALITY HEATMAPS - NEWGUI


This dashboard contains data derived from actual sensors and predictive values under validation



- U3 Heatmap
- NO2 Heatmap
- Europ. AQI Heatmap
- Air Humidity Heatmap
- Air Temp. Heatmap
- Wind Speed Heatmap
- Gral Pred. HM NOX (3m)
- Gral Pred. HM NOX (6m)
- Traffic Sensors
- Traffic Flow



- Firenze Air quality trends
- Firenze GRAL Scenario
- TraFair Main Dashboard



<https://www.snap4city.org/dashboardSmartCity/view/Baloon-Dark.php?iddashboard=MzQyMw==>

Select map

Zoom

The screenshot shows the Scenario Editor interface. On the left, there are controls for 'Select map' and 'Zoom'. The main area displays a map with various road segments, some highlighted in blue and green. A 'New Scenario' dialog is open, allowing users to create a new scenario with fields for name, location, description, and sensor settings. Below the map, there is a 'Road Types' list with checkboxes for various road categories like 'abandoned', 'bridleway', 'bus\_guideway', etc. On the right, a 'Properties of Road Elements' table lists attributes such as 'identifier', 'composition', 'speedLimit', and 'route'.

Edit Road Segment

New Scenario

Editing

Drag & drop

Split & Join

Delete

Do and Undo

## ScenarioBuilder

Tue 12 Mar 15:53:34

Call the Scenario Editor

Some Points of Interest


Load Scenario:  Init  Acc  TDM

Scenarios waiting to be processed: FDSA

- Show Road graph
- Show Traffic Sensors
- Filter by road types


© OpenStreetMap contributors

# The actual Scenario Exploitation




Defining Context via Editing Scenario:

- Select area and data
- Editing roads, POI, IoT entities, ..
- Save/load, share
- Change status



A Scenario includes:

- Metadata
- Status and versions, date time
- Period of validity
- Road graphs, cycling, pedestrian seg.
- List of data, sensors
- Etc.




Computing in the Scenario Context as:

- KPI, Metrics, SUMI, SUMP, 15MinCity Index
- Heatmaps
- OD Matrices
- Traffic Flow reconstructions
- Predictions
- Routing, constrained routing
- Early Warnings
- Etc.

ReLoading Scenario in JavaScript

- Evolve Scenarios
- Use Scenario to context the Data Analytics: R Studio, Python for computing



# What you can do with advanced tools

- Basic Scenario editor
  - Single and multiple blocked areas, which can be share among users
- What-if analysis tool
  - Ready to use tools for exploiting Basic Scenarios as blocked areas and simulating/computing in real time routing, in different traffic conditions
- Advanced Scenario Editor
  - Create complex and full detailed scenario, with road graph, sensors, of any kind, even new roads, restrictions, parameters, etc.
  - Exploit these scenarios to create
    - Simulation
    - Business intelligence tools and visual/business analytic tools also working in eal time
    - Traffic flow reconstruction
    - Traffic infrastructure optimisation
    - Traffic light plan optimization
    - Pedestrian analysis and simulation
    - Match demand vs Offer, simulation and analysis
    - Computation of SUMI, SUMP, 15 Min City Indexes, etc.
    - Heatmaps computation
    - Etc. etc.

## Part 2: Dashboard production and management

Part 2: Dashboards  
production and  
management







[SLIDES](#)

[Interactive Slides](#)



- Recall on Snap4City Architecture
- Dashboards Purposes and Uses
- Main Data Kinds: data vs representations
- Dashboards Main Concepts and simple Widgets
- Creating a Snap4City Dashboard, wizard
- Multi Data Map Widget
- High Level Types, video, external services, synoptics
- Selector for the Multi Data Map Widget
- Data Inspector vs Data Processes Details
- Dashboard Management

# Different Themes



New styles/themes can be developed by specializing a few files from open source


<https://www.snap4city.org/793>




# Visual Representations



Slider with multiple steps for KPI



sparklines



kpi



histogram



heatmap



flow-maps



geo-maps



donut-chart



Data-grid




chord




Cone



Bubble matrix chart




Bullet



Box-plot



staked-area



Stacked-line chart



Stacked-combination Chart



spider-maps




Sequence-Sunburst




Pivot



pie-chart-1



Pareto-chart



radar



Bubble-maps



waterfall



Sunburst



Sankey

# Dashboard Builder: Development

Data Transformation  
Business Logic

IOT Applications

Knowledge Base,  
Km4City

Knowledge and Storage  
Data from the Field and  
City + MyKPI ++




Widget Collection



Micro Applications

External Services

Custom Widgets/  
Synoptics




Dashboard Wizard



Public  
Dashboard  
Collection

Create, save, load,  
delegate, grant access,  
change ownerhip



My Own Dash/App




## Wizard



## Dashboard features

## Data and widgets

## Map



## Single data widgets



## Multi data widgets



## Data sources

High-Level Type	Nature	Subnature	Value Type	Value Name	Data Type	Last Date	Healthiness	Last Check	Ownership
Special Widget	Environment	Weather Forecast	Previ_Meteo	Previ_Meteo	special weather			2018-07-08 16:00:18	public
Special Widget	Environment	Weather Forecast	Previ_Meteo	Previ_Meteo	special weather			2018-07-08 16:00:18	public
Special Widget	Environment	Weather Forecast	Previ_Meteo	Previ_Meteo	special weather			2018-07-08 16:00:18	public
Special Widget	Environment	Weather Forecast	Previ_Meteo	Previ_Meteo	special weather			2018-07-08 16:00:18	public
Special Widget	Environment	Weather Forecast	Previ_Meteo	Previ_Meteo	special weather			2018-07-08 16:00:18	public
Special Widget	Environment	Weather Forecast	Previ_Meteo	Previ_Meteo	special weather			2018-07-08 16:00:18	public
Special Widget	Environment	Weather Forecast	Previ_Meteo	Previ_Meteo	special weather			2018-07-08 16:00:18	public
Special Widget	Environment	Weather Forecast	Previ_Meteo	Previ_Meteo	special weather			2018-07-08 16:00:18	public
Special Widget	Environment	Weather Forecast	Previ_Meteo	Previ_Meteo	special weather			2018-07-08 16:00:18	public

• Select the area of your interest: panning and zooming

• Select the

- graphic aspect of your interest, or
- High Level Type of your interest, or
- Make a search if you have a precise idea or
- Act on filters: nature, subnature, type, name, value, date, health, owner, ...
- Combine them as you like

• Select the lines of your interest

• Then click on Next and get the Dashboard by wizard



Close

# New Data Inspector/Wizard

New Wizard

Data Inspector BETA OS

The interface is divided into several sections:

- Map:** A map of the Florence area with various data points overlaid. A yellow box highlights the map area.
- Single data widgets:** A grid of icons for different data visualization types (e.g., gauge, bar chart, line graph). A red box highlights a specific widget.
- Multi data widgets:** A grid of icons for more complex data visualization types. A red box highlights a specific widget.
- Map Controls:** Buttons for 'FilterMap', 'GPSUser', and 'GPSOrg'. A yellow box highlights these buttons.
- Data sources table:** A table listing various data sources with columns for Level, Type, Nature, Subnature, Device, Model, Broker, Value Name, Value Type, Data Type, Value Unit, Last Date, Last Value, Healthiness, Last Check, and Ownership. A red box highlights the table header and a row.
- Graph:** A time-series graph showing data over time. A white box highlights the graph area.

Filtering/Searching for individual fields (even for some fields not displayed as geographic coordinates)



Geographic Filtering



Text Search on all fields



Menu for choosing the fields to display in the table



View on Map(via PREVIEW)



Data and Trend visualization



Opening Digital Twin



Pass to Synoptic mode



Select the graph representation



# Widget selection

Single data widgets

Multi data widgets

Map Co

FilterMap GPSUser GPSOrg

ources

All selected (1626) All selected (73) All selected (95) selected (3)

Widget showing a multi-data list of point of interests, IOT devices, heatmaps and geometries (e.g.: traffic flows, cycle paths), with a map showing the position of the POIs, a set of sources have to be provided

# New Data Inspector/Wizard

New Wizard

Data Inspector BETA OS

The interface includes a map of Florence, a dashboard with various widgets, a table of data sources, and a time-series visualization. A large red watermark 'New Wizard' is overlaid on the top left.

Level	Type	Nature	Subnature	Device	Model	Broker	Value Name	Value Type	Data Type	Value Unit	Last Date	Last Value	Healthiness	Last Check	Ownership
DT	EM Devi...	Environment	Weather	DIDA1		Santa Verdiana ...	Mio sensore	webpage			2021-11-23 13:44...		●	2023-07-18 16:0...	public
DT	EM Devi...	TransferService...	SensorSite	METRO11		Altair-soda	Altair Valve State	webpage			2021-06-05 00:00...		●	2024-01-10 01:3...	public
DT	EM Devi...	IndustryAndMa...	Computer	AltairStatoPom...		Altair-soda	Altair Pump St...	webpage			2021-05-20 13:51...		●	2024-01-10 01:3...	public
DT	EM Devi...	Environment	Air	IBIMET_SMART...		Altair-soda	Altair pump 43...	webpage			2021-06-07 17:3...		●	2024-01-10 01:3...	public
DT	EM Devi...	Environment	Air	ARPAT_QA_FI...		Altair-soda	Altair valve 541	webpage			2021-06-07 17:3...		●	2024-01-10 01:3...	public
DT	EM Devi...	TransferService...	SensorSite	METRO514		Altair-soda	Altair Pump 4321	webpage			2021-06-07 00:00...		●	2024-01-10 01:3...	public
DT	EM Devi...	TransferService...	SensorSite	SI052032F5990...		Altair-soda	Altair Stock sta...	webpage			2021-06-07 00:00...		●	2024-01-10 01:3...	public
DT	EM Devi...	TransferService...	SensorSite	METRO831		Altair-soda	Altair Pump 92...	webpage			2021-06-07 00:00...		●	2024-01-10 01:3...	public


- Filtering/Searching for individual fields (even for some fields not displayed as geographic coordinates)
- Geographic Filtering
- Text Search on all fields
- Menu for choosing the fields to display in the table
- View on Map(via PREVIEW)
- Data and Trend visualization
- Opening Digital Twin
- Pass to Synoptic mode
- Select the graph representation

## Custom Widget / Synoptic / PIN Development


Inkscape editor on your computer



Create, save a Custom Widget in SVG






Create, save, load, delegate, grant access



IOT Applications



Knowledge and Storage Data from the Field and City



Public

Dashboard Collection

My Own Dash/App







1. Create and Load a Custom SVG
2. Select/Reuse an SVG
3. Make and Instance of Synoptic by Associate Variables with MyKPI
4. Create on Dashboard a Widget based on Synoptic HLT such as Ext. Srv.:

- <https://www.snap4city.org/synoptic/v2/synoptic.html?id=xxxx>

# Special Custom Widgets

- Smart parking
- Smart Energy
- Smart Light
- Smart ....
- Energy View
- Custom Controls



SVG

Total clicks: 6    Mean rate value: 0.00

Begin: 17:00    Finish: 4:00



## Part 3: IoT App, process logic, server side BL

- Recall on Snap4City Architecture
- Node-RED
- IOT App = Node-RED + Snap4City
  - IoT App === Proc.Logic
- Examples of IOT App for Smartening Solutions
- Exploiting/Generating data by using: IoT App/Proc.Logic
- External Service <-> IoT App/Proc.Logic
- Dashboards <-> IoT App/Proc.Logic
  - Server Side Business Logic
- training material


Part 3: IOT App, Process  
Logic, Server Side  
Business Logic

[SLIDES](#)


[Interactive Slides](#)



# Technical Architecture





# IoT Network



Snap4City

roottooladmin1  
RootAdmin | Idap

- Dashboards
- My Dashboards
- Notifier
- IOT Applications
- My Personal Data
- IOT Directory and Devices
- Knowledge and Maps
- Micro Applications
- External Services
- Data Set Manager: Data Gate
- Resource Manager: Process Loader
- Development Tools
- Management
- Settings
- User Management and Auditing
- Help and Contacts
- Documentation and Articles
- My Profile
- Snap4City portal
- Km4City portal
- DISIT Lab portal




Data Adaption  
 Data Transformation, Conversion  
 Data Integration, Interoperability  
 Business Logic vs Dashboards

Editing IOT Applications

Data Analytics control

Everywhere: Cloud, on IoT Edge Devices

## Areas





# Sept 2024 collection

## Two Snap4City Libraries



Navigation menu on the left:

- > common
- > function
- > network
- > input
- > output
- > sequence
- > parser
- > storage
- > social
- > advanced
- > Advanced FTP
- > location
- > NGSi
- > Iwm2m
- > S4C SearchDev
- > S4C Utility
- > S4C Mapping
- > S4C Management
- > S4C DataAnalytic
- > S4C BigData
- > S4C IoT App
- > S4C OpenMaint
- > S4C IoT
- > S4C Whatif
- > S4C Search
- > S4C Data
- > S4C KPiData
- > S4C Dashboard
- > S4C Sigfox
- > S4C LogDev
- > S4C View
- > S4C Social
- > dashboard
- > time

Main content area showing various Snap4City library components:

- S4C SearchDev**: service search, service search near gps position, service search near service, service search within gps area, service search within wkt area, service search within stored wkt area, service search by municipality, service search by queryid, full text search dev, full text search within wkt area
- S4C Utility**: full text search within gps area, full text search near gps position, full text search exp, event search dev, event search exp, event search within wkt area, event search within gps area, event search near gps position, address search near gps position, geometry search near gps position, address poi search by text
- S4C Mapping**: address poi search by text exp, address poi search by text near gps position, bus routes search, bus routes search near gps position, bus routes search within gps area, bus routes search within wkt area, bus routes, service info mapped, mapping, set mapping
- S4C DataAnalytic**: point within polygon, routing, heatmap picker, coordinates to address, service info, edge-tunnel-to-cloud, descriptive statistics, trend plot, time series predictions, machine learning predictions, anomaly detection, plumber data analytic, python data analytic
- S4C Management**: get job detail, get triggers of job, get job group names, get trigger group names, get paused trigger groups, get job fire times, get system status, trigger job, pause all, pause trigger, pause triggers, resume all, resume job, resume jobs, resume trigger, resume triggers
- S4C IoT App**: notifiator history events, S4CDataAnalytic, S4C IoT App, insert, datagate search, datagate create, portia crawler, S4C IoT App, iotapp restart, iotapp upgrade, ownership
- S4C Search**: service search near marker, service search within circle, service search within polygon, service search along path, full text search within circle, full text search within polygon, full text search along path, full text search usr, event search within circle, event search near marker, geometry search near marker, address poi search by text usr, address poi search by text near marker, address poi search by text within circle, bus routes search near marker, bus routes search within circle, bus routes search within polygon, tpl agencies, tpl lines
- S4C Data**: event search within polygon, event search along path, event search usr, address search near marker, geometry search near marker, address poi search by text usr, address poi search by text near marker, address poi search by text within circle, bus routes search near marker, bus routes search within circle, bus routes search within polygon, tpl routes by agency, tpl routes by line, tpl stops by route, tpl stop timeline, recommendatio within circle, value type search near marker, value type search within circle, value type search within polygon, value type search along path
- S4C Data**: get my data, get my delegator, get my delegated, get my activity

Watermark URL: <https://flows.nodered.org/search?term=snap4city>



▼ S4CUtility

- ANY kind of sensors
- To Get DATA of a Service / POI /sensor
  - Historical and real time
  - Real Time

- service info dev
- distance from coordinates
- point within polygon
- service info

- service info dev
- service info dev
- service info

**Loggia San Paolo**

LINKED OPEN GRAPH

Tipology: CulturalActivity - Monument\_location

Digital Location

Address: VIA DELLA SCALA, 3

Cap: 50123

City: FIRENZE

Prov.: FI

Photos:

Description: The rounded arches, the stone skeleton and the glazed terracotta medallions recall the model of the Loggiato degli Innocenti. The medallions in glazed terracotta by Andrea della Robbia and his sons Marco and Luca contain seven polychrome figures of Santi Francescani and two works of mercy Cristo conforta un Giovane and Cristo conforta un Anziano. Beneath the portico can be admired the expressive embrace between San Domenico Guzman and San Francesco d Assisi by Andrea della Robbia

**TPL STOP : Piazza Stazione (Fr. Cc)**

Vaibus

LINKED OPEN GRAPH

Lines:

FI-LU FI-VG

No available routes

Display 50 Bus per page

Search:

Time	Line	Direction
08:46:00 2017-03-20	FI-LU	Piazzale Verdi
08:16:00 2017-03-20	FI-LU	Piazzale Verdi
10:09:00 2017-03-20	FI-LU	Piazzale Verdi
11:09:00 2017-03-20	FI-LU	Piazzale Verdi
12:16:00 2017-03-20	FI-LU	Piazzale Verdi
13:16:00 2017-03-20	FI-LU	Piazzale Verdi

Showing page 1 of 1

Real-time data currently not available

**AURORA**

LINKED OPEN GRAPH

Tipology: Accommodation - Hotel

Email: info@hotelauroa.info

Website: www.hotelauroa.info

Phone: 055210283

Address: VIA L. ALAMANNI, 5

Cap: 50100

City: FIRENZE

Prov.: FI

**Giardino di piazza dell'Indipendenza**

LINKED OPEN GRAPH

Tipology: Entertainment - Green\_areas

Digital Location

Address: PIAZZA DELLA INDIPENDENZA, 15

Cap: 50129

City: FIRENZE

Prov.: FI

Note: areeeverdi238

Remove from map

**ZCS\_1\_D**

LINKED OPEN GRAPH

Tipology: TransferServiceAndRenting - Controlled\_parking\_zone

Digital Location

Address: VIA GUSCIANA

Cap: 50124


City: FIRENZE

Prov.: FI


Remove from map




- **Distance from GPS point**



- **Point  is in Polygon ?**
  - Polyline as WKT



# How the Dashboards exchange data





# Dashboard-IoT App



PeopleNumber		
time	Last confirmed	
7	8	9
4	5	6
1	2	3
0	.	Cancel









Confirm




MapClick

MyKPI variable onchange

Synoptics



## From Dashboard to IOT App



## IOT Application

# Dashboard-IOT App

## From IoT App to Dashboard

**gauge chart**

**single content**

**speedometer**

**horizontal single bar**

**vertical single bar**

**web content**

**time trend**

**bar series**

**radar series**

**pie chart**

**curved line series**

**table content**

**calendar**

**speak synthesis**

**synoptic write**

**Selector - Map**

**Snap4D3**

**event table**

**device table**

**dashboard - map**

## IOT Application

**Avg gas consumption** (Gauge: 39.4)

**Avg heat consumption per user** (Gauge: 44.7)

**20.3°C** (Temperature)

**Pie Chart** (PM2.5, PM10, O3)

**Line Chart** (SRSensor\_TCS01001095 - airTemperature)

**Radar Series** (Pollutant and Environmental Sensors)

**Bar Chart** (Cinema)

**Time trend comparison** (Line chart with multiple series)

value name	airHumidity	airTemperature	PM2_5	O3
IBMET_SMART3 - PM0	55.8	17.0	225.26	0.14
IBMET_SMART3 - PM2	48	13.3	97.96	0.16
IBMET_SMART3 - PM4	56.2	13.4	0	0.17
IBMET_SMART3 - PM8	57.5	16.3	16.47	0.16
IBMET_SMART3 - PM16	64	16.2	13.33	0.15
IBMET_SMART3 - PM32	6	21.9	3.7	0.14
IBMET_SMART3 - PM64	53.1	9.5	13.03	0.12


**Calendar - s4cpaxant04 - wifi**

# Part 5: Data Ingestion and Interoperability

Part 5: Data Ingestion  
and Interoperability

[SLIDES](#)

[Interactive Slides](#)






- When Solutions and tools for Data Ingestion and Interoperability are needed
- Overview of Snap4City Data Storage and Stack
- Knowledge Base: Modelling and Setting Up
- High Level Types vs Ingestion Process
- Data Ingestion Strategy and Orientation
- Ingestion of Points of Interest with POI Loader
- Models vs Devices/Entities and Registration
- Verification of Data Ingestion
  - Digital Twin Data Inspector vs Data Processes Details
  - My Data Dashboard Dev to assess data on Open Search Storage
- An Integrated Example for Time Series
- Entities Ingestion with Data Table Loader
- High Performance Ingestion via Python
- FIWARE Smart Data Models on Snap4City
- Ingestion of MyKPI with Proc.Logic / IoT App






# High Level Types

Snap4City (C), October 2024

- POI, IOT Devices, shapes, ...
  - FIWARE Smart Data Models,
  - IoT Device Models
- GIS, maps, orthomaps, WFS/WMS, GeoTiff, calibrated heatmaps, ..
- Satellite data, ..
- traffic flow, typical trends, ..
- trajectories, events, Workflow, ..
- 3D Models, BIM, Digital Twins, ..
- OD Matrices of several kinds, ..
- Dynamic icons/pins, ..
- Synoptics, animations, ..
- KPI, personal KPI, ..
- social media data, TV Stream,
- routing, multimodal, constraints, ..
- decision scenarios, ....
- etc.



**SNAP4CITY**  
- Digital Twin Global - Fire  
demonstrator



Snap4City

Switch To New Layout (Beta)

User: paolo.disit, Org: DISIT  
Role: AreaManager, Level: 3

LOGOUT

- My Snap4City.org
- Tour Again
- www.snap4solutions.org
- Dashboards (Public)
- Dashboards of My Organization
- My Dashboards in My Organization
- My Data Dashboard Dev Kibana
- Extra Dashboard Widgets
- Data Management, HLT
- Knowledge and Maps
- Processing Logics / IOT App
- Entity Directory and Devices
  - My IOT Sensors and Actuators
  - IOT Sensors and Actuators
  - Entity Instances, IoT Devices**
  - IOT Brokers
  - FIVARE Smart Data Models
  - Entity Models/IoT Devices
  - IOT Devices Bulk Registration
  - Doc: IOT Directory and Devices
  - Create an IOT Device Instance
  - Create an IOT Device Model

Entity Instances, IoT Devices

Show  entries

Search:

	Device Identifier	IOT Broker	Device Type	Model	Ownership	Status	Edit	Delete	Location	View
	1dd79caa95f6771afad4fd38e699c8542022-12-05T18:54:13.000Z	orionUNIFI	File	fileModel	MYOWNPUBLIC	active	EDIT	DELETE		VIEW
	alert_1610543238306	orionUNIFI	event	AlertGeneric	MYOWNPRIVATE	active	EDIT	DELETE		VIEW
	alert_1610548534047	orionUNIFI	event	AlertGeneric	MYOWNPRIVATE	active	EDIT	DELETE		VIEW
	alert_1610613189703	orionUNIFI	event	AlertGeneric	MYOWNPRIVATE	active	EDIT	DELETE		VIEW
	alert_1610629197473	orionUNIFI	event	AlertGeneric	MYOWNPRIVATE	active	EDIT	DELETE		VIEW
		orionUNIFI	event	AlertGeneric	MYOWNPRIVATE	active	EDIT	DELETE		VIEW
		orionUNIFI	event	AlertGeneric	MYOWNPRIVATE	active	EDIT	DELETE		VIEW
		orionUNIFI	event	AlertGeneric	MYOWNPRIVATE	active	EDIT	DELETE		VIEW
		orionUNIFI	event	AlertGeneric	MYOWNPRIVATE	active	EDIT	DELETE		VIEW
		orionUNIFI	event	AlertGeneric	MYOWNPRIVATE	active	EDIT	DELETE		VIEW
		orionUNIFI	event	AlertGeneric	MYOWNPRIVATE	active	EDIT	DELETE		VIEW
		orionUNIFI	event	AlertGeneric	MYOWNPRIVATE	active	EDIT	DELETE		VIEW

Search Device Location on Map

Leaflet | © OpenStreetMap contributors

# Checking data/Entity ingestion results

## Knowledge base Semantic reasoners




- All searches
- Metata
- Structure
- Last values of IoT Dev
- GTFS
- Only public IoT Dev

## Indexing and aggregating NIFI, OpenSearch



- Faceted search
- Geo search
- Time Series
- Private and Public

- **ServiceMap, SCAPI, SuperSM**
  - LOG / LOD viewer
  - Super Service Map
  - SCAPI: Swagger
  - Last data
- **Data Inspector (last data)**
- IoT/Entity Directory
  - IoT Brokers
- **ServiceMap, SCAPI (last data), SuperSM**
- **My Data Dashboard, OpenSearchDash**
- **Data Inspector (last data)**



ServiceMap or Super ServiceMap


Data Inspector  
Digital Twin view



My Data Dashboard  
**DevDash**



# Snap4City with Blockchain



# Part 4: Data Analytics

Part 4: Data Analytics  
and Artificial  
Intelligence


[SLIDES](#)

[Interactive Slides](#)




- Why and Where use DA, AI and XAI -> General Life Cycle, scenario editor, monitoring and control
- Data Processing: KPI, traffic, emissions, public transport quality, ..
- From Data Analytics, DA to Artificial Intelligence, AI
- List of the most relevant available DA and AI Solutions
- Predictions and Anomaly detections: parking, biking, NOx, landslide, people
- Computing: Higher Level Types Data and their representations: traffic, heatmaps, 3D
- Human Behavior, Engagement, Typical Time trends, WIFI sniffing
- Using AI in main domains: Mobility and transport, traffic optimization, Smart Energy, Smart Building,
- How AI/XAI, and Life Cycle, AI/ML requirements, XAI,
- Using DA, AI/XAI in Snap4City infrastructures
  - Data Analytics <-> IoT App / Proc.Logic
  - MLOps, ClearML, exploiting clusters of GPU/CPU
- Decision Support Systems and What-If Analysis, transport offer, DORAM tool
- Routing, Multimodal Routing, Dynamic Routing
- Predictive Maintenance
- Training Material

# Technical Architecture




- **Artificial Intelligence** usually also includes
  - Code, learning and reasoning
  - Semantic computing, Knowledge Bases
  - Neuro-symbolic reasoning
  - Decision Support Systems
  - Problem solving
- **Machine Learning** usually includes
  - Learn without coding
  - Predictions, decisions (classifications)
  - Supervised or not
  - NLP, vision, pattern recognition
- **Deep Learning** usually includes
  - Capability to learn complex patterns on huge amount of data
  - Generative AI, continuous learning, graph NN, etc.
  - Specialized ML solutions




# Model/Technique Development/testing

- **Identification of Process goals and Planning (problem definition)**
  - Which goals
  - How to compute, which language
  - Which environment, which libraries
- **Data Discovery and Ingestion (from the general life cycle)**
  - Data Collection, Data Preprocessing if needed
- **Data Analysis: feature engineering, feature selection**
  - Data ethics assessment
- **Data review and preparation for the model, splitting, encoding**
- **Model Identification and building: ML, AI, etc....**
  - Model Training
  - Tuning hyperparameters when possible
- **Model Assessment and Selection (Evaluation)**
  - Validation in testing
  - Assessment on a set of metrics depending on the goals: global relevant and feature assessment
  - Assessing computational costs
  - Impact Assessment, Ethic Assessment and incidental findings
  - Global and Local Explanation via Explainable AI techniques
- **Model Deploy and Final Validation**
  - Optimisation of computation cost for features, if needed reiterate
  - Solution on Production (security, scalability, etc.)
- **Monitoring and Maintenance on production**
- **Documentation, incremental documentation**



# Simplified Training and Deploy process




Prediction  
Prescriptions  
Anomalies  
Classification  
Detection  
Etc.

# Data Analytics on Snap4City platform



Swagger




Ontology Schema

LOG.disit.org




Smart City API from Knowledge Base and other tools



Creating MicroServices



Saving / Sharing reusing






Using them into IOT Applications



Resource Manager





On Server  
Or  
On PC

On PC as Anaconda

```

plt.show()
thisinput = input()
if(thisinput=="break"):
    break
if(thisinput=="indietro"):
    if(int(thisinput)>14):
        print("hai inserito un numero > 14")
        print("Riprova")
    else:
        print("hai inserito il cluster" + thisinput)
        try:
            int(thisinput)
            if(int(thisinput)>=14):
                print("hai inserito un numero > 14")
                print("Riprova")
            else:
                print("caricamento andato a buon fine")
                trajectories.at[i,'label'] = int(thisinput) #15 è l'indice della colonna 'label'
                i = i + 1
            except ValueError:
                print("non hai inserito un numero")
                print("Riprova")
            except ValueError:
                print(ValueError)
        print("batch completed successfully")
        trajectories.to_csv("trajectoriesClassified_"+str(i)+".csv", index = False)


```



File.py  
AI Model  
Mapping  
Data..



Load  
File.py  
or .zip



To make the .PY usable as MicroService you need to adapt it to get and send data in/out with Node-RED from a Container.  
**If you provide a .zip file the main .py inside has to be called doScript.py**



1

# Developer in R Studio + Tensor Flow

**R Studio Development**

```

110 anomaliesMatr[, "timestamp"] <- as.character(dataFinal$res$anoms$index, "alignDateTime")
111 anomaliesMatr[, "anoms"] <- as.numeric(res$anoms[, "anoms"])
112
113 #table with anomalies
114
115 setwd(outD)
116 options(digits = 1)
117 tTable <- tableRob(anomaliesMatr, rows = NULL, cols = c("Date and Time", "Anomaly"), theme=ttheme_default(base_size=12))
118 grid.draw(tTable)
119 h <- convertHeight(sum(tTable$heights), "in", TRUE)
120 w <- convertWidth(sum(tTable$widths), "in", TRUE)
121
122 plot <- res$plot
123
124 plotrix <- grid.arrange(plot, tTable,
125                       ncol = 2,
126                       heights=c(5,1),
127                       as.table=TRUE)
128
129 setwd(outD)
130 ggsave(paste(columnsName[i], "Anomalies.png", sep=""), plotrix, width=22, height=h*5)
131
132 }, finally = {
133 }
134
135 statisticsResult[[indFolder]]$resultFiles[indResult]$sensor=NULL
136 statisticsResult[[indFolder]]$resultFiles[indResult]$sensor=unbox(as.character(columnsName[i]))
137 statisticsResult[[indFolder]]$resultFiles[indResult]$png=unbox(paste(outD, paste(columnsName[i], "Anomalies.png", sep=""), indResult = indResult + 1)
138
139
140 }else{
141   print(paste("NO ANOMALIES ON THE SENSOR ", "-", columnsName[i], "-", sep=""))
142 }
143
144 }
145
146 setwd("~/Snap4City")
147 write(jsonlite::toJSON(statisticsResult[[1]]), "JsonStatisticsResult.json")
148 return(statisticsResult[[1]])
149 }
150
151

```

**Environment**

dataFinal	2794 obs. of 18 variables
dataset	35539 obs. of 12 variables
dataTest	97 obs. of 15 variables
dataTestFinal	97 obs. of 3 variables
dataTrain	2793 obs. of 15 variables
meltDataTest	97 obs. of 4 variables
p3	Large gtable (784 elements, 9.2 Mb)
plt	List of 9
statisticsResult	List of 1



Click on each .png file to visualize the statistics: a new tab will be opened



# Data Analytic Container




**2** Open an Advanced IoT App / Node-RED




**3** Use Snap4City Data Analytic Node, and load in the code you developed.

**1** Develop .py or .r program on (i) Snap4City platform online, or (ii) your Development Machine.

The code has to respect the guidelines provided for creating API. The API are called as a MicroService For example see: <https://www.snap4city.org/641> <https://www.snap4city.org/645>



**5** Deploy the IoT App → Snap4City Container Manager based on Marathon/Mesos is creating a Container for your Data Analytic code





IoT edge on  
TV Camera

**1**

Send data to Broker

**2**

Device: CrossVenaria2  
with trajectories


IOT Broker

**3**

Big Data  
Store  
Facility

show data

**4**



IoT edge on  
TV Camera



Send Trajectories

Send data to Broker

**IOT Broker**

**Devices:**

- CrossVenaria2VehicleFlowTrajectoriesV2
- VenariaConteggio



**e**

Send data to Broker

**f**

Save data

Save Counting per Cluster


**Big Data Store Facility**

Get data

**c**

**Device:**  
CrossVenaria2  
with  
trajectories

Periodically




**b**

Activate



**d**

From Trajectories  
to clusters.  
Counting in/out  
and flows




**a**


show data

**g**

Create and use a Dashboard



# Simplified Deploy of Transfer Learning Model




# MLOps Possibilities on Snap4City infrastructure

The developers can create their AI models using Snap4City data and infrastructure (Jupiter Hub):

- **1) to put them in execution** (they could develop the solution on their Computer as well)
  - A) on stable container on CPUs via Node-RED, Docker
  - B) on some server with GPU/CPU
- **2) using ClearML and to put them in execution** on a process managed by ClearML on some cluster of GPU/CPU
  - 2a) as stable process on ClearML managed Docker, via API (usable from Rest Calls as well as from Node-RED Snap4City MicroServices, from the platform)
  - 2b) as sporadic process ClearML managed, via API (usable from Rest Calls as well as from Node-RED Snap4City MicroServices, from the platform)

# Development



**PROJECTS**

RECENT ▾ Team's Work ▾ + NEW PROJECT

All Experiments DevOps prueba\_modelo prueba\_modelo\_pp

GP\_Fine-Tuning GP\_Inference GP\_Q2

GP\_D1 GP\_Test prueba

DETAILS

PIPELINE RAG LIST

- experiment\_pipeline #10 v0.1 - Completed
- experiment\_pipeline #9 v0.1 - Aborted
- experiment\_pipeline #8 v0.1 - Aborted
- experiment\_pipeline #7 v0.1 - Completed
- experiment\_pipeline #6 v0.1 - Failed
- experiment\_pipeline #5 v0.1 - Pending
- experiment\_pipeline #3 v0.1 - Completed

create\_dataset → preprocess\_dataset → verify\_dataset\_integrity → train\_model\_1 → train\_model\_2 → select\_best\_model

**WORKERS AND QUEUES**

WORKERS QUEUES

CPU and GPU Usage

CLEAR ML

RECENTLY RUNNING EXPERIMENT

EXPERIMENT RUNNING TIME	ITERATION	INFO	QUEUES
-	-	Worker Name: 41-4090	Experiment Run Time: -
-	-	Update Time: a few seconds ago	Experiment Iteration: -
-	-	Current Experiment: -	-

**PROJECTS / All Experiments**

EXPERIMENTS MODELS

+ NEW EXPERIMENT OPEN ARCHIVE

- Service serving183
- Service serving master
- Service serving182
- Inference Serving 61 CPU Only - serve instance
- Inference serving183 - serve instance
- Monitor serving master - statistics controller
- Inference Serving 61 CPU Only - triton engine
- Monitor serving183 - statistics controller
- Monitor Skype Alerts
- Monitor serving183 - statistics controller
- Inference serving master - serve instance
- Monitor Serving 61 CPU Only - statistics controller
- Inference Serving 61 CPU Only - triton engine
- Inference serving182 - serve instance

Hyperparameter Optimization

epoch\_accuracy / epoch\_accuracy

epoch\_accuracy / validation epoch\_accuracy

epoch\_loss / epoch\_loss

epoch\_loss / validation epoch\_loss

**RECENT PROJECTS**

DevOps prueba\_modelo prueba\_modelo\_pp GP\_Fine-Tuning

RECENT EXPERIMENTS

TYPE	TITLE	PROJECT	STARTED	UPDATED	STATUS
Service	serving183	DevOps	Jun 6 2024 9:43	Aug 7 2024 15:33	Running
Service	serving master	DevOps	Jul 10 2024 12:01	Aug 7 2024 15:33	Running
Service	serving182	DevOps	Jun 6 2024 10:14	Aug 7 2024 15:33	Running
Service	Serving 61 CPU Only	DevOps	Jun 4 2024 17:20	Aug 7 2024 15:18	Running
Inference	Serving 61 CPU Only - serve instance	DevOps	Jun 4 2024 17:22	Aug 5 2024 11:47	Aborted



# Parts 7 & 8: API, Mobil, Business Intelligence

Part 7: Exploiting  
Snap4City API, and  
Web/Mobile  
Applications SDK

[SLIDES](#)

[Interactive Slides](#)



Part 8: Developing  
Smart Applications &  
Business Intelligence  
Solutions

[SLIDES](#)

[Interactive Slides](#)



- **Smart City API: Internal and External**
- Concepts and tools for using Knowledge Base, ServiceMap, API
- Federated Knowledge Bases and Smart City APIs
- **Advanced Smart City API**
- Access to Protected data
- **Forging and managing: Mobile and Web Apps, MicroApplications**
- **Web and Mobile App Development Kit**
- -----
- Developing in the smart city IoT/WoT context
- Smart Solutions Development Life Cycle
- Analysis for Innovation (Co-Creation and Co-Working)
- Design: Data, Data Models, Data Relationships
- Design & Develop: Data Processes Proc.Logic / IoT App
- Design & Develop of Data Analytics
- Design & Develop: user interfaces, visual tools
- Visual Analytic vs Data Analytics: Client Side Business Logic Intelligence
- Design and Control of Smart Applications
- What is missing here and you can get from former course

# Development

<https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle.pdf>



## Development Life-Cycle

<https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle-v1-1.pdf>


### From Snap4City:

- We suggest you to read the **TECHNICAL OVERVIEW**:
  - <https://www.snap4city.org/download/video/Snap4City-PlatformOverview.pdf>
- <https://www.snap4city.org>
- <https://www.snap4solutions.org>
- <https://www.snap4industry.org>
- <https://twitter.com/snap4city>
- <https://www.facebook.com/snap4city>
- <https://www.youtube.com/channel/UC3tAO09EbNba8f2-u4vandg>

**Coordinator:** Paolo Nesi, [Paolo.nesi@unifi.it](mailto:Paolo.nesi@unifi.it)


DISIT Lab, <https://www.disit.org>  
DINFO dept of University of Florence,  
Via S. Marta 3, 50139, Firenze, Italy  
Phone: +39-335-5668674

# How the Dashboards / Apps Exchange data (2024/8)



# Selection on Smart City API

- Combining different filters for selecting entities from Smart City APIs
- **Be care:** filtering too much may lead to empty set 😊



# Internal and External Smart City API

The screenshot shows the 'Advanced Smart City API' documentation page. The left sidebar contains a navigation menu with items like 'External Services', 'Data Set Manager', 'Resource Manager', and 'Development Tools'. The main content area displays the API title, version (4.0.0), and a list of services including GET endpoints for service discovery, events, locations, and public transport.

The screenshot shows the 'Internal API Docs: Swagger' interface. A dropdown menu is open, listing various internal APIs such as 'IoT device registration API', 'Notifier API', 'DISCES scheduler API', and 'Snap4City Application API'. The 'Sci-Hub Processing API' is currently selected.

<https://www.km4city.org/swagger/external/index.html>










<https://www.km4city.org/swagger/internal/index.html>

# How to Get the «Query» used in More Options (2a)


- **REST CALL by category → JSON (Options in RED), they are REST ASCAPI calls**
  - **Requesting a category, so that to see all Services of the same category (subNature)**
    - [http://svealand.snap4city.org/ServiceMap/api/v1/?selection=59.581458578537955;16.71183586120606;59.62875017053684;16.875171661376957&categories=Street\\_light&maxResults=100&format=json](http://svealand.snap4city.org/ServiceMap/api/v1/?selection=59.581458578537955;16.71183586120606;59.62875017053684;16.875171661376957&categories=Street_light&maxResults=100&format=json)
      - Please note that in the MoreOption dashboard the GPS area is neglected
    - [https://servicemap.disit.org/WebAppGrafo/api/v1/?selection=43.64471;11.005751;43.89471;11.505751&categories=Green\\_areas&maxResults=200&format=json](https://servicemap.disit.org/WebAppGrafo/api/v1/?selection=43.64471;11.005751;43.89471;11.505751&categories=Green_areas&maxResults=200&format=json)
      - Please note that in the MoreOption dashboard the GPS area is neglected
    - Custom PINS note: “selection” coordinates are used for collecting attributes in custom PINS. Other options such as “maxDists” cannot be used in custom PIN. All parameters can be used in other cases.
    - Different KB links are identified by their ASCAPI links: [svealand.snap4city.org](http://svealand.snap4city.org), [servicemap.disit.org](http://servicemap.disit.org), ....
  - **Requests to SuperServiceMap for the network of Federated KBs by using /api/.....**

Without prefixed KB to obtain merged results from more KBs. For example as:

    - [/api/v1/?categories=Air\\_quality\\_monitoring\\_station&format=json](/api/v1/?categories=Air_quality_monitoring_station&format=json)
    - Please note that the direct links to the superservicemap can be of the form:
      - <https://www.disit.org/superservicemap/api/v1/?> .....




# How the Dashboards & Apps exchange data





# Example: From Map to Graphs (spatial drill down)

- 1) Select the area of interest on map
- 2) Select the sensors kind of interest
- 3) Drill down on map
- 4) The JavaScript CSBL on Map will send data to the programmed Widgets. In this case, arrowed in RED



# Client Side Business Logic

<https://www.snap4city.org/download/video/ClientSideBusinessLogic-WidgetManual.pdf>

## Client-Side Business Logic Widget Manual


### From Snap4City:

- We suggest you read <https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle.pdf>
- We suggest you read the TECHNICAL OVERVIEW:
  - <https://www.snap4city.org/download/video/Snap4City-PlatformOverview.pdf>
- slides go to <https://www.snap4city.org/577>
- <https://www.snap4city.org>
- <https://www.snap4solutions.org>
- <https://www.snap4industry.org>
- <https://twitter.com/snap4city>
- <https://www.facebook.com/snap4city>
- <https://www.youtube.com/channel/UC3tAQ09EbNba8f2-u4vanda>

Coordinator: Paolo Nesi, [Paolo.nesi@unifi.it](mailto:Paolo.nesi@unifi.it)  
DISIT Lab, <https://www.disit.org>  
DINFO dept of University of Florence,  
Via S. Marta 3, 50139, Firenze, Italy  
Phone: +39-335-5668674



# Visual programming for CSBL, accessible in beta



TOP

# Training Suggestions DISIT publications



# Note on Training Material

- **Course 2023:** <https://www.snap4city.org/944>
  - Introductionary course to Snap4City technology
- **Course** <https://www.snap4city.org/577>
  - Full training course with much more details on mechanisms and a wider set of cases/solutions of the Snap4City Technology
- **Documentation** includes a deeper round of details
  - Snap4City Platform Overview:
    - <https://www.snap4city.org/drupal/sites/default/files/files/Snap4City-PlatformOverview.pdf>
  - Development Life Cycle:
    - <https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle.pdf>
  - Client Side Business Logic:
    - <https://www.snap4city.org/download/video/ClientSideBusinessLogic-WidgetManual.pdf>
- **On line cases and documentation:**
  - <https://www.snap4city.org/108>
  - <https://www.snap4city.org/78>
  - <https://www.snap4city.org/426>

# Snap4City Training vs Targets

## • Estimate Indicators: P1, P2, P3, P4, P5

- IoT App/Proc.Logic JavaScript, Data Analytics, Dashboards to see data and results

## • Load additional data: P1, P2, P3, P5

- IoT App/Proc.Logic JavaScript, IoT Directory, ServiceMap, advanced interoperability, Dashboards to see them

## • Performing AI/XAI on accessible data: P1, P2, P3, P4, P5 (P8)

- IoT App/Proc.Logic JavaScript, ServiceMap, ASCAPI, Python, Dashboards to see data/results

## • Developing Business intelligence: P1, P2, P3, P7, P8

- IoT App/Proc.Logic JavaScript, Dashboards to see them, ASCAPI, CSBL for making them intelligent, JavaScript

## • Developing Web and Mobile Apps: P1, P2, P3, P7, P8

- ServiceMap, ASCAPI, Dashboards

## • Deploy, install, test and management: P1, P2, P3, P6

- IoT App/Proc.Logic JavaScript, ServiceMap, Dashboards to see them



# DISIT lab Publications: <https://www.disit.org/5487>

Home /

## DISIT Publications

The publications that can be downloaded on this web site are provided for timely dissemination of scholarly and technical information. The permission to reprint/republish this material for advertising or for promotional purposes or for creating new collections of this work in other works have to be obtained from the right owners. Deliverables of projects are accessible from the web sites of the projects and partially on this portal, but not all, and are subject to the terms of the license.

## <https://www.snap4city.org/426>

**www.snap4city.org**

Dashboard Content Structure Appearance People Modules Configuration Reports Help

Hello roottooladmin1 Log out

Add content Find content Add user Antwerp Edit view Top search phrases

Home / How and Why To Use it Tools Tutorials and Videos All organization My Profile Log out

Home / References, Citations and references of Snap4City and Km4City, last versions

Username: roottooladmin1

### References, Citations and references of Snap4City and Km4City, last versions

View Edit Track Access control Convert

- [HighPrecisionTrafficFlow2023] S. Bilotta, S. Bonsignori, P. Nesi, "High Precision Traffic Flow Reconstruction via Hybrid Method", IEEE Transactions on Intelligent Transportation Systems, 2023. <https://doi.org/10.1109/TITS.2023.3329544>
- [reputation2023] E. Collini, P. Nesi, G. Pantaleo, "Reputation Assessment and Visitor Arrival Forecasts for Data Driven Tourism Attractions Assessment", Online Social Networks and Media, OSNEM, Elsevier, 2023. <https://www.sciencedirect.com/journal/online-social-networks-and-media> <https://doi.org/10.1016/j.osnem.2023.100274>
- [ParkingPredDEEP] S. Bilotta, L.A. Ipsaro Plaesi, P. Nesi, "Predicting free parking slots via deep learning in short-mid terms explaining temporal impact of features", IEEE Access, 2023. <https://ieeexplore.ieee.org/abstract/document/10247516>, 10.1109/ACCESS.2023.3314660
- [DigitalTwinMTAP] L. Adreani, P. Bellini, C. Colombo, M. Fanfani, P. Nesi, G. Pantaleo, R. Pisanu, "Implementing Integrated Digital Twin Modelling and Representation into the Snap4City Platform for Smart City Solutions", Multimedia Tools and Applications, Springer, 2023 DOI: 10.1007/s11042-023-16838-0, <https://rdcu.be/dnQH3> <https://link.springer.com/content/pdf/10.1007/s11042-023-16838-0.pdf>.
- P. Bellini, S. Bilotta, E. Collini, M. Fanfani, P. Nesi, "Mobility and Transport Data for City Digital Twin Modeling and Exploitation", 2023 IEEE International Smart Cities Conference (ISC2), 24-27 September 2023, Bucharest.
- F. Alberti, A. Alessandrini, D. Bubboloni, C. Catalano, M. Fanfani, M. Loda, A. Marino, A. Masiero, M. Meocci, P. Nesi, A. Paliotto, "MOBILE MAPPING TO SUPPORT AN INTEGRATED TRANSPORT-TERRITORY MODELLING APPROACH", The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences, Volume XLVIII-1/W1-2023 12th International Symposium on Mobile Mapping Technology (MMT 2023), 24-26 May 2023, Padua, Italy
- M. Fanfani, M. Marulli, P. Nesi, Addressing domain shift in pedestrian detection from thermal cameras without fine-tuning or transfer learning, IEEE SmartComp, International Conference on Smart Computing, June 26-29, Nashville, Tennessee, 2023.
- P. Bellini, D. Bologna, M. Fanfani, L.A. Ipsaro Plaesi, P. Nesi, G. Pantaleo, "Rapid Prototyping & Development Life Cycle for Smart Applications of Internet of Entities", IEEE ICECCS 2023, 2023.

Search

Search

-Any-

Training on Tools and Platform

Powered by [www.km4city.org](http://www.km4city.org)

FIWARE

Sii-Mobility

Who's online

There are currently 2 users online

TOP

# Development Costs Advantages






# Snap4City Tools


vs

# Development Life Cycle



# Typical costs to setup operative conditions

- Learn Visualization Tools or Libraries: 5-15%
- Software Licenses: 5-15%
- Development Time: 20-30%
- **Infrastructure Costs: 10-20%**
- **Data Processing and Storage: 10-20%**
- Customization and Interactivity: 10-20%
- **Final Users Training and Support: 5-10%**
- **Maintenance and Updates: 10-15%**
- Design for Security/privacy: 5-10%
- Design for Scalability: 5-15%
- *In **yellow**, what is not impacted*




# Snap4City strongly reduces the effort/costs for

- **Learn Visualization Tools or Libraries:** 5-15% → **10%**
  - Visual tools, visual programming, training course, dev. Manuals, etc.
- **Software Licenses:** 5-15% → **0%**
  - Development environment fully open source
- **Development Time:** 20-30% → **5%**
  - Dashboard builder, synoptics, widget exchange, dashboard exchange, clone, delegations, etc.
  - Reused cloned and shared solutions, artefacts
- **Customization and Interactivity:** 10-20% → **10%**
  - Dashboards with Business Logic: CSBL, Node-red SSBL
  - Direct development of Business Intelligence without coding all details
- **Design for Security/privacy:** 5-10% → **only respect the guidelines**
  - Snap4City is end-to-end secure and GDPR compliant, all is already in place
- **Design for Scalability:** 5-15% → **only respect the guidelines**
  - Snap4City is scalable from Back-End to Front-End, all is already in place

• **Reduction of: 45% for development effort of smart city solutions**


# Model/Technique Development/testing

- **Identification of Process goals and Planning (problem definition)**
  - Which goals
  - How to compute, which language
  - Which environment, which libraries
- **Data Discovery and Ingestion (from the general life cycle)**
  - Data Collection, Data Preprocessing if needed
- **Data Analysis: feature engineering, feature selection**
  - Data ethics assessment
- **Data review and preparation for the model, splitting, encoding**
- **Model Identification and building: ML, AI, etc....**
  - Model Training
  - Tuning hyperparameters when possible
- **Model Assessment and Selection (Evaluation)**
  - Validation in testing
  - Assessment on a set of metrics depending on the goals: global relevant and feature assessment
  - Assessing computational costs
  - Impact Assessment, Ethic Assessment and incidental findings
  - Global and Local Explanation via Explainable AI techniques
- **Model Deploy and Final Validation**
  - Optimisation of computation cost for features, if needed reiterate
  - Solution on Production (security, scalability, etc.)
- **Monitoring and Maintenance on production**
- **Documentation, incremental documentation**



# Typical Effort of Phases without Snap4City

- Please note the *effort for Data Preprocessing and Data Collection*
  - 25-35%
- Please note that the pie has not taken into account the effort for creating
  - an actual applications or
  - simple web results rendering on dashboard



# Snap4City on *Data Collection and PreProcess*

- **Effort reduction from 25-35% to 10-15%, >55% reduction of effort for**
  - **Data Collection** via
    - Direct collection access with Brokers, harvesting of external brokers and data models
    - Usage of library of data models, more than 1700 models: saving analysis
      - Custom data models, massive automated construction of entities
    - Automated enrichment of Km4City Ontology and knowledge base: saving time analysis
    - IoT App / Node-red development of data collection processes: fast development
  - **Data PreProcess** via
    - Node-red visual programming (node.js) for preprocessing, transcoding, thousands of microservices and libraries, reuse of blocks and data flows, etc.
    - Semantic recovering of data relationships via semantic graph DB with Km4City models
    - Eventually usage of Python or R-studio or others when needed
  - *Reuse and share of Node-RED solutions, large number of cases*

TOP

# Accelerating on Smart City on Deploy with Snap4City



# Part 6: Platform Architecture, interop and Deploy

Part 6: Snap4City  
Platform Architecture,  
Interoperability,  
Management and  
Deploy

[SLIDES](#)

[Interactive Slides](#)



- Snap4City Architecture
- Interoperability of Snap4City Platform
- Interoperability with respect to Hardware staff
- Adding Features and Modules to Snap4City
- FIWARE and Snap4City
- Snap4City vs State of the Art Solutions
- Smart City planning with Snap4City Team Support
- The Role of the Living Lab Support
- Snap4City Platform: Administration Overview
- Snap4Tech: Smart Solutions as a Service
- Deploy Snap4Tech solutions: Docker Based



# Tech Overview

- <https://www.snap4city.org/drupal/sites/default/files/files/Snap4City-PlatformOverview.pdf>



### Technical Overview

From: DINFO dept of University of Florence, with its  
DISIT Lab, <https://www.disit.org> with its Snap4City solution

Snap4City:



- Web page: <https://www.snap4city.org>
- <https://twitter.com/snap4city>
- <https://www.facebook.com/snap4city>

Contact Person: Paolo Nesi, [Paolo.nesi@unifi.it](mailto:Paolo.nesi@unifi.it)

- o Phone: +39-335-5668674
- o LinkedIn: <https://www.linkedin.com/in/paolo-nesi-849ba51/>
- o Twitter: <https://twitter.com/paolonesi>
- o FaceBook: <https://www.facebook.com/paolo.nesi2>


# Installations, different models a TOOL to get them

- **Micro X:**
  - 1 VM of dockers
- **Normal X,Y:**
  - 2 VM of dockers
- **Small X,Y:** scalable
  - 4 VM of dockers
- **DataCitySmall X,Y,Z:** scalable
  - 6 VM of dockers
- **DataCityMid X,Y,Z,T:** scalable
  - # VM + X/70 VM + Y/3 VM + Z VM + T VM of dockers
- **DataCityLarge:** scalable
  - depending on your needs



[https://www.snap4city.org/docker-generator/selecting\\_model](https://www.snap4city.org/docker-generator/selecting_model)

# How to adopt Snap4City



## On your premise



### Smart City as a Service

- Supporting Org
- 100% Open Source Platform: Github
- Further developments
- Publishing Appliances and Dockers
- Training courses, docs
- Consulting
- Forums
- Etc.




### Installation on your premise

- Virtual Machines or Dockers
  - Different configurations
    - From small to scalable
    - Exploiting your legacy tools
    - Interoperable with any tool
  - No vendor lock-in, No tech lock-in
- Mixed solutions! For example:**
- Start on Cloud as Smart City as a Service
    - Migrate on premise on the fly
  - Start on Cloud into a sand box
    - Pass to install on premise what you need

# Micro 6 model

Micro 6 (technical)



1Hour  
installation  
and  
ready to use


- **SLA:**
  - Including: Direct Contact, POC; Help Desk
    - may be an Organization on our cloud to test new tools, and work with the community, this is typically 5-12Keuro first 2years and 1-2keuro for each successive year depending on the feature and number of users you are placing.
  - Similar to: <https://www.snap4city.org/497> with some adaptation on the basis of your deploy and critical conditions, if any
    - Updates, help desk, etc.
- **Our support can be valued on:**
  - The basis of the complexity of your solution: 10% of the cost
    - Or
  - Block of: 16 hours, for 3000 euro / 50 hours, for 6000 euro
    - larger packages can be negotiated
- **Support can be provided by:** Snap4, DISIT Lab, and other companies
- **Customizations can be assessed separately**

# Using from Cloud or Installing on Premise

- **Cloud «as a service»:** a number of installations are in place
  - The largest <https://www.snap4city.org>
    - 20 tenants/organizations, Billions of data
    - 1 hour deploy new organization, devices, data, dashboards
- **Installations on public or private cloud, or on private servers**
  - A number of ready to use configurations from 1VM to multiple scalable solutions: <https://www.snap4city.org/471>
    - VM: Appliances ready to use
    - Docker compose, Tool for generating and downloading the docker compose files
      - Micro X version can be installed and tested in 4 hours. <https://www.snap4city.org/738>



[https://www.snap4city.org/docker-generator/selecting\\_model](https://www.snap4city.org/docker-generator/selecting_model)



TOP

# Platform Administration



	1st part	2nd part	3rd part	4th part	5th part	6th part	7th part	8th
what	Overview	Dashboards	IOT App, IOT Network	Data Analytics	Data Ingestion processes	System and Deploy Install	Smart City API: Web & Mob. App	Design and Develop Smart Solutions
PDF 2022								
Interactive (2022) with video and animations								

**SNAP4**  
Services and Docker  
Installations



# Roles in Snap4City/Industry solutions

- **RootAdmin**
  - The gods of the specific installation, access to all tools for all Organizations
- **ToolAdmin**
  - The administrators of an Organization with some capabilities on single tools
- **AreaManager (developers)**
  - access to development tools, access to a wider number of resources, IOT with both basic and advanced, IOT Models, etc.
- **Manager (final users)**
  - limited access to development, IOT App development with Basic library.
- **Users of any Role** have full control on their own resources: data, devices, dashboards, IOT App, etc., which may control according to GDPR rules,
  - providing access, revoking, etc.
- **All users start as Manager roles**
  - All users have also a Level (numeric). A score about what they have exploited in the platform. Higher scores correspond to wider exploitation of capabilities.
- **RootAdmin users may**
  - pass Users to higher roles. Ask to [snap4city@disit.org](mailto:snap4city@disit.org) to become an AreaManager for testing
  - Provide/grant specific authorizations to data access on Tool usage
- In the Installation onPremise, you become the RootAdmin of it, you decide ALL.



# Platform Management and control

Management	<ul style="list-style-type: none"> <li>Traffic Analyzer: AMMA</li> <li>Container Cluster Monitoring</li> <li>Container Cluster Intelligence</li> <li>Back Office Container Monitoring</li> <li>IOT App Version Management</li> <li>Smart City API Monitoring</li> <li>MyKPI Monitoring</li> <li>Notifier Monitor</li> <li>Web Server Monitor</li> <li>Back Office DWH Scheduler</li> <li>Back Office DA Scheduler</li> <li>Back Office DISCES</li> <li>Mobile Application M</li> <li>Mng Anonym. Photo</li> <li>Mng Photos Comm</li> <li>Mng Online Helps</li> <li>Config ResDash</li> <li>Mesos view</li> <li>DISCES-EM</li> <li>DISCES-EM tail</li> <li>IOT App for Conf Clu</li> </ul>
User Management and Auditing	<ul style="list-style-type: none"> <li>User Management</li> <li>User Limits Management</li> <li>User Engagement</li> <li>User Engagement Dash</li> <li>User Role Management via LDAP</li> <li>Manage Resource Ownership</li> <li>User Chats Management</li> <li>Auditing Data Access Try-out</li> <li>Auditing Elements vs Ownership</li> <li>Auditing Personal Data</li> <li>Auditing Accesses Authentication</li> <li>Auditing User Activities</li> <li>Auditing Activities on Queries</li> <li>Auditing Activities on Articles</li> <li>Auditing IOT Directory Data</li> <li>Dashboard Builder Local Users</li> <li>Organizations vs Groups</li> <li>Users vs Organizations</li> </ul>

## Platform Management tools

- Installation procedures
- monitoring and control tools
- Quality control
- Help desk and SLA



## User management tools

- User profiling, limiting
- Auditing tools according to GDPR
- Menu profiling
- CRM


## Training and tutoring tools

- Develop. Life Cycle
- Develop. tools
- Manual, courses, etc.
- Community


• etc.



# Unified Management Model




Unified Knowledge Model



Smart Cities with Multiple Services Benefit of a Unified Knowledge Model for Management

TOP

# Acknowledgements



**FIWARE**  
Open APIs for Open Minds

**FIWARE  
IMPACT  
STORIES**

SMART CITIES AND SMART INDUSTRY

**Snap4City:**  
**FIWARE** powered smart app  
builder for sentient cities

With the contribution of



- <https://fiware-foundation.medium.com/snap4city-fiware-powered-smart-app-builder-for-sentient-cities-acfe24df49d5>
- [https://www.snap4city.org/download/sites/default/files/files/FF\\_ImpactStories\\_Snap4City.pdf](https://www.snap4city.org/download/sites/default/files/files/FF_ImpactStories_Snap4City.pdf)

# booklets



- Smart City



[https://www.snap4city.org/download/video/DPL\\_SNAP4CITY.pdf](https://www.snap4city.org/download/video/DPL_SNAP4CITY.pdf)

- Industry



[https://www.snap4city.org/download/video/DPL\\_SNAP4INDUSTRY.pdf](https://www.snap4city.org/download/video/DPL_SNAP4INDUSTRY.pdf)

- Artificial Intelligence



[https://www.snap4city.org/download/video/DPL\\_SNAP4SOLU.pdf](https://www.snap4city.org/download/video/DPL_SNAP4SOLU.pdf)


# <https://www.snap4city.org/4>

- [Scenario: SnapBot: Real Time Smart City services via Telegram](#)
- [Scenario: Copernicus Satellite Data](#)
- [Scenario: SmartBed, Materasso Intelligente](#)
- [MicroServices Suite for Smart City Applications](#)
- [Scenario: MODBUS for Snap4Industry Snap4City Applications](#)
- [Scenario: MOBIMART Interreg: MOBilità Intelligente MARE Terra](#)
- [Scenario: City of Roma case, mobility and environmental data](#)
- [Scenario: Herit-Data video and aims](#)
- [Scenario: Control Room vs Video Wall](#)
- [Scenario: Snap4Home the case of: Alexa, Philips, Sonoff, TP-link, etc. \(Italiano\)](#)
- [Scenario: how to manage maintenance and accidents workflows](#)
- [Scenario: Snap4Home, how to exploit Snap4City solution on home automation](#)
- [Scenario: Energy Monitoring](#)
- [Scenario: Multipurpose User Engagement Tools](#)
- [Scenario: 5G Enabled Water Cleaning Control \(smart city, industry 4.0\)](#)
- [Scenario: High Level Control of Industrial Plant \(industry 4.0\)](#)
- [Scenario: Vehicle Monitoring via OBD2](#)
- [Scenario: Events and Museums Monitoring in Antwerp](#)
- [Scenario: High Resolution Prediction of Environmental Data](#)
- [Scenario: Mobility and Transport Analyses in multiple cities](#)
- [Scenario: People Flow Analysis via Wi-Fi](#)
- [Scenario: Antwerp Pilot on Environmental Data](#)
- [Scenario: Helsinki Pilot on Environmental Data](#)
- [Scenario: Firenze Smart City Control Room](#)
- [Scenario: Mobile & Web App: Toscana Where What ... Km4City, Toscana in a Snap](#)
- [Scenario: Helsinki Pilot on User Behaviour](#)
- [Scenario: Antwerp Pilot on User Behaviour](#)




## Scenariious

- [Data Analytic: Origin Destination Matrices, Algorithms and tools](#)
- [Data Analytic: Traffic Flow Reconstruction](#)
- [Data Analytic: in general, and the cases of Antwerp and Helsinki](#)
- [Data Analytic: Predicting Air Quality](#)
- [Data Analytic: Analyzing Public Transportation Offer wrt Mobility Demand](#)







## 2013 Km4City Ontology 1.1

- Tuscany, Road Graph
- Mobility
- culture, tourism
- Events
- Parking
- Services
- Linked open graph

## 2014

- Weather Forecast
- Real Time Wi-Fi
- Entertainment
- LOD

- Twitter Vigilance
- Social Media Analytics, Sentiment Analysis

## Km4City 1.4

## 2015

- Resilience Decision Support
- Smart First Aid
- User Behaviour Analysis, predictions
- Risk Analysis



## (2016-21) H2020 REPLICATE

- Smart Energy
- Sustainable Mobility
- Control Room
- Dashboard

## Km4City 1.6.2

(2016-21) Sii-Mobility

### SII-MOBILITY SCN

- Infomobility
- Mobile App
- Routing
- Multimodality

## 2016 FIWARE

## Km4City 1.5

- Resilience Decision Support
- Smart First Aid
- User Behaviour Analysis, predictions
- Risk Analysis

## Km4City 1.6.4

- Origin-Destination and trajectories
- Traffic Reconstruction
- Offer Analysis
- OBU, smart devices

E015 digital ecosystem

Powered by EXPO MILANO 2015

(2016-19) GHOST SIR

- Sardinia Region Smart City Strategies and plan

GREEN IMPACT CAPACITY

- ### GREEN IMPACT
- POR FESR 2014-2020
- Industry 4.0
  - Critical Plant
  - Monitoring

## 2017

- Smart Waste

## MOSAiC (2018-20)

- User engagement
- Bike Sharing
- Data Analytics ++
- Social Predictions
- OBD2

## IOT/IOE Km4City 1.6.6

Node-RED

SNAP4CITY SELECT for Cities H2020 (2017-19)

- IOT/IOE, IOT App
- Living Lab
- Maker Support
- IOT Edge
- Smart City IOT
- GDPR, Privacy & Security

life weee (2017-20)

## 5G tech Energy Industry 4.0 Synoptics (2018-21)

- Traffic and Mobility Impact on Pollution
- NOX predictions

## 2019

EUROPEAN OPEN SCIENCE CLOUD

LAI Smart Bed

- Smart Health

GREEN FIELD PEAS Soda4.0

Optimization and Automated Decision System 4.0

- Industry 4.0

bee smart city

## SNAP4CITY

TRAFAIR CEF (2018-21)

## SODA

Winner of Select4Cities PCP

SELECT for Cities

CERTIFICATE OF ACHIEVEMENT

1<sup>st</sup> place award to SNAP4CITY

GREEN FIELD PEAS Soda4.0

Reverberi Enetec Gruppo MPES

DISIT lab roadmap vs model and tools' usage



Smart Ambulance (2021-22)

Enterprise (2021-22)  
Industry 4.0

Almafluida Industry 4.0 (2021-22)

Contract, 2022-23

CN MOST, 2022-26

ELLIE IA 2025-2027

**2020**



Contract



- Smart Tourism
- 6 Pilots
- Data Analytics
- Extended platform



- Smart Mobility
- PISA, PUMS
- Living lab



**2021**

PC4City (2020-21)  
Monitoring Terrain



**CAPĒLON**

- Smart Light
- Sweden

**Km4City 1.6.7**



AMPERE (2021-22)  
Industry 4.0

SYN-RG-AI  
SmartCity



Industry 4.0

uni.systems

SmartCity, 2021-23



AXIS collab  
SmartCity

**2022**



Asymmetrica  
Smart City, 2022-23



Contract, 2022-23



2022-2023



Contract, 15min



Security and Risk



Italferr, Smart City

**2023**



EI THE, 2022-26

G. Agile, 2021-23



2023-26



Merano, smart light

OceanRace,  
Genova, AWS

Cuneo,  
smart city

**2024**

Km4City 1.6.8

TOURISMO



UrbanDT4TF




Contract, 2024-25

CAI4DSA



Rhodes,  
smart city



AMMIRARE



TOP



*Be smart in a SNAP!*



## CONTACT

DISIT Lab, DINFO: Department of Information Engineering  
Università degli Studi di Firenze - School of Engineering

Via S. Marta, 3 - 50139 Firenze, ITALY  
<https://www.disit.org>

[www.snap4city.org](http://www.snap4city.org)

 **SNAP4**  
Appliances and Dockers  
**Installations**

Email: [snap4city@disit.org](mailto:snap4city@disit.org)

Office: +39-055-2758-515 / 517

Cell: +39-335-566-86-74

Fax.: +39-055-2758570



UNIVERSITÀ  
DEGLI STUDI  
FIRENZE

**DINFO**  
DIPARTIMENTO DI  
INGEGNERIA  
DELL'INFORMAZIONE

**DISIT**  
DISTRIBUTED SYSTEMS  
AND INTERNET  
TECHNOLOGIES LAB